





# HEATING & AIR TREATMENT

Catalogue 2023





# Olimpia Splendid. Home of Comfort

Home is synonymous with comfort: a simple equation that we are committed to ensuring, in every season and in every country in the world, offering innovative, safe and sustainable solutions, all with an exceptionally high-level aesthetic finish.

#### About us

Olimpia Splendid is an Italian company that, since 1956, has been designing, manufacturing and marketing products for Air Conditioning, Heating and Air Treatment. The **Home of Comfort** payoff describes our commitment to creating innovative, environmentally friendly products with an unmistakable Made in Italy design. Our goal is to satisfy, in every season, the needs of our customers worldwide. **Comfort at Home** is the result.

#### Italian company since 1956

Every Olimpia Splendid product was born in the Brescia headquarters, where the R&D centre, 100% Italian, represents the beating heart of all the innovations and the rigorous mind that studies, tests and refines every project.

With the help of state-of-the-art modelling software and in-house test labs — equipped with 3D printers, calorimetric chambers, anechoic chambers, as well as with long-term durability test chambers — our team of engineers and designers follows the development of the Olimpia Splendid solutions, going beyond the regulations and standards. To ensure, throughout the entire life cycle of the product, only the best performance, always.

#### International brand

Olimpia Splendid is a group with an international vocation. Because we seek, through a direct presence in the markets, to always be closer to the needs of our customers.

The international dimension of Olimpia Splendid is represented by the offices of the 7 foreign commercial branches, as well as by the widespread network of distributors that extends throughout more than 50 countries worldwide. The export sector, which already accounts for 50% of the group's total turnover, is a component of the constantly growing revenues.



#### Goal 2040: carbon neutrality

Due to ongoing climate change, the demand for indoor air conditioning solutions is now growing rapidly and, as such, manufacturing companies are revolutionising technologies and processes in order to meet new environmentally friendly home requirements. As a home comfort brand, we have defined the cornerstones of our sustainability plan and made an official commitment to halve Olimpia Splendid's carbon footprint by 2030 and achieve carbon neutrality by 2040, 10 years ahead of the European Green Deal. An important goal that we can achieve by taking care of the climate in the home together with that of the planet.

## **Technology**

Our air conditioning systems are heat pump versions - the most efficient technology on the market today. Fully electric, they create the right comfort in all seasons by optimising consumption and make use of renewable sources.

For an ideal climate at home and on the planet.

### **Factory**

Our production facility in Franciacorta is powered by 50% self-produced energy and is highly efficient. In 2021, we reduced the intensity of our energy consumption and increasing production. Producing more while respecting the environment is possible.

## **People**

In our company, every goal is shared and the path towards carbon neutrality involves the active and proactive participation of the entire workforce. Contributing towards building a better future is part of our mission.

# Lifecycle

We analyse the environmental footprint of the products, select the refrigerants with the lowest impact on the greenhouse effect, use materials that can be easily recycled and study solutions to prolong product durability.

Our commitment to the environment is never ending.




# **ONLINE SERVICE**

#### **Download Area**

All of the documentation necessary for installation and operation of our machines can be found in the download section of our website www.olimpiasplendid.com. Here, you will find templates and installation manuals, and also energy labels and product catalogues.







# **OS Home**



The technology that connects Olimpia Splendid products to smartphones and voice control. For more user-friendly comfort control.

#### Smartphone and tablet

Olimpia Splendid products with built-in **Wi-Fi** can also be managed remotely, both in and out of the home, thanks to the internet connection on your smartphone or tablet. To activate them and configure the main functions, just **download the OS Home mobile app** which is compatible with iOS and Android devices.


#### Voice control

The new Olimpia Splendid Wi-Fi technology allows you to connect some of the products to the main **voice control** systems as well. The OS Home compatible actions and skills are available for download on the relevant stores.

#### OS Home is available for:

- Caldo Sky G Wifi (99265) and Caldo Sky B Wifi (99264) fan heaters
- Caleo Glass Wifi (99238) convector
- Aquaria S1 20 P (02064) and Aquaria S1 24 P (02065) dehumidifiers
- Limpia Hero Wifi (99239) humidifier
- Aura Care (99277) and Aura Absolute (99278) air purifiers
- Vertigo (99276) and Futura (99275) multifunctional products

Further information about the OS HOME functions and compatibility with mobile devices and voice control systems is available on Olimpiasplendid.com



# **INDEX**

47

49

50

**RADIATORS** 

CALDORAD

CALDORAD HUMI

#### **NEEDLE RESISTANCE FAN HEATERS** 55 14 **DEHUMIDIFIERS** 15 CALDO RADIALE 57 AQUARIA ST 10P 16 CALDO POP 58 AQUARIA S1 12P 17 CALDO RELAX 59 AQUARIA ST 14P 18 CALDO ROCK M 60 AQUARIA ST 16P 19 CALDO ROCK O 61 AQUARIA ST 20P 20 CALDO TEKNO 62 AQUARIA S1 24P 21 CALDOSILENT SECCOPROF 63 AROMA DIFFUSERS AND HUMIDIFIERS 24 **CERAMIC FAN HEATERS** 67 25 CALDODESIGN 69 ASTOMI 80 26 70 ASTOMI 200 CALDO TRENDY 27 CALDO TRENDY ST 71 **ASTOMI SOUND** 28 CALDO TRENDY T 72 LIMPIA 2 29 CALDO SKY 73 LIMPIA 4 CALDO UP T 30 74 LIMPIA HERO WIFI 75 LIMPIA 6 33 **CONVECTORS** 35 CALEO GLASS WIFI 79 PURIFIERS AND MULTIFUNCTIONAL SOLUTION 36 CALEO METAL 81 **AURA CARE** 37 CALEO 2 82 **AURA ABSOLUTE** 38 CALEO 2 T e TT 83 **FUTURA INFRARED HEATERS** 41 42 SOLARIA EVO 43 SOLARIA CARBON 44 CARBON BLACK


# **ALPHABETIC INDEX**

AQUARIA ST TOP	57	CALDORAD	50
AQUARIA ST 12P	58	CALDORAD HUMI	49
AQUARIA ST 14P	59	CALDOSILENT	21
AQUARIA ST 16P	60	CALEO 2	37
AQUARIA ST 20P	61	CALEO 2 T E TT	38
AQUARIA ST 24P	62	CALEO GLASS WIFI	35
ASTOMI 200	70	CALEO METAL	36
ASTOMI 80	69	CARBON BLACK	44
ASTOMI SOUND	71	FUTURA	83
AURA ABSOLUTE	82	LIMPIA 2	72
AURA CARE	81	LIMPIA 4	73
CALDO POP	16	LIMPIA 6	75
CALDO RADIALE	15	LIMPIA HERO WIFI	74
CALDO RELAX	17	SECCOPROF	63
CALDO ROCK M	18	SOLARIA CARBON	43
CALDO ROCK O	19	SOLARIA EVO	42
CALDO SKY	29		
CALDO TEKNO	20		
CALDO TRENDY	26		
CALDO TRENDY ST	27		
CALDO TRENDY T	28		
CALDO UP T	30		
CALDODESIGN	25		









# **FAN HEATERS**

For a new comfort experience



# Original colours and maximum usability for a new experience of comfort

#### Much more than fan heaters

The Olimpia Splendid range is designed to offer a new experience of comfort, through colours and shapes in line with the latest interior design trends and practical technological solutions.

Thanks to **digital control panels**, **oscillating bases and integrated timers**, the Olimpia Splendid fan heaters can indeed go beyond their primary function, surpassing the traditional context of use and allowing year-round use in the home.

#### Powerful, robust and safe

The Olimpia Splendid range meets all needs (from 1800 to 2400W), satisfying those who enjoy all-embracing heat, offering solutions equipped with ceramic heating elements. No compromising on the safety front either, as demonstrated by the self-extinguishing plastic materials used for the safety thermostat in all models.

Moreover, Olimpia Splendid needle resistance fan heaters have an **IP21 protection** rating, making them safe against falling solid objects greater than 12 millimetres or falling drops of water.

# Range of fan heaters







Protection against dripping



Rotating base




Wall installation



Remote control included



🛜 Integrated wi-fi



Needle resistance fan heaters

# **CALDO RADIALE**


# The compact table fan heater

Cod. 99240





OLIMPIA SPLENDID





#### **DUAL USE**

Benchtop or floor-standing, thanks to the addition of four supplied feet.



#### **COMPACT DESIGN**

Small and compact, fits discreetly into any space



#### **3 MODES OF USE**

Fan only and two adjustable power levels (900-1800W) for customised comfort



#### **ANTI-FROST FUNCTION**

To set automatic power-on when the temperature drops below  $10^{\circ}\text{C}$ 

#### **FEATURES**

Needle resistance
Max heat output: 1800 W
2 power levels (900 - 1800W)
Safety thermostat
Room thermostat
Anti-overheating device
Mechanical controls
Fan only function
Antifreeze function
Deflector for vertical grille inclination
Additional feet included



# **CALDO POP**

# Needle resistance fan heater with IP21 protection rating

Cod. 99291

Cod. 99292









#### **POWER UP TO 2000W**

Adjustable power level (1.000/2.000W)



#### **IP21 PROTECTION**

Safety guaranteed against falling drops of water, frequent in the bathroom



#### **3 MODES OF USE**

Fan only and two power levels, for customised comfort

#### **FEATURES**

Needle resistance Power settings: 1000/2000W IP 21 type-approved against vertical dripping Fan only function Safety thermostat



# PURIFIERS AND MULTIFUNCTIONAL SOLUTION

# **CALDO RELAX**

# Compact fan heater for safe heating.

Cod. 99338





**OLIMPIA SPLENDID** 





#### **POWER UP TO 2000W**

Adjustable power level (1.000/2.000W)



#### **IP21 PROTECTION**

Safety guaranteed against falling drops of water, frequent in the bathroom



#### **ANTI-TIP DEVICE**

Automatically switches off if it falls over



#### **3 MODES OF USE**

Only fan - 2 power level.

#### **FEATURES**

Needle resistance

Power settings: 1000/2000W
IP 21 type-approved against vertical dripping
Fan only function
Safety thermostat

Room thermostat

Grip on rear

Turnover protection switch



# **CALDO ROCK M**

# Needle resistance fan heater with 3 modes of use

Cod. 99293









#### **POWER UP TO 2000W**

Adjustable power level (1.000/2.000W)



#### **IP21 PROTECTION**

Safety guaranteed against falling drops of water, frequent in the bathroom



#### **ANTI-TIP DEVICE**

The fan heater automatically switches off if it falls over



#### **3 MODES OF USE**

Fan only and two power levels, for customised comfort

#### **FEATURES**

Needle resistance

Power settings: 1000/2000W
IP 21 type-approved against vertical dripping
Fan only function

Safety thermostat

Turnover protection switch



# **CALDO ROCK O**

# Needle resistance fan heater with rotating base

Cod. 99294





**OLIMPIA SPLENDID** 





#### **ROTATING BASE**

Automatic horizontal air flow oscillation for improved heat diffusion



#### **POWER UP TO 2000W**

Adjustable power level (1.000/2.000W)



#### **SECURE SYSTEM**

IP21 protection against falling drops of water and automatically switches off if it falls over







**FEATURES** 

Needle resistance

Oscillating function Fan only function

Safety thermostat Anti-tip device

Selectable thermal power: 1000/2000W IP21 protection against falling drops of water

# **CALDO TEKNO**

## The safe and feature-rich fan heater

Cod. 99241









#### **TOUCHSCREEN DISPLAY**

Touch control panel with an understated style, used to set the temperature and minimum and maximum power (1000-2000W).



#### **ECO MODE**

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



#### **SILENT FUNCTION**

Quiet operation for maximum acoustic comfort



#### **SECURE SYSTEM**

IP21 protection against falling drops of water and automatically switches off if it falls over

#### **FEATURES**

Needle resistance

Max heat output: 2000 W

2 power levels (1000 - 2000W)

IP21 protection against vertical dripping

Safety thermostat

Room thermostat

Anti-overheating device

Anti-tip device

24h Timer

Touchscreen display Fan only function

Antifreeze function

Eco Mode to reduce consumption

Silent Mode for greater acoustic comfort

Practical handle for movement

Remote control included



# **CALDOSILENT**

# Powerful and silent needle resistance fan heater

Cod. 99329





**OLIMPIA** 

**SPLENDID** 





#### **SUPER WARM**

Among the most powerful of its category, up to 2400 W.



#### **SUPER POWER**

Lower sound pressure: up to 3dB (A) less than traditional models. 50%\* lower perceived noise.



Safety guaranteed against falling drops of water, frequent in the bathroom





#### **TIMER**

24h timer programming.



Needles resistance

Superpower: max thermal output 2400 W

2 power settings (1200-2400W)

Fan only function

Mechanical control

IP 21 certification gainst water dripping

Rotating base

Timer 24h

Safety thermostat

Room Thermostat

Anti-frost function

Anti Typever switch

Handle

Max room volume: 80 m<sup>3</sup>

Silent System




# Technical specifications needle resistance fan heaters

NEW

	CALDO RADIALE	CALDO POP A	CALDO POP B	CALDO RELAX
PRODUCT CODE		99292	99291	99338
	8021183992403	8021183992922	8021183992915	8021183993387
W	1800	2000	2000	2000
	ONLY FAN / 900 / 1800	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
m³	55	60	60	60
mm	275 x 112 x 290	210 x 251 x 143	210 x 251 x 143	223 x 265 x 135
mm	313 x 140 x 312	215 x 257 x 145	215 x 257 x 145	230 x 274 x 140
kg	1,4	1,1	1,1	1,0
kg	1,6	1,3	1,3	1,2
nr	8	6	6	6
mm	575 x 325 x 640	450 x 230 x 529	450 x 230 x 529	440 x 245 x 570
	II	II	II	П
	IPX0	IP21	IP21	IP27
V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50
	CE	CE	CE	CE
	-	-	-	-
	V	√	V	V
	V	√	V	V
	V	√	V	V
	-	-	-	-
	-	-	-	V
	V	-	-	V
	V	√	V	√
	m³ mm mm kg kg nr mm	99240 8021183992403 W 1800 ONLY FAN / 900 / 1800 m³ 55 mm 275 x 112 x 290 mm 313 x 140 x 312 kg 1,4 kg 1,6 nr 8 mm 575 x 325 x 640 II IPX0 V-F-Hz 220/240 - 1 - 50 CE	99240  8021183992403  8021183992922  W 1800 2000  ONLY FAN / 900 / 1800 ONLY FAN / 1000 / 2000  m³ 555 60  mm 275 x 112 x 290 210 x 251 x 143  mm 313 x 140 x 312 215 x 257 x 145  kg 1,4 1,1  kg 1,6 1,3  nr 8 6  mm 575 x 325 x 640 450 x 230 x 529  II II  IPX0 IP21  V-F-Hz 220/240 - 1 - 50 220/240 - 1 - 50  CE CE	99240         99292         99291           8021183992403         8021183992922         8021183992915           W         1800         2000         2000           ONLY FAN / 900 / 1800         ONLY FAN / 1000 / 2000         ONLY FAN / 1000 / 2000           m³         55         60         60           mm         275 x 112 x 290         210 x 251 x 143         210 x 251 x 143           mm         313 x 140 x 312         215 x 257 x 145         215 x 257 x 145           kg         1,4         1,1         1,1           kg         1,6         1,3         1,3           nr         8         6         6           mm         575 x 325 x 640         450 x 230 x 529         450 x 230 x 529           II         II         II           IP21         IP21         IP21           V-F-Hz         220/240 - 1 - 50         220/240 - 1 - 50         220/240 - 1 - 50           CE         CE         CE           CE         CE         CE           V         V         V           V         V         V           V         V         V           V         V         V

NEW

		CALDO ROCK M	CALDO ROCK O	CALDO TEKNO	CALDOSILENT
PRODUCT CODE		99293	99294	99241	99329
EAN CODE		8021183992939	8021183992946	8021183992410	8021183993295
Thermal power (Max)	W	2000	2000	2000	2400
Power settings		ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1200 / 2400
Heating volume (max)	m³	60	60	60	80
Dimensions (WxHxD)	mm	217 x 275 x 155	217 x 290 x 155	205 x 280 x 163	267 x 343 x 251
Gift box dimensions (WxHxD)	mm	225 x 280 x 160	225 x 295 x 160	220 x 286 x 164	285 x 360 x 265
Weight (without packaging)	kg	1,1	1,3	1,3	2,7
Weight (with packaging)	kg	1,3	1,5	1,5	3,0
Units per master	nr	6	6	6	3
Master dimensions (W x H x D)	mm	500 x 235 x 580	500 x 235 x 610	507 x 587 x 230	810 x 380 x 300
Insulation class		=	II	II	II
Degree of protection provided by covers		IP27	IP21	IP21	IP 21
Electrical power supply	V-F-Hz	220/240 - 1 - 50/60	220/240 - 1 - 50/60	220/240 - 1 - 50	230 - 1 - 50
Conformity mark		CE	CE	CE	CE
Timer		-	-	√	V
Room thermostat		$\checkmark$	√	√	√
Safety thermostat		$\checkmark$	√	√	√
Ventilation function		$\checkmark$	√	√	√
Oscillating function		-	√	-	√
Anti-turn over switch		$\checkmark$	√	V	√
Anti-ice function		-	-	√	√
Power selector		√	√	V	V





#### OLIMPIA SPLENDID

# Retro-style ceramic fan heaters

**CALDODESIGN** 

Cod. 99404

Cod. 99447

Cod. 99402









#### **COMPACT DESIGN**

Small and compact, Caldodesign will blend smoothly into any context, thanks to its reduced dimensions.



#### **VERTICAL TILT ADJUSTMENT**

Thanks to the sturdy base, the tilt can easily be adjusted for heating in any position



#### **3 MODES OF USE**

Only fan - 2 power level.



#### **1800W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Max thermal output: 1800 W
Ceramic Resistance
Room Thermostat
Safety thermostat
Fan only function
Anti-frost function
Power selection
Tilt adjustment
2 LED indicator
Mechanical control



# **CALDO TRENDY**

# The compact and safe ceramic fan heater

Cod. 99268









#### **SECURE SYSTEM**

IP21 protection against falling drops of water and automatically switches off if it falls over



#### **DIGITAL CONTROL**

Digital control panel to regulate power and integrate timer



#### **ROTATING BASE**

Automatic horizontal air flow oscillation for improved heat diffusion



#### **1800W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Max thermal power: 1800 W
2 power levels (900 W - 1800 W)
Ceramic heating element
Room thermostat
Safety thermostat
Overheating protection
Overturning safety switch
IP21 protection rating
ECO function (up to 50% energy savings)
12h Timer
Digital control panel and LED display
Temperature setpoint from 15°C to 30°C
80° automatic swing



# **CALDO TRENDY ST**

# The technological fan heater with a linear design

Cod. 99267





**OLIMPIA SPLENDID** 





#### **TOUCHSCREEN DISPLAY**

Touch-screen control panel, with minimal aesthetic impact, for immediate control.



#### **ECO FUNCTION**

Adjustable power for up to 50% energy savings.



#### **ROTATING BASE**

Automatic horizontal air flow oscillation for improved heat diffusion



FIRE SUPPLY THORSES

#### **2000W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Remote control

Max thermal power: 2000 W 2 power levels (1000 W - 2000 W) Ceramic resistor Room thermostat Safety thermostat Overheating protection Overturning safety switch ECO function (up to 50% energy savings) 12h Timer Touchscreen display Temperature setpoint from 15°C to 30°C 80° automatic swing



# **CALDO TRENDY T**

# The tower fan heater with a integrated air filter

Cod. 99266









#### **AIR FILTER**

Air filter with antidust efficiency, easy to remove and



#### **DIGITAL CONTROL**

Digital control panel to regulate power and integrate timer



#### **ROTATING BASE**

Automatic horizontal air flow oscillation for improved heat diffusion



#### **2000W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Antidust filter

Max thermal power: 2000 W
2 power levels (1000 W - 2000 W)
Ceramic resistor
Room thermostat
Safety thermostat
Overheating protection
Overturning safety switch
ECO function (up to 50% energy savings)
12h Timer
Digital control panel and LED display
Temperature setpoint from 15°C to 30°C
80° automatic swing
Remote control



# **CALDO SKY**

# The wall-mounted ceramic fan heater with integrated Wi-Fi

Cod. 99265

Cod. 99264









#### WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated



#### **COMFORT 12 MONTHS**

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



#### **SECURE SYSTEM**

IP22 protection, safety thermostat, anti-overheating device and open window sensor



#### **2000W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Max thermal power: 2000 W
3 settings: fan only/low/high
Ceramic resistor
Room thermostat
Safety thermostat
Overheating protection
Open window detection
Motorised flap and auto-swing
Touchscreen display
Temperature setpoint between 18°C and 45°C
Timer with weekly programme
Remote control
Handy wall attachment



# **CALDO UP T**

# Programmable wall-mounted ceramic fan heater

Cod. 99364









#### **LED DISPLAY**

Option to view the temperature and active functions via LED indicator lights on-board the machine.



#### **COMFORT 12 MONTHS**

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



#### **SECURE SYSTEM**

Safety thermostat, overheating protection and window opening detector



#### **2000W WITH CERAMIC TECHNOLOGY**

The ceramic resistance guarantees more even and constant heat distribution.

#### **FEATURES**

Max power: 2000 W
Ceramic resistance
3 settings: fan only/low/high
Remote control
LED display with digital controls
Weekly timer with daily slots
Overheating protection
Practical wall connection
Automatic flap swing
Light power indicator
Weekly programming timer
Open window detector



# **Technical specifications ceramic fan heaters**

		CALDODESIGN	CALDODESIGN O	CALDODESIGN S	CALDO TRENDY	CALDO TRENDY ST	CALDO TRENDY T
PRODUCT CODE		99447	99402	99404	99268	99267	99266
EAN CODE		8021183994476	8021183994025	8021183994049	8021183992687	8021183992670	8021183992663
Thermal power (Max)	W	1800	1800	1800	1800	2000	2000
Power settings		ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	900 / 1800	1000 / 2000	1000 / 2000
Heating volume (max)	m³	55	55	55	55	60	60
Dimensions (WxHxD)	mm	245 x 248 x 216	245 x 248 x 216	245 x 248 x 216	216 x 284 x 125	190 x 450 x 140	241 x 604 x 190
Gift box dimensions (WxHxD)	mm	275 x 275 x 235	275 x 275 x 235	275 x 275 x 235	262 x 316 x 150	232 x 486 x 183	278 x 655 x 225
Master dimensions (W x H x D)	mm	750 x 290 x 570	750 x 290 x 570	750 x 290 x 570	465 x 647 x 277	387 x 511 x 250	465 x 670 x 293
Units per master		6	6	6	6	2	2
Weight (without packaging)	kg	1,8	1,8	1,8	1,7	2,5	3,2
Weight (with packaging)	kg	2,2	2,2	2,2	2,0	3,0	3,8
Insulation class		П	Ш	II	Ш	П	II
Degree of protection provided by covers		IP XO	IP XO	IP XO	IP21	IPX0	IPX0
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Ceramic resistance		√	√	√	√	√	√
Timer		-	-	-	√	√	√
Room thermostat		√	√	$\checkmark$	√	√	√
Safety thermostat		√	√	√	√	√	√
Ventilation function		√	√	√	-	-	-
Oscillating function		-	-	-	$\checkmark$	√	√
Anti-turn over switch		-	-	-	$\checkmark$	√	√
Anti-ice function		√	√	√	-	-	-
Power selector		√	√	√	√	√	√
Remote control		-	-	-	=	√	√
Tilt adjustment		√	√	√	-	-	-
LED indicators		√	√	√	√	√	√
Eco Function		-	-	-	√	√	√
Integrated wi-fi & voice control		-	-	-	-	-	-

		CALDO SKY B WIFI	CALDO SKY G WIFI	CALDO UP T
PRODUCT CODE		99264	99265	99364
EAN CODE		8021183992649	8021183992656	8021183993646
Thermal power (Max)	W	2000	2000	2000
Power settings		ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
Heating volume (max)	m³	60	60	60
Dimensions (WxHxD)	mm	550 x 180 x 127	550 x 180 x 127	560 x 185 x 145
Gift box dimensions (WxHxD)	mm	598 x 220 x 156	598 x 220 x 156	595 x 225 x 170
Master dimensions (W x H x D)	mm	610 x 330 x 460	610 x 330 x 460	605 x 355 x 470
Units per master		4	4	4
Weight (without packaging)	kg	2,3	2,3	2,8
Weight (with packaging)	kg	3,0	3,0	3,1
Insulation class		II	II	II
Degree of protection provided by covers		IP22	IP22	IP XO
Ceramic resistance		220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50
Timer		CE	CE	CE
Room thermostat		√	√	√
Safety thermostat		√	√	√
Electrical power supply	V-F-Hz	√	√	√
Conformity mark		$\checkmark$	√	√
Ventilation function		√	√	√
Oscillating function		√	√	√
Anti-turn over switch			-	-
Anti-ice function		-	-	-
Power selector		$\checkmark$	√	√
Remote control		$\checkmark$	√	√
Tilt adjustment			-	
LED indicators		√	√	√
Eco Function		-	-	-
Integrated wi-fi & voice control		√	√	-





# **CONVECTORS**

For immediate and consistent comfort throughout the room



# The benefits of convection heating

#### Uniform and immediate heat

The convector heaters exploit the natural convection of air: they attract cold air flows from below and release hot air flows from above. Exploiting and facilitating this movement ensures highly efficient heat diffusion. Moreover, their direct action on the air temperature (and not just the surfaces) makes them ideal for those requiring immediate heat. The design of the air output grilles and turbo functions further amplify the heating speed of Olimpia Splendid systems.

#### Double installation and advanced controls

Olimpia Splendid systems stand out for their exceptional user experience. In addition to traditional floor-standing installation, the convector can be also be wall mounted for best integration in the room. And the controls? In addition to the machine-mounted panel, there are also automatic on/off timers, a remote control for control by remote, and for the model with built-in Wi-Fi, also a mobile app. For comfort that's always under control.

# **Convector range**







Remote control included



Built-in timer



Turbo Function



Integrated wi-fi

# **CALEO GLASS WIFI**

# The glass convector heater with double installation and built-in Wi-Fi

Cod. 99238





OLIMPIA SPLENDID





#### **DOUBLE INSTALLATION**

Possibility for wall or floor installation thanks to the supplied brackets and feet.



#### **INTEGRATED WI-FI**

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



#### **ECO FUNCTION**

Adjustable power for up to 50% energy savings.



#### **GLASS FRAME**

Glass front panel for a more contemporary style with built-in touchscreen display

#### **FEATURES**

Max heat output 2000 W
2 power levels: 1000 - 2000 W
Temperature setting from 15°C to 50°C
Touchscreen display
Safety thermostat
Room thermostat
Anti-overheating device
Wall or floor installation
Brackets included for wall mounting
Antifreeze function
Eco Function
24h Timer and Weekly Timer
Child lock

Remote control included Maximum heatable volume: 60 m<sup>3</sup>



# **CALEO METAL**

# Fan heater with full metal frame

Cod. 99296









### **POWER UP TO 2000W**

3 adjustable heating levels (750, 1,250 and 2,000W)



### **SILENT SYSTEM**

Silent operation, for optimum acoustic comfort



Max thermal output: 2000 W 3 power settings: 750 - 1250 - 2000 W Mechanical controls Safety thermostat

Room thermostat

Floor installation

Max room volume: 60 m<sup>3</sup>



### **ROOM THERMOSTAT**

To optimise consumption, maintaining the desired temperature



### **FULL METAL FRAME**

Full metal frame for maximum safety.



# CALEO 2

# Fan heater with captivating and modern design

Cod. 99553









### **FAST HEATING**

The design of the grille in the upper part widens the convection range, making Caleo a very low inertia convector, ideal when a room needs to be heated very quickly.



### **COMPACT TECHNOLOGY**

Extremely compact shape and only 12 cm thick.



### **METAL FRAME**

The clean shape, lightness and solidity of Caleo are made possible by the painted metal frame and shell.

### **FEATURES**

Max thermal output: 2000 W 3 power settings: 750 - 1250 - 2000 W Mechanical controls Safety thermostat Floor installation Max room volume: 60 m³



# CALEO 2 T / CALEO 2 TT

# Fan heaters with turbo function and 24h timer

Cod. 99552

Cod. 99551









### **FAST HEATING**

The design of the grille in the upper part widens the convection range, making Caleo a very low inertia convector, ideal when a room needs to be heated very quickly.



### **COMPACT TECHNOLOGY**

Extremely compact shape and only 12 cm thick.



### **METAL FRAME**

The clean shape, lightness and solidity of Caleo are made possible by the painted metal frame and shell.



24h timer programming (only TT version)



**FEATURES** 

Max thermal output: 2000 W

Turbo Function: auxiliary fan

24h Timer (only Caleo TT) Max room volume: 70 m<sup>3</sup>

Mechanical controls

Safety thermostat Floor installation


3 power settings: 750 - 1250 - 2000

# **Technical specifications convector heaters**

NEW

		CALEO GLASS WIFI	CALEO METAL	CALEO 2	CALEO 2 T	CALEO 2 TT
PRODUCT CODE		99238	99296	99553	99552	99551
EAN CODE		8021183992380	8021183992960	8021183995534	8021183995527	8021183995510
Front panel		Glass	Metal	Metal	Metal	Metal
Thermal power(Min - Med - Max)	W	1000 - / - 2000	750 - 1250 - 2000	750 - 1250 - 2000	750 - 1250 - 2000	750 - 1250 - 2000
Heating volume (max)	m³	60	60	60	70	70
Dimensions (W x H x D)	mm	790 x 502 x 247	620 x 395x 220	620 x 460 x 228	620 x 460 x 228	620 x 460 x 228
Gift box dimensions (WxHxD)	mm	835 x 490 x 135	695 x 400 x 135	670 x 490 x 180	670 x 490 x 180	670 x 490 x 180
Weight (without packaging)	kg	7,8	3,0	3,8	4,0	4,1
Weight (with packaging)	kg	9,3	3,8	4,6	4,8	4,9
Electrical power supply	V-F-Hz	230 - 1 - 50/60	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Room thermostat		$\checkmark$	√	√	√	√
Safety thermostat		√	√	√	√	√
Anti-ice function		$\checkmark$	-	√	√	√
Turbo Function		-	-	-	√	√
Timer 24h		$\checkmark$	-	-	-	√
Temperature setting		√	-	-	-	-
Integrated wi-fi		V	-	-	-	-
Wall installation		√	-	-	-	-





# **INFRARED HEATERS**

Maximum performance, minimum consumption

# **SOLARIA EVO**

Infrared heater with halogen technology from 1200W, featuring a clean and essential design.

Cod. 99545

Cod. 99396







### **HALOGEN TECHNOLOGY**

Maximum heating speed. Halogen technology guarantees uniform comfort and extreme rapidity.



### **USER FRIENDLY**

Practical and ergonomic handle, for an even easier trasport.



### **OSCILLATION**

 $90\ensuremath{^\circ}$  oscillation for amplified heat distribution.

### **FEATURES**

3 power settings (400 - 800 - 1200 W) 90° Oscillation Safety thermostat Anti turn over switch Handle Max room volume: 45 m³



# **SOLARIA CARBON**

# Carbon fibre infrared heater from 1100W, which maximises efficiency and minimises consumption

Cod. 99610







### **CARBON TECHNOLOGY**

The infrared lamps are made in carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



### **ORIENTING**

The infrared lamp can be inclined up to 80° orienting the heat upwards, for greater heating comfort.



### **OSCILLATION**

 $90\ensuremath{^\circ}$  oscillation for amplified heat distribution.

### **FEATURES**

Max hermal output 1100 W 2 power settings (600 - 1100 W)

Mechanical controls

90° Oscillation

Radiation direction: the lamp can be inclined up to  $80\ensuremath{^\circ}$  orienting the heat upwards

Safety thermostat

Anti turn over switch

Handle

Max room volume: 45 m<sup>3</sup>

# **CARBON BLACK**

# Infrared heater with heating elements in carbon fibre from 1100W

Cod. 99579





### **CARBON TECHNOLOGY**

The infrared lamps are made in carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



### **OSCILLATION**

90° oscillation for amplified heat distribution.

### **FEATURES**

Max thermal output 1100 W 2 power settings (550 - 1100 W) Mechanical controls 90° Oscillation Safety thermostat Anti turn over switch Handle Max room volume: 45 m³



# **Technical specifications infrared heaters**

		SOLARIA EVO	SOLARIA EVO S	SOLARIA CARBON	CARBON BLACK
PRODUCT CODE		99545	99396	99610	99579
EAN CODE		8021183995459	8021183993967	8021183996104	8021183995794
Technology		Halogens	Halogens	Carbon fibre	Carbon fibre
Power levels	W	400 - 800 - 1200	400 - 800 - 1200	600 - 1100	550 - 1100
Heating volume (max)	m³	45	45	45	45
Dimensions (WxHxD)	mm	325 x 585 x 170	325 x 585 x 170	456 x 690 x 170	320 x 640 x 240
Gift box dimensions (WxHxD)	mm	330 x 615 x 200	330 x 615 x 200	315 x 740 x 175	315 x 680 x 175
Weight (without packaging)	kg	2,0	2,0	3,2	2,2
Weight (with packaging)	kg	2,5	2,5	3,7	2,7
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50/60	230 - 1 - 50	220/240 - 1 - 50/60
Safety thermostat		$\checkmark$	√	√	√
Oscillating function		√	√	√	√
Anti-turn over switch		√	√	√	√
Handle		V	√	V	√





# **RADIATORS**

The most silent comfort is long-lasting



# Silent and long-lasting heat for pleasant, breathable comfort

### Super power, in maximum silence

Oil-filled radiators are the ideal solution to efficiently heat rooms in utmost acoustic comfort. The Olimpia Splendid range is made up of 6 models with variable thermal power from 1500 to 2500W, to suit a a variety of needs.

### Multifunctionality

To make comfort a state of complete well-being, the Olimpia Splendid range also includes electric radiators with integrated humidifier: perfect for heating every room without drying the air. The enveloping heat and perfect level of humidity thus make for pleasant, breathable comfort.

### High inertia

Recommended for use over long periods, oil-filled radiators are distinguished by their high thermal inertia, which guarantees the continuous release of heat into the room even after they've been turned off.

# Oil-filled radiators range









# **CALDORAD HUMI**

# Oil-filled radiators with integrated humidifier

Cod. 99298

Cod. 99263









### **INTEGRATED HUMIDIFIER**

To keep the right amount of humidity in the air



### **SILENT SYSTEM**

The acoustic comfort is guaranteed: it operates in complete silence



### **SUPER INERTIA**

Up to 13 heating elements for long-lasting, uniform heat dispersion, even when switched off



### **3 POWER LEVELS**

The temperature of the room is easily adjusted by using the knobs

### **FEATURES**

2 versions available:

CaldoRad Humi 9 (max heat output 2000 W)

CaldoRad Humi 13 (max heat output 2500 W)

Mechanical controls

Safety thermostat

Room thermostat

Anti-tip switch

Antifreeze function

Integrated handles

Wheels

Cable winder

Integrated humidifier with 450 ml tank capacity



# **CALDORAD**

# High inertia oil-filled radiators, for uniform heat diffusion

Cod. 99620

Cod. 99619

Cod. 99618

Cod. 99617









### **SUPER INERTIA**

The special engineering of the metal elements and openings on the sides, enable heat to be spread homogeneously and guarantee long heating maintenance times. Ideal for heating large rooms.



### **SILENT SYSTEM**

The acoustic comfort is guaranteed: it operates in complete silence



### **ECO MODE**

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



24 h timer programming (only 9 TT version)

### **FEATURES**

4 different versions:

CaldoRad 7 (max thermal output 1500 W)

CaldoRad 9 (max thermal output 2000 W)

CaldoRad 11 (max thermal output 2500 W)

CaldoRad 9 TT (max thermal output 2000 + 400 W)

Mechanical controls

Safety thermostat

Room thermostat

Turnover protection switch

Anti-frost function

Handles

Wheels

Cable winder

24h timer

# **Technical specifications oil-filled radiators**

		CALDORAD HUMI 9	CALDORAD HUMI 13	
PRODUCT CODE		99263	99298	
EAN CODE		8021183992632	8021183992984	
Power levels	W	800-1200-2000	1000-1500-2500	
Heating volume (max)	m³	60	75	
Dimensions (W x H x D) (with wheels)	mm	240 x 625 x 430	250 x 625 x 590	
Gift box dimensions (WxHxD)	mm	140 x 695 x 480	140 x 695 x 640	
Weight (without packaging)	kg	8,7	12,6	
Weight (with packaging)	kg	9,7	13,7	
Oil	kg	1,95	2,60	
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50	
Timer 24h		-	-	
Room thermostat		√	V	
Safety thermostat		√	√	
Ventilation function		-	-	
Anti-turn over switch		√	$\checkmark$	
Eco Function		-	-	
Anti-ice function		$\checkmark$	$\checkmark$	
Wheels		√	V	
Handles		√	V	
Power supply cable housing		$\checkmark$	$\checkmark$	
Humidifier		V	V	

		CALDORAD 7	CALDORAD 9	CALDORAD 11	CALDORAD 9 TURBO TIMER
PRODUCT CODE		99620	99619	99618	99617
EAN CODE		8021183996203	8021183996197	8021183996180	8021183996173
Power levels	W	ECO 700 - 800 - 1500	ECO 1000 - 1000 - 2000	ECO 1200-1300 -2500	ECO 1000-1000-2000 (+400)
Heating volume (max)	m³	50	60	75	75
Dimensions (W x H x D) (with wheels)	mm	235 x 620 x 340	235 x 620 x 420	235 x 620 x 500	235 x 620 x 420
Gift box dimensions (WxHxD)	mm	160 x 670 x 400	160 x 670 x 480	160 x 670 x 560	160 x 670 x 480
Weight (without packaging)	kg	8,7	10,4	12,3	11,0
Weight (with packaging)	kg	9,6	11,4	13,7	12,0
Oil	kg	1,50	1,95	2,20	1,95
Electrical power supply	V-F-Hz	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Timer 24h		-	-	-	√
Room thermostat		V	√	V	√
Safety thermostat		V	√	V	√
Ventilation function		-	-	-	√
Anti-turn over switch		√	√	√	√
Eco Function		V	√	V	V
Anti-ice function		√	√	√	√
Wheels		√	√	√	√
Handles		√	√	√	√
Power supply cable housing		√	√	√	√
Humidifier		-	-	-	-









# **DEHUMIDIFIERS**

Compact and multifunctional for air treatment all year round



# Much more than dehumidifiers

### Italian design

The Aquaria dehumidifier range offers six models in R290 designed by Alessio Abdolahian, already designer of the Dolceclima Air Pro portable air conditioners, awarded at the most recent Good Design Award, inspiring the company to create a distinctive family line. The aesthetic is distinguished by its **clean and contemporary style** and the capacity to enclose, in extremely compact forms, superior technology.

### **Purification with HEPA filters**


On the air treatment front, the range is distinguished by **increasing filtration capacity**, and features a filtering capacity starting from the pre-filter and the activated carbon filter, right up to being equipped with HEPA filters in the most powerful models. The new Aquaria dehumidifiers go beyond their primary function and are positioned as solutions for **complete air treatment**, all year round.

### **Latest-generation controls**

All models are equipped with precision control, thanks to the digital touch **control panel**. In addition, in the top-of-the-range models, the **integrated wi-fi** makes it possible to manage the dehumidifier functions even from your smartphone, by downloading the dedicated app.

# Dehumidifiers range

SMALL MEDIUM		BIG	PROFESSIONAL	
10 L	14L)  ∴ □ ≈   AQUARIA S1 14 P (02062)	20L)  AQUARIA S1 20 P (02064)	30 L 30 L 30 E SECCOPROF 30 P (02106)	
12L AQUARIA S1 12 P (02061)	(16 L)	24L AQUARIA S1 24 P (02065)	(40 L)	



Triple filtration



Integrated wi-fi

Skyrunner

# **AQUARIA S1 10 P**

# The compact 10-litre dehumidifier

Cod. 02060









### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.



### **INTEGRATED TIMER**

For 24h on/off programming

### **FEATURES**

Dehumidification capacity: 10 1 / 24h
For rooms up to 45 m³
Coolant gas: R290
Tank capacity: 21
Noise level 40 dB
Temperature and humidity indicator
1-24h timer
Semi-transparent removable tank
Full tank alarm

Dry function Automatic defrosting device Wheels for transportation

Speed: low/medium/high



# **AQUARIA S1 12 P**

# The compact 12-litre dehumidifier

Cod. 02061











### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.



### **INTEGRATED TIMER**

For 24h on/off programming

### **FEATURES**

Dehumidification capacity: 12 I / 24h For rooms up to 55 m<sup>3</sup> Coolant gas: R290 Tank capacity: 21 Noise level 40 dB Temperature and humidity indicator 1-24h timer Semi-transparent removable tank Full tank alarm Speed: low/medium/high

Dry function Automatic defrosting device Wheels for transportation



Skyrunner

# **AQUARIA S1 14 P**

# The double filter 14-litre dehumidifier

Cod. 02062









### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.



### **INTEGRATED TIMER**

For 24h on/off programming

### **FEATURES**

Full tank alarm

Dehumidification capacity: 14 I / 24h For rooms up to 65 m³ Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 2l Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation



# **AQUARIA S1 16 P**

## The double filter 16-litre dehumidifier

Cod. 02063











### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.



### **INTEGRATED TIMER**

For 24h on/off programming

### **FEATURES**

Full tank alarm

Dehumidification capacity: 16 I / 24h For rooms up to 75 m<sup>3</sup> Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 21 Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation





Skyrunner

# **AQUARIA ST 20 P**

# The most complete 20-litre dehumidifier

Cod. 02064









### TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



### **MOTORIZED FLAPS**

Enjoy the best comfort experience thanks to the air flow management function.



### **TOUCHSCREEN E HIDDEN DISPLAY**

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



### **INTEGRATED WI-FI**

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.

### **FEATURES**

Dehumidification capacity: 20I / 24h

For rooms up to 90 m<sup>3</sup>

Coolant gas: R290

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle

Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



# **AQUARIA ST 24 P**

# The most complete 24-litre dehumidifier

Cod. 02065











### TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



### **MOTORIZED FLAPS**

Enjoy the best comfort experience thanks to the air flow management function.



### **TOUCHSCREEN E HIDDEN DISPLAY**

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



### **INTEGRATED WI-FI**

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



Dehumidification capacity: 24l / 24h

For rooms up to 100 m<sup>3</sup>

Coolant gas: R290

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle

Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



# **SECCOPROF**

# Professional dehumidifiers for large spaces

Cod. 02106

Cod. 02107









### **SUPER POWER**

Seccoprof is able to absorb up to 40 litres of excess humidity per day, thus allowing the dehumidification of large spaces.



### **NON-STOP OPERATING**

Continuous condensate drain for non-stop dehumidification, without needing to remove the tank.



### WARM GAS DEFROSTING

Guarantees constant operation of the compressor, avoiding frequent activation and deactivation periods, and also allows operation at temperatures close to 0°C.



### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

### **FEATURES**

Dehumidification capacity: 30I / 24h and 40I / 24h

For rooms up to 150/200 m<sup>3</sup>

Coolant gas: R290

Tank capacity: 81

Noise level 52 dB

Temperature and humidity indicator

1-24h timer

Removable tank with water level visualisation

2 fan speed levels

Dry and Fan function Automatic defrosting device

Wheels for transportation

Full tank alarm

2 filtering levels (pre-filter / activated carbon filter)




# **Technical specifications dehumidifiers**

		AQUARIA S1 10 P	AQUARIA S1 12 P	AQUARIA S1 14 P	AQUARIA ST 16 P	AQUARIA ST 20 P	AQUARIA S1 24 P
PRODUCT CODE		02060	02061	02062	02063	02064	02065
EAN CODE		8021183020601	8021183020618	8021183020625	8021183020632	8021183020649	8021183020656
Dehumidification capacity (2)	I/24h	10	12	14	16	20	24
Power absorption in dehumidification mode (1)	W	170	180	190	200	310	320
Nominal absorption in dehumidification mode (1)	А	0,9	1,0	1,1	1,2	1,8	1,9
Max. power absorption in dehumidification mode (2)	W	250	264	252	262	350	360
Max. absorption in dehumidification mode (2)	А	1,4	1,5	1,4	1,5	1,7	1,8
Max. power absorption in dehumidification mode (U.L.U.)	W	270	280	290	300	370	380
Degree of protection		IPX0	IPX0	IPX0	IPX0	IPX0	IPX0
Fan speed	nr	3	3	3	3	3	3
Tank capacity	I	2	2	2	2	5	5
Air flow rate (max)	m³/h	110	120	110	120	170	180
Product dimensions (W x H x D with wheels)	mm	293 x 487 x 218	293 x 487 x 218	293 x 512 x 218	293 x 512 x 218	367 x 610 x 274	367 x 610 x 274
Gift box dimensions (WxHxD)	mm	324 x 518 x 248	324 x 518 x 248	324 x 546 x 248	324 x 546 x 248	421 x 664 x 335	421 x 664 x 335
Noise level	dB(A)	40	40	40	40	38	38
Weight (without packaging)	kg	10,2	10,2	11,0	11,0	14,6	14,6
Weight (with packaging)	kg	10,5	10,5	11,4	11,4	16,1	16,1
Coolant gas		R290	R290	R290	R290	R290	R290
GWP (Global Warming Potential)		3	3	3	3	3	3
Refrigerant gas charge	kg	0,036	0,036	0,043	0,043	0,052	0,052
Minimum flor area for installation, use and storage	m²	4	4	4	4	4	4
Plug		EU	EU	EU	EU	EU	EU
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Antidust filter		√	√	√	√	√	√
Carbon filter		√	√	√	√	√	√
HEPA filter		-	-	-	-	√	V
Continuous operation with hose		V	√	√	√	√	√
Humidity level power settings		√	√	√	√	√	√
Indoor humidity visualizer		√	√	√	√	√	V
Indoor temperature visualizer		√	√	√	√	√	√
Full tank alarm		√	√	√	√	√	√
Child lock		-	-	-	-	√	√
Oscillation		-	-	-	-	√	√
Laundry function		√	√	√	√	√	√
Timer		√	√	√	√	√	√
Defrosting device		√	√	√	√	√	√
Integrated wi-fi		-	-	-	-	√	√

		SECCOPROF 30 P	SECCOPROF 40 P
PRODUCT CODE		02106	02107
EAN CODE		8021183021066	8021183021073
Dehumidification capacity (1)	I/24h	30	40
Power absorption in dehumidification mode (1)	W	560	650
Max. power absorption in dehumidification mode (U.L.U.)	W	620	750
Fan speed	nr	2	2
Tank capacity	I	8	8
Air volume (max)	m³/h	240	240
Sound pressure	dB(A)	52	52
Dimensions (WxHxD)	mm	312 x 635 x 453	312 x 635 x 453
Gift box dimensions (WxHxD)	mm	356 x 688 x 492	356 x 688 x 492
Weight (without packaging)	kg	24,9	27,2
Weight (with packaging)	kg	26,8	29,0
Refrigerant gas / Charge (kg)		R290 / 0,083	R290 / 0,096
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50
Plug		Schuko	Schuko
Power supply min - max	V	220-240	220-240
Antidust filter		V	√
Carbon filter		V	√
HEPA filter		-	-
Continuous operation with hose		V	√
Digital control		V	√
Humidity level power settings		V	√
LCD Display		V	√
Indoor humidity visualizer		$\checkmark$	√
Indoor temperature visualizer		V	√
Full tank alarm		V	√
Defrosting device		V	√
Mot gas defrosting system		V	√
Handle		V	√
Wheels		V	√
Tank with push-pull locking			-
Tank with Handle		-	-
Visible water level		√	√





# AROMA DIFFUSERS AND HUMIDIFIERS

With chromotherapy, for total well-being



# Breathe in well-being

### Humidified air and essential oils

Good sleep, perfect concentration and a pleasant sensation of well-being are all tied to the comfort of the air we breathe. Managing the air quality is possible, starting from a correct balance of the **humidity present in the air:** even with the heating on, the percentage must remain at **50-60%** with the help of a device that humidifies the air in the environment, preventing dryness and irritation to the respiratory tract. The addition of **essential** oils to be diffused in the room also contributes to stimulating psycho-physical well-being.

### The importance of chromotherapy

The Olimpia Splendid solutions for humidifying and diffusing aromas in the environment are not limited to their primary function; they integrate systems capable of making comfort a state of complete well-being. An example of this is the **lamp for chromotherapy:** an ancient practice that promotes relaxation and has beneficial effects on the mood.

# Aroma diffusers and humidifiers range



Tank capacity



Remote control included



Chromotherapy light



Integrated wi-fi

# PURIFIERS AND INCTIONAL SOLUTION

# **ASTOMI 80**

# "Personal" fragrance diffuser

Cod. 99407







### **COMPACT DESIGN**

Extremely compact dimensions: 11cm in diameter and 12.9 cm in height



### SAFE AND ALWAYS WITH YOU

Thanks to its reduced and compact dimensions, it's safe and easy to bring with you everywhere



### **CHROMOTHERAPY**

Diffuses a pleasant variable LED light, which also acts as a courtesy night light



### **6H AUTONOMY**

After 6h of continuous operation and when the tank is detected as being empty, it automatically switches off



**FEATURES** 

Tank capacity 80 ml

Changing LED light for chromotherapy USB cable power supply unit 6 h continuous operation

Automatic switch-off with empty tank

# **ASTOMI 200**

# The fragrance diffuser that purifies and humidifies in complete safety

Cod. 99406







### 2 FUNCTIONS IN 1

In addition to diffusing fragrances, it humidifies the environment thanks to cold mist ultrasonic technology



### **ENHANCED SAFETY**

Thanks to the automatic shut off when the tank is empty



### **CHROMOTHERAPY**

Up to 6 variable light colours for an all-enveloping sensation of well-being



### **9H AUTONOMY**

After 9h of continuous operation and when the tank is detected as being empty, it automatically switches off

### **FEATURES**

Tank capacity 200 ml Changing LED light for chromotherapy Humidification capacity: 25 ml/h Corrosion-proof polypropylene material 9 h continuous operation Automatic switch-off with empty tank Multi-function touch key



# HUMIDIFIERS

# PURIFIERS AND MULTIFUNCTIONAL SOLUTION

# **ASTOMI SOUND**

# Aroma diffuser with bluetooth speaker sound

Cod. 99408







### **SPEAKER SOUND BLUETOOTH**

Allows you to listen to your favourite music thanks to the speakers and bluetooth connection



### 2 FUNCTIONS IN 1

In addition to diffusing fragrances, it humidifies the environment thanks to cold mist ultrasonic technology



Tank capacity 400 ml Changing LED light for chromotherapy Bluetooth speakers for mobile devices 2 emission settings: intense/light Humidification function 60 ml/h emission 11 h continuous operation Automatic switch-off with empty tank



### **CHROMOTHERAPY**

Coloured courtesy light, fixed or variable, for an allenveloping sensation of well-being



### **ENHANCED SAFETY**

Thanks to the automatic shut off when the tank is empty



# LIMPIA 2

# The small multi-function humidifier

Cod. 99423







#### **TANK CAPACITY 2L**

Possibility to fill the tank with up to 2 litres of water. When the tank is empty, an alarm sounds



#### **TOUCH DISPLAY**

Practical and modern touch to optimise settings



Cold ultrasound technology Humidification capacity 150 ml/h LED light for chromotherapy Tank capacity: 2 l 8h timer Empty tank alarm Cleaning brush included



#### **CHANGING COLORED LED LIGHT**

Variable courtesy light for an all-enveloping sensation of well-being



#### **8H TOUCH DISPLAY TIMER**

Possibility to programme up to 8 hours of operation



# PURIFIERS AND MULTIFUNCTIONAL SOLUTION

# LIMPIA 4

# The practical adjustable humidifier

Cod. 99424









#### **VARIO POWER**

Continuous adjustment of the humidity emitted.



#### **REMOTE CONTROL**

To manage all functions in total comfort, even by remote



#### **CHROMOTHERAPY**

In addition to humidifying the air, it emits a variable courtesy light



#### **TIMER**

Possibility to programme up to 8 hours of operation

#### **FEATURES**

Cold ultrasound technology
Humidification capacity 300 ml/h
Remote control
Coloured LED light for chromotherapy
Vapour intensity continuous adjustment
Tank capacity: 4 l
8h timer
Empty tank alarm



# LIMPIA HERO WIFI

### The multifunctional humidifier with built-in Wi-Fi

Cod. 99239









#### FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



#### **LIMPIA HERO WIFI**

lonising plasma function to reduce polluting particles in the air and hot mist function to sanitise the water.



#### **INTEGRATED WI-FI**

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



#### **BABY MODE**

Maintains a constant humidity of 55% to ensure child comfort

#### **FEATURES**

Cold mist ultrasonic technology
Tank capacity: 5 It
Humidification capacity: 450 ml/h
3 humidity emission settings
Two-way vapour emission
Humidity % setting from 40% to 80%
Touchscreen display
Hot mist setting
Drawer for essential oils
Night light with 7 colour tones
Baby, Manual, Auto and Sleep Mode
Child lock
12h Timer
Empty tank alarm
Cleaning brush included



# LIMPIA 6

# **Humidifier with fragrance diffuser**

Cod. 99425









#### **TANK CAPACITY 6L**

Tank filling with up to 6 litres of water. When the tank is empty, an alarm sounds



#### REMOTE CONTROL

To manage all functions in total comfort, even by remote



#### FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



#### **3 HUMIDITY EMISSION SETTINGS**

To manage the flow of steam, in addition to the bidirectional air flow and heating function

#### **FEATURES**

Cold ultrasound technology
Humidification capacity 330 ml/h
Vapour pre-heat function
Digital touch display
3 humidity emission settings
Draw for essential oils
Slim remote control
Night light
Tank capacity: 6 l
8h timer
Empty tank alarm
Two-way vapour emission



# Technical specifications aroma diffusers and humidifiers

		ASTOMI 80	ASTOMI 200	ASTOMI SOUND
PRODUCT CODE		99407	99406	99408
EAN CODE		8021183994070	8021183994063	8021183994087
Humidification capacity (cold steam)	ml/h	20	25	45
Humidificable Area	mq	10	15	20
Power absorption (cold steam)	W	5	12	18
Degree of protection		IP XO	IP XO	IP XO
Insulation class		III	III	III
Fan speed	nr	1	1	1
Tank capacity	ml	80	200	400
Master box quantity		24	12	12
Dimensions (WxHxD)	mm	110 x 129 x 110	110 x 151 x 110	156 x 145 x 156
Gift box dimensions (WxHxD)	mm	115 x 137 x 115	130 x 210 x 130	165 X 215 x 165
Master Box dimensions (W x H x D)	mm	483 x 293 x 361	541 x 230 x 406	515 x 450 x 345
Weight (without packaging)	kg	0,22	0,30	0,70
Weight (with packaging)	kg	0,29	0,55	0,90
Master box weight	kg	8	8	12
Power supplier		USB	external	external
Power supply	V-F-Hz	5VDC ≥1A	100-240 - 1 - 50/60	100-240 - 1 - 50/60
Conformity mark		CE	CE	CE
Ultrasonic technology cold mist		√	√	√
Electromechanical controls		V	-	√
Digital control			√	-
Display		-	-	-
Indoor humidity visualizer			-	-
Tank empty signal		V	√	√
Warm steam function			-	-
Night light		V	√	√
Adjustable steam nozzle		-	-	√
lonizer		-	-	-
Remote control		-	-	-
Automatic re-start function on return of mains voltage		-	-	-
Timer		$\sqrt{}$	-	√
Bluetooth		-	-	√

NEW

		LIMPIA 2	LIMPIA 4	LIMPIA HERO WIFI	LIMPIA 6
PRODUCT CODE		99423	99424	99239	99425
EAN CODE		8021183994230	8021183994247	8021183992397	8021183994254
Humidification capacity (cold steam / hot steam)	ml/h	125 / 0	300 / 0	250 / 450	290 / 330
Humidificable Area	mq	25	35	27	50
Power absorption (cold steam / hot steam)	W	12 / 0	25 / 0	250 / 450	25 / 55
Vapour emission levels	nr	1	1	3	3
Degree of protection		IP XO	IP XO	IP XO	IP XO
Tank capacity	_	2,0	4,0	5	6,0
Master box quantity		4	4	4	4
Dimensions (WxHxD)	mm	180 x 189 x 180	204 x 290 x 205	284 x 318 x 165	290 x 337 x 170
Gift box dimensions (WxHxD)	mm	215 x 226 x 215	245 x 340 x 235	325 x 355 x 200	315 x 360 x 195
Master Box dimensions (W x H x D)	mm	450 x 246 x 445	510 x 360 x 485	670 x 420 x 375	650 x 380 x 405
Weight (without packaging)	kg	0,80	1,20	2,4	2,00
Weight (with packaging)	kg	1,20	1,80	3,2	2,30
Power supply	V-F-Hz	100-240 - 1 - 50/60	100-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50/60
Conformity mark		CE	CE	CE	CE
Ultrasonic technology cold mist		$\checkmark$	V	√	√
Chromoterapy		√	√	√	-
Electromechanical controls		-	√	-	-
Digital control		V	√	√	√
Display		-	-	√	√
Indoor humidity visualizer		-	-	V	√
Tank empty signal		√	√	√	√
Humidifing + heating function		-	-	√	√
Warm steam function		-	-	√	√
Setting steam level		-	√	√	√
Night light		√	V	V	√
Adjustable steam nozzle		-	√	V	√
Plasma		-	-	V	-
Remote control		-	√	-	√
Timer		√	V	V	√
Automatic re-start function on return of mains voltage		-	-	V	-
Integrated wi-fi		-	-	√	-







# PURIFIERS AND MULTIFUNCTIONAL SOLUTION

Triple filtration (and that's not all) for healthier air



# Solutions for truly complete wellness

#### Air filtering and sterilisation

HEPAs (High Efficiency Particulate Air filters) are the most effective filtration system against fine and ultrafine dust, but they are not the only available purification tool. Germicidal lamps are an efficient air sterilisation system, preventing microorganisms from reproducing through the action of UV-C rays. Similarly useful is the action of the ioniser, which negatively charges the air, causing harmful particles to fall onto surfaces and preventing them from being inhaled.

This is why all of Olimpia Splendid's Aura purifiers combine the traditional 3 filtration stages with the action of UV-C rays and negative ions.

#### Not just pure air

In increasingly complex circumstances such as the ones we are living in today, air handling products must necessarily be multifunctional and offer not only purification, but also cooling and heating to make comfort a truly complete state of wellness.

With Olimpia Splendid multifunctional purifiers, a single product satisfies multiple needs, controlling not only air purity, but also temperature. All year round.

# Purifier and multifunctional range

	HEPA 13	HEPA 14
AURA		
4	<b>AURA CARE</b> (99277)	AURA ABSOLUTE (99278)
FUTURA		3in1 📚
Œ		FUTURA (99275)







# **AURA CARE**

# The practical and compact purifier with HEPA 13 filter

Cod. 99277









#### **HEPA 13 FILTER**

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA 13 filter with an efficiency of 99.97% on particles up to 0.3 microns



#### **UV-C LAMP AND IONIZER**

To sterilise the air, destroying micro-organisms with UV-C rays and freeing it of polluting particles through the action of negative ions



#### **ERGONOMIC DESIGN**

Easy to move thanks to the top handle, it features a compact design for positioning even in the corners of the home



#### WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated app.

#### **FEATURES**

3 filtering stages (pre-filter/activated carbon filter/HEPA 13 filter) Germicidal UV lamp

Ionizer

Filter duration up to 2200h

Touchscreen display

Particulate concentration digital indicator

3-colour air quality sensor

Sleep/turbo/auto function

2-4-8h timer

Handle

CADR: 400 m<sup>3</sup>/h



# **AURA ABSOLUTE**

### The smart purifier with HEPA 14 filter

Cod. 99278







#### **HEPA 14 FILTER**

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA 14 filter with an efficiency of 99.99% on particles up to 0.3 microns



#### **UV-C LAMP AND IONIZER**

To sterilise the air, destroying micro-organisms with UV-C rays and freeing it of polluting particles through the action of negative ions



#### **AUTOMATIC ADJUSTMENT**

Analyses the air quality in real time, self-adjusts for efficient purification and reports the data through the 4-colour light indicator



#### WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated

#### **FEATURES**

3 filtering stages (washable pre-filter/activated carbon filter/HEPA 14 filter)

Germicidal UV lamp

Ionizer

Filter duration up to 4320h

Touchscreen display

Particulate concentration digital indicator

4-colour air quality sensor Fan: low/medium/high/turbo

Sleep/auto function

1-12h timer

Handle

Child lock

CADR: 423 m<sup>3</sup>/h



# **FUTURA**

#### The 3in1 with best air diffusion

Cod. 99275









#### TILTING AND OSCILLATING RING

Up to 15° manual tilt and 80° automatic swing for best distribution of fresh and warm air in the room



#### **HEPA 14 FILTER AND UV-LAMP**

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA 14 filter (with an efficiency of 99.99% on particles up to 0.3 microns), and a germicidal UV lamp that sterilises the air, destroying micro-organisms



#### **CERAMIC TECHNOLOGY**

DC 2000W motor with ceramic resistance for even and constant heat distribution.



#### WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated app.

#### **FEATURES**

3 filtering stages (pre-filter/activated carbon filter/HEPA 14 filter) Germicidal UV lamp

Touchscreen display with temperature and humidity visualisation Sleep/turbo function

1-8h timer

Remote control included

Up to 15° manual tilt and 80° automatic swing



# **Technical specifications purifiers**

		AURA CARE	AURA ABSOLUTE
PRODUCT CODE		99277	99278
EAN CODE		8021183992779	8021183992786
Absorbed power	W	50	70
Degree of protection		IPX0	IP20
Insulation class		II	II
Fan speed	nr	3	4
Sound pressure level (1)	dB(A) min- max	30 / 56	27 / 54
Dimensions (WxHxD)	mm	273 x 534 x 303	445 x 680 x 238
Gift box dimensions (WxHxD)	mm	300 x 583 x 318	510 x 752 x 310
Weight (without packaging)	kg	5,0	9,6
Weight (with packaging)	kg	6,1	12,5
For rooms up to	m²	45	50
CADR Clean air delivery rate	m³/h	400	423
Ozone production	ppm	< 0,05	< 0,05
Power supply	V-F-Hz	100/240-1-50/60	220/240-1-50/60
Conformity mark		CE	CE
Digital control		√	√
Air quality indicator led		√	√
Air quality indicator display		√	√
Filter cleaning/replacing signal		√	√
Child Lock function		-	√
Sleep function		√	√
Turbo Function		√	√
Auto function		√	√
Timer		√	√
Handle		√	√
Ionizer		√	√
UV lamp		√	√
Antidust pre-filter		√	√
HEPA filter		√	√
HEPA filter type		HEPA13	HEPA14
Carbon filter		√	√
Integrated wi-fi & voice control		√	√

# **Technical specifications 3in1**

		FUTURA		
PRODUCT CODE		99275		
EAN CODE		8021183992755		
Absorbed power	W	35		
Thermal power	W	2000		
Degree of protection		IPXO		
Insulation class		II.		
Fan speeds	nr	9		
Heating fan speed	nr	4		
Sound pressure level (1)	dB(A) min- max	27-50		
Dimensions (WxHxD)	mm	255 x 700 x 255		
Gift box dimensions (WxHxD)	mm	301 x 770 x 315		
Weight (without packaging)	kg	5,0		
Weight (with packaging)	kg	6,8		
For rooms up to (purification)	m²	10		
For rooms up to (heating)	m²	25		
CADR Clean air delivery rate	m³/h	48		
Ozone production	ppm	NO NO		
Power supply	V-F-Hz	220/240 - 1 - 50/60		
Conformity mark		CE		
Digital control		√		
Filter cleaning/replacing signal		√		
Sleep function		V		
Turbo Function		V		
Automatic swing		V		
Adjustable tilt		V		
Temperature indicator display		√		
Humidity indicator display		√		
Ceramic resistance		$\checkmark$		
Temperature setting		V		
Timer		√		
Remote control		$\checkmark$		
UV lamp		$\checkmark$		
Antidust pre-filter		√		
HEPA filter		√		
HEPA filter type		HEPA14		
Carbon filter		√		
Automatic re-start function on return of mains voltage		√		
Integrated wi-fi & voice control		√		





#### Olimpia Splendid S.p.A.

Italy, Cellatica (BS) | Headquarter Italy, Gualtieri (RE) | Logistic Hub France, Paris | Sales Subsidiary Spain, Madrid | Sales Subsidiary Germany, Hannover | Sales Subsidiary USA, New York | Sales Subsidiary Brazil, Itajaì | Sales Subsidiary Australia, Melbourne | Sales Subsidiary China, Shanghai | Trading Subsidiary



Download these product sheets, technical and installation manuals and other documents relating to catalogue references in the new download area of the **Olimpiasplendid.com** website.





