





HEATING & AIR TREATMENT

Catalogue 2025






Your Home Comfort since 1956

Olimpia Splendid is an Italian company that - for almost 70 years - has been designing, producing and marketing technologies for conditioning, heating and treating the air at home.

Ensuring the best home comfort, at all times of the year and for all our customers around the world, is our goal. Taking care of the climate at home, while respecting that of the Planet is how we have chosen to achieve this. For this reason, we create innovative products with a high aesthetic finish, efficient and with reduced environmental impact: solutions for more sustainable comfort.

Our Home is the Planet

Olimpia Splendid's commitment to sustainability is built around 5 key points, which are inspired by the objectives defined by the UN in the 2030 Agenda for Sustainable Development: a program of actions for people, the planet and prosperity. Since 2021, Olimpia Splendid's results are monitored and published through the annual Sustainability Report.



Innovative and inclusive solutions

Our strategy for sustainable economic growth is based on innovation and diversification. There are 12 technological patents currently active, created to overcome the limits of traditional solutions and to make climate comfort a right within everyone's reach.



Carbon neutral processes

To efficiently use industrial resources, we have set ourselves the goal of reducing our direct and indirect greenhouse gas emissions by 50% by 2030 and of achieving complete climate neutrality by 2040.



Efficient technologies

Researching and developing new heat pump comfort systems is our direct contribution to creating sustainable cities and communities, where domestic consumption is decarbonised and the available electricity is used wisely.



Products that are durable and can be regenerated

For an eco-compatible waste management, we select components and materials based on their recyclability and repairability, we guarantee spare parts for a minimum of 15 years and we encourage the recovery and disposal of end-of-life products through the most virtuous consortia.




Shared responsibility

The fight against climate change must be objective and a shared responsibility. This is why we are personally committed to effectively informing our consumers and to promoting sustainable behaviour in the use of our products.



Made in Italy around the world

Every Olimpia Splendid product is born in the Brescia headquarters, where the R&D centre designs and develops solutions capable of standing out for their innovation, aesthetic finish and sustainability, following the LCA (Life Cycle Assessment) principles. The core technologies are created in our Italian production pavilion, 100% powered by renewable electricity and designed as a highly productive Smart Factory. From Italy, the Olimpia Splendid brand comfort then reaches over 45 countries around the world, through 5 direct commercial branches and a widespread network of distributors.





OS Home



The technology that connects Olimpia Splendid products to smartphones and voice control. For more user-friendly comfort control.

Smartphone and tablet

Olimpia Splendid products with built-in **Wi-Fi** can also be managed remotely, both in and out of the home, thanks to the internet connection on your smartphone or tablet. To activate them and configure the main functions, just **download the OS Home mobile app** which is compatible with iOS and Android devices.

Voice control

The new Olimpia Splendid Wi-Fi technology allows you to connect some of the products to the main **voice control** systems as well. The OS Home compatible actions and skills are available for download on the relevant stores.

OS Home is available for:

- Caldo Sky G Wifi (99265) and Caldo Sky B Wifi (99264) fan heaters
- Caleo Glass Wifi (99238) convector
- Aquaria S1 20 P (02064) and Aquaria S1 24 P (02065) dehumidifiers
- Limpia Hero Wifi (99239) humidifier
- Aura Absolute (99278) air purifiers

Further information about the OS HOME functions and compatibility with mobile devices and voice control systems is available on Olimpiasplendid.com




Table of Contents



12 NEEDLE RESISTANCE FAN HEATERS

- 13 CALDO RADIALE
- 14 CALDO POP
- 15 CALDO RELAX
- 16 CALDO FUNKY
- 17 CALDO ROCK M
- 18 CALDO ROCK O
- 19 CALDO SOUL
- 20 CALDO TEKNO
- 21 CALDOSILENT
- 22 CALDO DUO

24 CERAMIC FAN HEATERS

- 25 CALDO POCKET
- 26 CALDODESIGN
- 27 CALDO CUBIC
- 28 CALDO TRENDY
- 29 CALDO TRENDY T
- 30 CALDO SKY
- 31 CALDO UP T

35 CONVECTORS

- 37 CALEO GLASS WIFL
- 38 CALEO METAL
- 39 CALEO 2 T e TT

43 INFRARED HEATERS

- 45 QUARZIA SLIM
- 46 QUARZIA HUMI
- 47 SOLARIA EVO
- 48 SOLARIA CARBON
- 49 CARBON BLACK
- 50 CARBON TWIST

53 RADIATORS

- 55 CALDORAD HUMI
- 56 CALDORAD

61 **DEHUMIDIFIERS**

- 63 AQUARIA ST 10P
- 64 AQUARIA ST 12P
- 65 AQUARIA ST 14P
- 66 AQUARIA ST 16P
- 67 AQUARIA ST 20P
- 68 AQUARIA ST 24P
- 69 SECCOPROF

73 HUMIDIFIERS

- 75 LIMPIA 2
- 76 LIMPIA 4
- 77 LIMPIA HERO WIFI
- 78 LIMPIA 6

81 AIR PURIFIER AND AROMA DIFFUSER

- 82 AURA ABSOLUTE
- 84 ASTOMI SOUND









FAN HEATERSFor a new comfort experience



Original colours and maximum usability for a new experience of comfort

Much more than fan heaters

The Olimpia Splendid range is designed to offer a new experience of comfort, through colours and shapes in line with the latest interior design trends and practical technological solutions.

Thanks to **digital control panels**, **oscillating bases and integrated timers**, the Olimpia Splendid fan heaters can indeed go beyond their primary function, surpassing the traditional context of use and allowing year-round use in the home.

Powerful, robust and safe

Olimpia Splendid fan heaters cater for all needs (from 1500 to 2400W) as well as fans of all-round heat with solutions featuring ceramic heating elements. No cutting corners on the safety front either - they are made from **self-extinguishing** plastic and feature a **safety thermostat** on all models.


Moreover, Olimpia Splendid needle resistance fan heaters have an **IP21 protection** rating, making them safe against falling solid objects greater than 12 millimetres or falling drops of water.

Range of fan heaters

















Remote control included



Needle resistance fan heaters


CALDO RADIALE

The compact table fan heater

Cod. 99240









DUAL USE

Benchtop or floor-standing, thanks to the addition of four supplied feet.



COMPACT DESIGN

Small and compact, fits discreetly into any space



3 MODES OF USE

Fan only and two power levels, for customised comfort



ANTI-FROST FUNCTION

To set automatic ignition, when the temperature drops below 10°C

FEATURES

Needle resistance
Max heat output: 1800 W
2 power levels (900 - 1800W)
Safety thermostat
Room thermostat
Anti-overheating device
Mechanical controls
Fan only function
Antifreeze function
Deflector for vertical grille inclination
Additional feet included



CALDO POP

Needle fan heaters with IP21 protection

Cod. 99291

Cod. 99292









POWER UP TO 2000W

Adjustable power level (1.000/2.000W)



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



3 MODES OF USE

Fan only and two power levels, for customised comfort

FEATURES

Needle resistance Power settings: 1000/2000W IP 21 type-approved against vertical dripping Fan only function Safety thermostat



CALDO RELAX

Compact fan heater for safe heating

Cod. 99338









POWER UP TO 2000W

Adjustable power level (1.000/2.000W)



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



ANTI-TIP DEVICE

Automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort



FEATURES

Power settings: 1000/2000W
IP 21 type-approved against vertical dripping
Fan only function
Safety thermostat Room thermostat Grip on rear Anti-tip device



CALDO FUNKY

The safe fan heater, even in the bathroom

Cod. 99203









ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



SECURE SYSTEM

Equipped with room and safety thermostats and automatic switch-off if tipped over



3 MODES OF USE

Fan only and two power levels, for customised comfort

FEATURES

Needle resistance

Max heat output: 2000W

2 adjustable power levels: 1000/2000W

Ventilation-only function

IP21 vertical drip protection Room and safety thermostat

Overheat protection

Anti-tip device

Mechanical controls

Swing function

Practical handle



CALDO ROCK M

Needle resistance fan heater with 3 modes of use

Cod. 99293









POWER UP TO 2000W

Adjustable power level (1.000/2.000W)



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



ANTI-TIP DEVICE

The fan heater automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort



FEATURES

Needle resistance

Safety thermostat

Anti-tip device

Power settings: 1000/2000W
IP 21 type-approved against vertical dripping
Fan only function

CALDO ROCK O

Needle resistance fan heater with rotating base

Cod. 99294









ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



POWER UP TO 2000W

Adjustable power level (1.000/2.000W)



SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort $% \left(1\right) =\left(1\right) \left(1\right)$



Needle resistance Selectable thermal power: 1000/2000W IP21 protection against falling drops of water Oscillating function Fan only function Safety thermostat Anti-tip device



CALDO SOUL

The fan heater for customised comfort

Cod. 99202









ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



TOUCHSCREEN DISPLAY

Touch control panel with an understated style, used to set the temperature and minimum and maximum power (1000-2000W).



ECO MODE

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over

FEATURES

Needle resistance

Max heat output: 2000W

2 adjustable power levels: 1000/2000W

IP21 vertical drip protection

Room and safety thermostat

Overheat protection

Anti-tip device

Touchscreen display

24h timer

Ventilation-only function

Swing function

Antifreeze function (when the room temperature is below 7°C)

Eco mode to reduce consumption

Temperature setting from 15°C to 35°C

Practical handle

Remote control included



CALDO TEKNO

The safe and feature-rich fan heater

Cod. 99241









TOUCHSCREEN DISPLAY

Touch control panel with an understated style, used to set the temperature and minimum and maximum power (1000-2000W).



ECO MODE

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



SILENT FUNCTION

Quiet operation for maximum acoustic comfort



SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over

FEATURES

Needle resistance

Max heat output: 2000 W

2 power levels (1000 - 2000W)

IP21 protection against vertical dripping

Safety thermostat

Room thermostat

Anti-overheating device

Anti-tip device

24h Timer

Touchscreen display Fan only function

Antifreeze function

Eco Mode to reduce consumption

Silent Mode for greater acoustic comfort

Practical handle for movement

Remote control included



CALDOSILENT

Powerful and silent needle resistance fan heater

Cod. 99329









POWER UP TO 2400W

Maximum power, among the highest in the category.



ACOUSTIC COMFORT

Lower sound pressure: up to 3dB (A) less than traditional models. 50%* lower perceived noise.



Safety guaranteed against falling drops of water,



24h timer programming.

frequent in the bathroom

FEATURES

Needle resistance

Max thermal power 2400 W

2 power levels (1200-2400W)

Fan function

Mechanical controls

IP21 approved rating against vertical drip

90° swing

24h timer

Safety thermostat

Room thermostat

Antifreeze function

Anti-tip switch

Handle

Silent System

TIMER



CALDO DUO

The dual installation fan heater

Cod. 99201







DOUBLE INSTALLATION

Standard tabletop use or vertical positioning: it can also be wall-mounted thanks to the practical brackets



ENERGY SAVING

Automatic switch-off function if windows are opened and Eco mode to adjust the power output and halve energy consumption



SECURE SYSTEM

IP21 or IP24 protection rating (respectively for tabletop use or wall-mounted), safety thermostat and overheat



TOUCHSCREEN DISPLAY

Touch controls to set the temperature and manage all the functions (timer included)

FEATURES

Needle resistance

Dual installation: tabletop or wall-mounted

Max thermal power: 2000W

2 adjustable power levels: 1000/2000W

IP21 protection rating with tabletop use, IP24 protection rating if wall-

Room and safety thermostat

Overheat protection

Anti-tip device

Touchscreen display
Daily and weekly timer

Ventilation-only function

Antifreeze function (when the room temperature is below 7°C)

Eco mode to reduce consumption

Temperature setting from 10°C to 35°C Window opening detector

Practical wall attachment

Remote control included



Technical specifications needle resistance fan heaters

NEW

		CALDO RADIALE	CALDO POP A	CALDO POP B	CALDO RELAX	CALDO FUNKY
PRODUCT CODE		99240	99292	99291	99338	99203
EAN CODE		8021183992403	8021183992922	8021183992915	8021183993387	8021183992038
Thermal power (Max)	W	1800	2000	2000	2000	2000
Power settings		ONLY FAN / 900 / 1800	ONLY FAN / 1000 / 2000			
Heating volume (max)	m³	55	60	60	60	60
Dimensions (WxHxD)	mm	275 x 112 x 290	210 x 251 x 143	210 x 251 x 143	223 x 265 x 135	206 x 275 x 140
Gift box dimensions (WxHxD)	mm	313 x 140 x 312	215 x 257 x 145	215 x 257 x 145	230 x 274 x 140	208 x 277 x 150
Weight (without packaging)	kg	1,4	1,1	1,1	1,0	1,3
Weight (with packaging)	kg	1,6	1,3	1,3	1,2	1,5
Units per master	nr	8	6	6	6	6
Master dimensions (W x H x D)	mm	575 x 325 x 640	450 x 230 x 529	450 x 230 x 529	440 x 245 x 570	465 x 570 x 218
Insulation class		=	=	=	П	П
Degree of protection provided by covers		IPX0	IP27	IP21	IP27	IP21
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50/60
Conformity mark		CE	CE	CE	CE	CE
Timer		-	-	-	-	-
Room thermostat		√	\checkmark	√	√	√
Safety thermostat		√	\checkmark	√	√	√
Ventilation function		√	\checkmark	√	√	√
Oscillating function		-	-	-	-	V
Anti-tip switch		-	-	-	√	√
Anti-ice function		√	•	-	√	-
Power selector		√	\checkmark	√	V	V
Tabletop position		√	\checkmark	√	V	V
Wall-mounted position		-	-	-	-	-





		CALDO ROCK M	CALDO ROCK O	CALDO SOUL	CALDO TEKNO	CALDOSILENT	CALDO DUO
PRODUCT CODE		99293	99294	99202	99241	99329	99201
EAN CODE		8021183992939	8021183992946	8021183992021	8021183992410	8021183993295	8021183992014
Thermal power (Max)	W	2000	2000	2000	2000	2400	2000
Power settings		ONLY FAN / 1000 / 2000	ONLY FAN / 1200 / 2400	ONLY FAN / 1000 / 2000			
Heating volume (max)	m³	60	60	60	60	80	60
Dimensions (WxHxD)	mm	217 x 275 x 155	217 x 290 x 155	204 x 271 x 140	205 x 280 x 163	267 x 343 x 251	250 x 113 x 325 *
Gift box dimensions (WxHxD)	mm	225 x 280 x 160	225 x 295 x 160	205 x 275 x 140	220 x 286 x 164	285 x 360 x 265	255 x 120 x 338 *
Weight (without packaging)	kg	1,1	1,3	1,3	1,3	2,7	1,9
Weight (with packaging)	kg	1,3	1,5	1,5	1,5	3,0	2,2
Units per master	nr	6	6	6	6	3	6
Master dimensions (W x H x D)	mm	500 x 235 x 580	500 x 235 x 610	435 x 515 x 215	507 x 587 x 230	810 x 380 x 300	375 x 270 x 696
Insulation class		Ш	=	Ш	II	=	II
Degree of protection provided by covers		IP21	IP27	IP21	IP27	IP27	IP21 / IP24
Electrical power supply	V-F-Hz	220-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50	230 - 1 - 50	230 - 1 - 50/60
Conformity mark		CE	CE	CE	CE	CE	CE
Timer		-	•	√	√	\checkmark	√
Room thermostat		√	\checkmark	√	√	√	√
Safety thermostat		√	\checkmark	√	√	√	√
Ventilation function		√	\checkmark	√	√	√	√
Oscillating function		-	\checkmark	√	-	\checkmark	-
Anti-tip switch		√	\checkmark	√	√	V	√
Anti-ice function		-	-	√	√	√	√
Power selector		√	√	√	√	√	√
Tabletop position		√	√	√	√	√	√
Wall-mounted position		-	-	-	-	-	√

 $^{^{\}star}$ The dimensions of the Caldo Duo fan heater are indicated considering it in the standard tabletop position



CALDO POCKET

The most compact fan heater yet

Cod. 99229









COMPACT TECHNOLOGY

Small, practical and compact, with pull-out feet, it fits seamlessly into any setting.



3 MODES OF USE

Fan only and two power levels, for customised comfort



ANTI-FROST FUNCTION

To set automatic ignition, when the temperature drops below 5°C



1500W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1500 W
2 power levels (1000 W - 1500 W)
Ceramic heating element
Room thermostat
Safety thermostat
Overheating protection
Anti-tip switch
Fan-only function
Anti-freeze function
Mechanical controls
Pull-out feet and convenient handle




CALDODESIGN

Retro-style ceramic fan heaters

Cod. 99404

Cod. 99447









COMPACT DESIGN

Small and compact, Caldodesign will blend smoothly into any context, thanks to its reduced dimensions.



VERTICAL TILT ADJUSTMENT

Thanks to the sturdy base, the tilt can easily be adjusted for heating in any position



3 MODES OF USE

Fan only and two power levels, for customised comfort



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal output: 1800 W
Ceramic Resistance
Room Thermostat
Safety thermostat
Fan only function
Anti-frost function
Power selection
Tilt adjustment

2 LED indicator Mechanical control



CALDO CUBIC

The compact and safe ceramic fan heater

Cod. 99228









SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort



EASY TO MOVE

Ultra-practical with an ergonomic handle and compact dimensions



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1800 W 2 power levels (900 W - 1800 W) Ceramic heating element Room thermostat Safety thermostat Overheating protection Anti-tip switch IP21 rating Fan-only function

Anti-freeze function (when the temperature drops below 5°C) Mechanical controls

Convenient handle



CALDO TRENDY

The safe fan heater with digital panel

Cod. 99268









SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



DIGITAL CONTROL

Digital control panel to regulate power and integrate timer



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1800 W
2 power levels (900 W - 1800 W)
Ceramic heating element
Room thermostat
Safety thermostat
Overheating protection
Anti-tip switch
IP21 protection rating
ECO function (up to 50% energy savings)
12h Timer
Digital control panel and LED display
Temperature setpoint from 15°C to 30°C
80° automatic swing



CALDO TRENDY T

The tower fan heater with a integrated air filter

Cod. 99266









AIR FILTER

Air filter with antidust efficiency, easy to remove and



DIGITAL CONTROL

Digital control panel to regulate power and integrate



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Antidust filter

Max thermal power: 2000 W
2 power levels (1000 W - 2000 W)
Ceramic resistor
Room thermostat
Safety thermostat
Overheating protection
Anti-tip switch
ECO function (up to 50% energy savings)
12h Timer
Digital control panel and LED display
Temperature setpoint from 15°C to 30°C
80° automatic swing
Remote control



CALDO SKY

The wall-mounted ceramic fan heater with integrated Wi-Fi

Cod. 99265

Cod. 99264









WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated app.



COMFORT 12 MONTHS

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



SECURE SYSTEM

IP22 protection, safety thermostat, anti-overheating device and open window sensor



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 2000 W
3 settings: fan only/low/high
Ceramic resistor
Room thermostat
Safety thermostat
Overheating protection
Open window detection
Motorised flap and auto-swing
Touchscreen display
Temperature setpoint between 18°C and 45°C
Timer with weekly programme
Remote control
Handy wall attachment



CALDO UP T

Programmable wall-mounted ceramic fan heater

Cod. 99364









LED DISPLAY

Option to view the temperature and active functions via LED indicator lights on-board the machine.



COMFORT 12 MONTHS

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



SECURE SYSTEM

Safety thermostat, overheating protection and window opening detector



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES


Max power: 2000 W
Ceramic resistance
3 settings: fan only/low/high
Remote control
LED display with digital controls
Weekly timer with daily slots
Overheating protection
Practical wall connection
Automatic flap swing
Light power indicator
Weekly programming timer
Open window detector



Technical specifications ceramic fan heaters

		CALDO POCKET	CALDODESIGN	CALDODESIGN S	CALDO CUBIC
PRODUCT CODE		99229	99447	99404	99228
EAN CODE		8021183992298	8021183994476	8021183994049	8021183992281
Thermal power (Max)	W	1500	1800	1800	1800
Power settings		ONLY FAN / 1000 / 1500	ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	ONLY FAN / 900 / 1800
Heating volume (max)	m³	50	55	55	55
Dimensions (WxHxD)	mm	159 x 219 x 98	245 x 248 x 216	245 x 248 x 216	165 x 215 x 145
Gift box dimensions (WxHxD)	mm	169 x 240 x 106	275 x 275 x 235	275 x 275 x 235	183 x 230 x 183
Master dimensions (W x H x D)	mm	552 x 495 x 180	750 x 290 x 570	750 x 290 x 570	378 x 247 x 378
Units per master		10	6	6	4
Weight (without packaging)	kg	1,1	1,8	1,8	1,6
Weight (with packaging)	kg	1,2	2,2	2,2	1,8
Insulation class		II	II	II	II
Degree of protection provided by covers		IPXO	IPX0	IPX0	IP21
Electrical power supply	V-F-Hz	220-240 - 1 - 50/60	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50/60
Conformity mark		CE	CE	CE	CE
Timer			-	-	-
Room thermostat		\checkmark	√	√	√
Safety thermostat		\checkmark	V	√	V
Ventilation function		\checkmark	V	√	√
Oscillating function			-	-	-
Anti-tip switch		\checkmark	-	-	√
Anti-ice function		\checkmark	V	√	V
Power selector		\checkmark	V	√	√
Eco Function			-	-	-
Remote control		-	-	-	-
Tilt adjustment		-	√	√	-
LED indicators		-	V	√	√
Integrated wi-fi & voice control		-	-	-	-
Tabletop position		√	√	√	√
Wall-mounted position		-	-	-	-

		CALDO TRENDY	CALDO TRENDY T	CALDO SKY B WIFI	CALDO SKY G WIFI	CALDO UP T
PRODUCT CODE		99268	99266	99264	99265	99364
EAN CODE		8021183992687	8021183992663	8021183992649	8021183992656	8021183993646
Thermal power (Max)	W	1800	2000	2000	2000	2000
Power settings		900 / 1800	1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
Heating volume (max)	m³	55	60	60	60	60
Dimensions (WxHxD)	mm	216 x 284 x 125	241 x 604 x 190	550 x 180 x 127	550 x 180 x 127	560 x 185 x 145
Gift box dimensions (WxHxD)	mm	262 x 316 x 150	278 x 655 x 225	598 x 220 x 156	598 x 220 x 156	595 x 225 x 170
Master dimensions (W x H x D)	mm	465 x 647 x 277	465 x 670 x 293	610 x 330 x 460	610 x 330 x 460	605 x 355 x 470
Units per master		6	2	4	4	4
Weight (without packaging)	kg	1,7	3,2	2,3	2,3	2,8
Weight (with packaging)	kg	2,0	3,8	3,0	3,0	3,1
Insulation class		II	Ш	II	II	II
Degree of protection provided by covers		IP21	IPX0	IP22	IP22	IPX0
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE
Timer		√	√	√	√	√
Room thermostat		√	\checkmark	√	√	√
Safety thermostat		√	\checkmark	√	√	√
Ventilation function		-	-	V	√	√
Oscillating function		√	√	√	√	√
Anti-tip switch		√	\checkmark	-	-	-
Anti-ice function		-	-	-	-	-
Power selector		√	√	V	√	√
Eco Function		√	\checkmark	-	-	-
Remote control		-	\checkmark	√	√	√
Tilt adjustment		-	-	-	-	-
LED indicators		√	\checkmark	√	√	√
Integrated wi-fi & voice control		-	-	√	√	-
Tabletop position		\checkmark	\checkmark	-	-	-
Wall-mounted position		-	-	√	√	√







CONVECTORS

For immediate and consistent comfort throughout the room



The benefits of convection heating

Uniform and immediate heat


The convector heaters exploit the natural convection of air: they attract cold air flows from below and release hot air flows from above. Exploiting and facilitating this movement ensures highly efficient heat diffusion. Moreover, their direct action on the air temperature (and not just the surfaces) makes them ideal for those requiring immediate heat. The design of the air output grilles and turbo functions further amplify the heating speed of Olimpia Splendid systems.

Double installation and advanced controls

Olimpia Splendid systems stand out for their exceptional user experience. In addition to traditional floor-standing installation, the convector can be also be wall mounted for best integration in the room. And the controls? In addition to the on-board panel, there are also automatic on/off timers, a remote control for control by remote, and for the model with built-in Wi-Fi, also a mobile app. For a comfort that's always under control.

Convector range











Built-in timer



Turbo Function



Integrated wi-fi

CALEO GLASS WIFI

The glass convector heater with double installation and built-in Wi-Fi

Cod. 99238









DOUBLE INSTALLATION

Possibility for wall or floor installation thanks to the supplied brackets and feet.



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



ECO FUNCTION

Adjustable power for up to 50% energy savings.



GLASS FRAME

Glass front panel for a more contemporary style with built-in touchscreen display

FEATURES

Max heat output 2000 W
2 power levels: 1000 - 2000 W
Temperature setting from 15°C to 50°C
Touchscreen display
Safety thermostat
Room thermostat
Anti-overheating device
Wall or floor installation
Brackets included for wall mounting
Antifreeze function
Eco Function

Child lock Remote control included Maximum heatable volume: 60 m³

24h Timer and Weekly Timer



CALEO METAL

Fan heater with full metal frame

Cod. 99296









POWER UP TO 2000W

3 adjustable heating levels (750, 1,250 and 2,000W)



SILENT SYSTEM

Silent operation, for optimum acoustic comfort



Max thermal output: 2000 W 3 power settings: 750 - 1250 - 2000 W Mechanical controls Safety thermostat

Room thermostat

Floor installation

Max room volume: 60 m³



ROOM THERMOSTAT

To optimise consumption, maintaining the desired temperature



FULL METAL FRAME

Full metal frame for maximum safety.



CALEO 2

Fan heaters with turbo function and 24h timer

Cod. 99552

Cod. 99551









FAST HEATING

The design of the grille in the upper part widens the convection range, making Caleo a very low inertia convector, ideal when a room needs to be heated very quickly.



Extremely compact shape and only 12 cm thick.





METAL FRAME

The clean shape, lightness and solidity of Caleo are made possible by the painted metal frame and shell.



TIMER

24h timer programming (only TT version)



FEATURES

Max thermal output: 2000 W

Turbo Function: auxiliary fan

24h Timer (only Caleo TT) Max room volume: 70 m³

Mechanical controls

Safety thermostat Floor installation


3 power settings: 750 - 1250 - 2000

Technical specifications convector heaters

		CALEO GLASS WIFI	CALEO METAL	CALEO 2 T	CALEO 2 TT
PRODUCT CODE		99238	99296	99552	99551
EAN CODE		8021183992380	8021183992960	8021183995527	8021183995510
Front panel		Glass	Metal	Metal	Metal
Thermal power(Min - Med - Max)	W	1000 - / - 2000	750 - 1250 - 2000	750 - 1250 - 2000	750 - 1250 - 2000
Heating volume (max)	m³	60	60	70	70
Dimensions (W x H x D)	mm	790 x 502 x 247	620 x 395x 220	620 x 460 x 228	620 x 460 x 228
Gift box dimensions (WxHxD)	mm	835 x 490 x 135	695 x 400 x 135	670 x 490 x 180	670 x 490 x 180
Weight (without packaging)	kg	7,8	3,0	4,0	4,1
Weight (with packaging)	kg	9,3	3,8	4,8	4,9
Electrical power supply	V-F-Hz	230 - 1 - 50/60	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Room thermostat		√	V	√	√
Safety thermostat		√	V	√	√
Anti-ice function		√	-	√	√
Turbo Function		-	-	√	√
Timer 24h		√	-	-	√
Temperature setting		√	-	-	-
Integrated wi-fi		√	-	-	-
Wall installation		√	-	-	-







Maximum performance, minimum consumption





Customised, energy-efficient comfort: Olimpia Splendid infrared technology

Intense, efficient heating

Technology meets practicality and respect for the environment in the world of Olimpia Splendid infrared heaters. Our heaters offer much more than a simple heat source. They are designed to ensure maximum comfort while minimising energy consumption.

The heaters are the best solution if you want to heat small areas in the home. They use quartz, halogen and carbon fibre lamps to create heat.

Infrared technology benefits

The user-friendly design of our heaters makes them easy to use, with convenient handles to move them from one room to another.

If you're looking for greater customisation of your comfort, the carbon fibre heater allows you to direct the heat, thus ensuring optimal heating.

For rooms featuring very dry air, the quartz heater emits a gentle flow of steam to help maintain ideal humidity levels, ensuring a comfortable and healthy environment.

Infrared heater range

MAX 800W	MAX 1100W	MAX 1200W
QUARZIA SLIM B (99200)	CARBON FIBRE SOLARIA CARBON (99610)	SOLARIA EVO (99545)
QUARZIA SLIM R (99194)	CARBON BLACK (99579)	SOLARIA EVO S (99396)
		QUARZIA HUMI (99227)
		CARBON TWIST (99199)

QUARZIA SLIM

800W infrared heater with quartz lamp

Cod. 99194

Cod. 99200









QUARTZ TECHNOLOGY

Instant, uniform heat thanks to quartz lamp infrared technology



SLIM DESIGN

Fits seamlessly into any space thanks to its slim design and reduce footprint



Max thermal power: 800W 2 power levels (400 - 800 W) Mechanical controls Anti-tip switch Slim and compact design Practical handle Maximum heated volume: 30 m³



2 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs



SECURE SYSTEM

Automatic switch-off if tipped over for greater safety



QUARZIA HUMI

1200W infrared heater with quartz lamp

Cod. 99227









QUARTZ TECHNOLOGY

Instant, uniform heat thanks to quartz lamp infrared technology



3 POWER LEVELS

The temperature of the room is easily adjusted by turning the knob.



STOP DRY AIR

In addition to heating the room, it is also possible to avoid dry air by using the humidifier setting to deliver a light jet of hot vapour



EASY TO MOVE

Convenient ergonomic handle and cable winder for greater comfort of use



Max thermal power: 1200 W

3 power levels (400 - 800 - 1200 W)

6 usage modes: 3 power levels and no vapour emission Safety thermostat

Overheating protection

Anti-tip switch

Convenient handle and cable winder

Mechanical controls

Maximum room volume: 45 m³



SOLARIA EVO

Infrared heater with halogen technology from 1200W

Cod. 99545

Cod. 99396







HALOGEN TECHNOLOGY

Maximum heating speed. Halogen technology guarantees uniform comfort and extreme rapidity.



USER FRIENDLY

Practical and ergonomic handle, for an even easier trasport.



OSCILLATION

90° oscillation for amplified heat distribution.



3 POWER LEVELS

The temperature of the room is easily adjusted by turning the knob.

FEATURES

3 power settings (400 - 800 - 1200 W) 90° Oscillation Safety thermostat Anti-tip switch Handle Max room volume: 45 m³



SOLARIA CARBON

1100W carbon fibre infrared heater

Cod. 99610







CARBON TECHNOLOGY

The infrared lamps are made of carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



ORIENTING

The infrared lamp can be inclined up to 80° orienting the heat upwards, for greater heating comfort.



OSCILLATION

90° oscillation for amplified heat distribution.



2 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs

FEATURES

Max hermal output 1100 W

2 power settings (600 - 1100 W)

Mechanical controls

90° Oscillation

Radiation direction: the lamp can be inclined up to 80° orienting the heat upwards

Safety thermostat Anti-tip switch

Handle

Max room volume: 45 m³

CARBON BLACK

1100W carbon fibre infrared heater

Cod. 99579





CARBON TECHNOLOGY

The infrared lamps are made of carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



OSCILLATION

90° oscillation for amplified heat distribution.

FEATURES

Max thermal output 1100 W 2 power settings (550 - 1100 W) Mechanical controls 90° Oscillation Safety thermostat Anti-tip switch Handle Max room volume: 45 m³



2 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs




CARBON TWIST

1200W carbon fibre infrared heater

Cod. 99199







CARBON TECHNOLOGY

The infrared lamps are made of carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



SECURE SYSTEM

Fitted with overheating protection and automatic switch-off if tipped over



2 POWER LEVELS

The temperature of the room is easily adjusted by using



Max thermal power: 1200W

2 power levels (600 - 1200 W)

4 operating modes: 2 power levels with and without swing function

Mechanical controls

Safety thermostat

Anti-tip switch

Swing function

Practical handle

Maximum heated volume: 45 m³



Technical specifications infrared heaters



NEW

NEW

		QUARZIA SLIM B	QUARZIA SLIM R	QUARZIA HUMI
PRODUCT CODE		99200	99194	99227
EAN CODE		8021183992007	8021183991949	8021183992274
Technology		Quartz	Quartz	Quartz
Thermal power (Max)	W	800	800	1200
Power levels	W	400 - 800	400 - 800	400 - 800 - 1200
Heating volume (max)	m³	30	30	45
Dimensions (WxHxD)	mm	244 x 346 x 124	244 x 346 x 124	320 x 460 x 160
Gift box dimensions (WxHxD)	mm	272 x 374 x 154	272 x 374 x 154	360 x 484 x 190
Weight (without packaging)	kg	1,0	1,0	2,3
Weight (with packaging)	kg	1,3	1,3	2,9
Electrical power supply	V-F-Hz	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Safety thermostat		-	-	√
Oscillating function		-	-	-
Anti-tip switch		V	√	√
Humidifier functions		-	-	√
Tank capacity	ml	-	-	450
Handle		√	V	√



		SOLARIA EVO	SOLARIA EVO S	SOLARIA CARBON	CARBON BLACK	CARBON TWIST
PRODUCT CODE		99545	99396	99610	99579	99199
EAN CODE		8021183995459	8021183993967	8021183996104	8021183995794	8021183991994
Technology		Halogens	Halogens	Carbon fibre	Carbon fibre	Carbon fibre
Thermal power (Max)	W	1200	1200	1100	1100	1200
Power levels	W	400 - 800 - 1200	400 - 800 - 1200	600 - 1100	550 - 1100	600 - 1200
Heating volume (max)	m³	45	45	45	45	45
Dimensions (WxHxD)	mm	325 x 585 x 170	325 x 585 x 170	456 x 690 x 170	320 x 640 x 240	280 x 640 x 280
Gift box dimensions (WxHxD)	mm	330 x 615 x 200	330 x 615 x 200	315 x 740 x 175	315 x 680 x 175	290 x 660 x 170
Weight (without packaging)	kg	2,0	2,0	3,2	2,2	1,4
Weight (with packaging)	kg	2,5	2,5	3,7	2,7	1,8
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50/60	230 - 1 - 50	220-240 - 1 - 50/60	220-240 - 1 - 50
Safety thermostat		\checkmark	V	√	√	√
Oscillating function		V	V	√	√	√
Anti-tip switch		√	√	√	√	√
Humidifier functions		-	-	-	-	-
Tank capacity	ml	-	-	-	-	-
Handle		√	√	√	√	√





RADIATORS

The most silent comfort is long-lasting



Silent and long-lasting heat for pleasant, breathable comfort

Super power, in maximum silence

Oil-filled radiators are the ideal solution to efficiently heat rooms in utmost acoustic comfort. The Olimpia Splendid range is made up of 6 models with variable thermal power from 1500 to 2500W, to suit a a variety of needs.

Multifunctionality


To make comfort a state of complete well-being, the Olimpia Splendid range also includes electric radiators with integrated humidifier: perfect for heating every room without drying the air. The enveloping heat and perfect level of humidity thus make for pleasant, breathable comfort.

High inertia

Recommended for use over long periods, oil-filled radiators are distinguished by their high thermal inertia, which guarantees the continuous release of heat into the room even after they've been turned off.

Oil-filled radiators range









CALDORAD HUMI

Oil-filled radiators with integrated humidifier

Cod. 99298

Cod. 99263









INTEGRATED HUMIDIFIER

To keep the right amount of humidity in the air



SILENT SYSTEM

The acoustic comfort is guaranteed: it operates in complete silence



SUPER INERTIA

Up to 13 heating elements for long-lasting, uniform heat dispersion, even when switched off



3 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs

FEATURES

2 versions available:

CaldoRad Humi 9 (max heat output 2000 W)

CaldoRad Humi 13 (max heat output 2500 W)

Mechanical controls

Safety thermostat

Room thermostat

Anti-tip switch

Antifreeze function

Integrated handles

Wheels

Cable winder

Integrated humidifier with 450 ml tank capacity



CALDORAD

High inertia oil-filled radiators, for uniform heat diffusion

Cod. 99620

Cod. 99619

Cod. 99618

Cod. 99617









SUPER INERTIA

The special engineering of the metal elements and openings on the sides, enable heat to be spread homogeneously and guarantee long heating maintenance times. Ideal for heating large rooms.



SILENT SYSTEM

The acoustic comfort is guaranteed: it operates in complete silence



ECO MODE

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



TIMER & TURBO MODE

24 h timer settings and turbo function for faster heating (9TT model only).

FEATURES

4 different versions:

CaldoRad 7 (max thermal output 1500 W)

CaldoRad 9 (max thermal output 2000 W) CaldoRad 11 (max thermal output 2500 W)

CaldoRad 9 TT (max thermal output 2000 + 400 W)

Mechanical controls

Safety thermostat

Room thermostat

Anti-tip switch

Anti-frost function

Handles

Wheels

Cable winder

24h timer

Technical specifications oil-filled radiators



		CALDORAD HUMI 9	CALDORAD HUMI 13
PRODUCT CODE		99263	99298
EAN CODE		8021183992632	8021183992984
Thermal power (Max)	W	2000	2500
Power levels	W	800-1200-2000	1000-1500-2500
Heating volume (max)	m³	60	75
Dimensions (W x H x D) (with wheels)	mm	240 x 625 x 430	250 x 625 x 590
Gift box dimensions (WxHxD)	mm	140 x 695 x 480	140 x 695 x 640
Weight (without packaging)	kg	8,7	12,6
Weight (with packaging)	kg	9,7	13,7
Oil	kg	1,95	2,60
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50
Timer 24h		-	-
Room thermostat		√	V
Safety thermostat		√	V
Ventilation function		-	-
Anti-tip switch		√	V
Eco Function		-	-
Anti-ice function		√	V
Wheels		√	\checkmark
Handles		√	√
Power supply cable housing		√	√
Humidifier		V	V

		CALDORAD 7	CALDORAD 9	CALDORAD 11	CALDORAD 9 TURBO TIMER
PRODUCT CODE		99620	99619	99618	99617
EAN CODE		8021183996203	8021183996197	8021183996180	8021183996173
Thermal power (Max)	W	1500	2000	2500	2400
Power levels	W	ECO 700 - 800 - 1500	ECO 1000 - 1000 - 2000	ECO 1200-1300 -2500	ECO 1000-1000-2000 (+400)
Heating volume (max)	m³	50	60	75	75
Dimensions (W x H x D) (with wheels)	mm	235 x 620 x 340	235 x 620 x 420	235 x 620 x 500	235 x 620 x 420
Gift box dimensions (WxHxD)	mm	160 x 670 x 400	160 x 670 x 480	160 x 670 x 560	160 x 670 x 480
Weight (without packaging)	kg	8,7	10,4	12,3	11,0
Weight (with packaging)	kg	9,6	11,4	13,7	12,0
Oil	kg	1,50	1,95	2,20	1,95
Electrical power supply	V-F-Hz	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Timer 24h		-	-	-	√
Room thermostat		\checkmark	√	√	√
Safety thermostat		√	√	V	√
Ventilation function		-	-	-	√
Anti-tip switch		√	√	√	√
Eco Function		\checkmark	√	√	√
Anti-ice function		√	√	V	√
Wheels		V	√	V	√
Handles		√	√	V	√
Power supply cable housing		√	√	√	√
Humidifier		-	-	-	-









DEHUMIDIFIERS

Compact and multifunctional for air treatment all year round



Much more than dehumidifiers

Italian design

The Aquaria dehumidifier range offers six models in R290 designed by Alessio Abdolahian, already designer of the Dolceclima Air Pro portable air conditioners, awarded at the most recent Good Design Award, inspiring the company to create a distinctive family line. The aesthetic is distinguished by its **clean and contemporary style** and the capacity to enclose, in extremely compact forms, superior technology.


Purification with HEPA filters

On the air treatment front, the range is distinguished by **increasing filtration capacity**, and features a filtering capacity starting from the pre-filter and the activated carbon filter, right up to being equipped with HEPA filters in the most powerful models. The new Aquaria dehumidifiers go beyond their primary function and are positioned as solutions for **complete air treatment**, all year round.

Latest-generation controls

All models are equipped with precision control, thanks to the digital touch **control panel**. In addition, in the top-of-the-range models, the **integrated wi-fi** makes it possible to manage the dehumidifier functions even from your smartphone, by downloading the dedicated app.

Dehumidifiers range





Dehumidification capacity (24h)



Double filtration



Triple filtration



Integrated wi-fi

Skyrunner

AQUARIA S1 10 P

The compact 10-litre dehumidifier

Cod. 02060









DOUBLE FILTRATION

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



ERGONOMIC DESIGN

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 10 I / 24h For rooms up to 45 m³ Coolant gas: R290 Tank capacity: 21 Noise level 40 dB Temperature and humidity indicator 1-24h timer

Semi-transparent removable tank Full tank alarm Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation



AQUARIA S1 12 P

The compact 12-litre dehumidifier

Cod. 02061











DOUBLE FILTRATION

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



ERGONOMIC DESIGN

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 12 I / 24h For rooms up to 55 m³ Coolant gas: R290 Tank capacity: 21 Noise level 40 dB Temperature and humidity indicator 1-24h timer Semi-transparent removable tank Full tank alarm Speed: low/medium/high

Dry function Automatic defrosting device Wheels for transportation



Skyrunner

AIR PURIFIER AND ARON

AQUARIA S1 14 P

The double filter 14-litre dehumidifier

Cod. 02062









DOUBLE FILTRATION

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



ERGONOMIC DESIGN

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Full tank alarm

Dehumidification capacity: 14 I / 24h For rooms up to 65 m³ Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 2l Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation



AQUARIA S1 16 P

The double filter 16-litre dehumidifier

Cod. 02063











DOUBLE FILTRATION

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



ERGONOMIC DESIGN

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Full tank alarm

Dehumidification capacity: 16 I / 24h For rooms up to 75 m³ Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 21 Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation





Skyrunner

AQUARIA ST 20 P

The most complete 20-litre dehumidifier

Cod. 02064









TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



MOTORISED FLAPS

Enjoy the best comfort experience thanks to the air flow management function.



TOUCHSCREEN E HIDDEN DISPLAY

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.

FEATURES

Dehumidification capacity: 20I / 24h

For rooms up to 90 m^3

Coolant gas: R290

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle

Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



AQUARIA S1 24 P

The most complete 24-litre dehumidifier

ne most complete 24 little denomiality

Cod. 02065











TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



MOTORISED FLAPS

Enjoy the best comfort experience thanks to the air flow management function.



TOUCHSCREEN E HIDDEN DISPLAY

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.

FEATURES

Dehumidification capacity: 24l / 24h

For rooms up to 100 m³

Coolant gas: R290

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle

Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



SECCOPROF

Professional dehumidifiers for large spaces

Cod. 02106

Cod. 02107









SUPER POWER

Seccoprof is able to absorb up to 40 litres of excess humidity per day, thus allowing the dehumidification of large spaces.



NON-STOP OPERATING

Continuous condensation drain for non-stop dehumidification, without needing to remove the tank.



WARM GAS DEFROSTING

Guarantees constant operation of the compressor, avoiding frequent activation and deactivation periods, and also allows operation at temperatures close to 0°C.



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.

FEATURES

Dehumidification capacity: 30I / 24h and 40I / 24h

For rooms up to 150/200 m³

Coolant gas: R290 Tank capacity: 81

Noise level 52 dB

Temperature and humidity indicator

1-24h timer

Removable tank with water level visualisation

2 fan speed levels

Dry and Fan function Automatic defrosting device

Wheels for transportation

Full tank alarm

2 filtering levels (pre-filter / activated carbon filter)



Technical specifications dehumidifiers

		AQUARIA ST 10 P	AQUARIA S1 12 P	AQUARIA S1 14 P	AQUARIA S1 16 P	AQUARIA ST 20 P	AQUARIA S1 24 P
PRODUCT CODE		02060	02061	02062	02063	02064	02065
EAN CODE		8021183020601	8021183020618	8021183020625	8021183020632	8021183020649	8021183020656
Dehumidification capacity (1)	1/24h	10	12	14	16	20	24
Max. power absorption in dehumidification mode (1)	W	250	264	252	262	350	360
Max. absorption in dehumidification mode (1)	А	1,4	1,5	1,4	1,5	1,7	1,8
Max. power absorption in dehumidification mode (U.L.U.)	W	270	280	290	300	370	380
Degree of protection		IPX0	IPX0	IPX0	IPX0	IPX0	IPX0
Fan speed	nr	3	3	3	3	3	3
Tank capacity	- 1	2	2	2	2	5	5
Air flow rate (max)	m³/h	110	120	110	120	170	180
Product dimensions (W x H x D with wheels)	mm	293 x 487 x 218	293 x 487 x 218	293 x 512 x 218	293 x 512 x 218	367 x 610 x 274	367 x 610 x 274
Gift box dimensions (WxHxD)	mm	324 x 518 x 248	324 x 518 x 248	324 x 546 x 248	324 x 546 x 248	421 x 664 x 335	421 x 664 x 335
Noise level	dB(A)	40	40	40	40	38	38
Weight (without packaging)	kg	10,2	10,2	11,0	11,0	14,6	14,6
Weight (with packaging)	kg	10,5	10,5	11,4	11,4	16,1	16,1
Coolant gas		R290	R290	R290	R290	R290	R290
GWP (Global Warming Potential)		3	3	3	3	3	3
Refrigerant gas charge	kg	0,036	0,036	0,043	0,043	0,052	0,052
Minimum flor area for installation, use and storage	m²	4	4	4	4	4	4
Plug		EU	EU	EU	EU	EU	EU
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Antidust filter		√	√	√	√	√	√
Carbon filter		√	√	√	√	√	√
HEPA filter		-	-	-	-	√	√
Continuous operation with hose		√	V	V	√	V	√
Humidity level power settings		√	√	V	√	V	√
Indoor humidity visualizer		√	√	√	√	√	√
Indoor temperature visualizer		√	√	V	√	V	V
Full tank alarm		√	√	√	√	√	√
Child lock		-	-	-	-	√	√
Oscillation		-	-	-	-	√	√
Laundry function		√	√	√	√	√	√
Timer		√	√	√	√	√	√
Defrosting device		√	√	√	√	√	√
Integrated wi-fi		-	-	-	-	√	√

LIMITS OF OPERATING CONDITIONS

| Maximum operating temperature | DB 32°C |
|-------------------------------|---------|---------|---------|---------|---------|---------|
| Minimum operating temperature | DB 5°C |

(1) DB 30°C - WB 27°C (30°C-80%) (U.L.U.) DB 32°C - WB 23°C




		SECCOPROF 30 P	SECCOPROF 40 P
PRODUCT CODE		02106	02107
EAN CODE		8021183021066	8021183021073
Dehumidification capacity (1)	I/24h	30	40
Power absorption in dehumidification mode (1)	W	580	600
Max. power absorption in dehumidification mode (U.L.U.)	W	620	750
Fan speed	nr	2	2
Tank capacity	1	8	8
Air volume (max)	m³/h	240	240
Sound pressure	dB(A)	52	52
Dimensions (WxHxD)	mm	312 x 635 x 453	312 x 635 x 453
Gift box dimensions (WxHxD)	mm	356 x 688 x 492	356 x 688 x 492
Weight (without packaging)	kg	24,9	27,2
Weight (with packaging)	kg	26,8	29,0
Refrigerant gas / Charge (kg)		R290 / 0,083	R290 / 0,096
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50
Plug		Schuko	Schuko
Power supply min - max	V	220-240	220-240
Antidust filter		\checkmark	√
Carbon filter		\checkmark	√
HEPA filter		-	-
Continuous operation with hose		V	√
Digital control		\checkmark	√
Humidity level power settings		\checkmark	√
LCD Display		V	√
Indoor humidity visualizer		V	√
Indoor temperature visualizer		\checkmark	√
Full tank alarm		\checkmark	√
Defrosting device		\checkmark	√
Mot gas defrosting system		\checkmark	√
Handle		√	√
Wheels		V	√
Tank with push-pull locking		-	-
Tank with Handle		-	-
Visible water level		√	√

LIMITS OF OPERATING CONDITIONS

Maximum operating temperature	DB 35°C
Minimum operating temperature	DB 2°C

(1) DB 32°C - WB 29°C (32°C-80%) (U.L.U.) DB 35°C - WB 31°C (35°C-80%)





HUMIDIFIERS

With chromotherapy, for total well-being



Breathe in well-being

Humidified air and essential oils

Good sleep, perfect concentration and a pleasant sensation of well-being are all tied to the comfort of the air we breathe. Managing the air quality is possible, starting from a correct balance of the **humidity present in the air:** even with the heating on, the percentage must remain at **50-60%** with the help of a device that humidifies the air in the environment, preventing dryness and irritation to the respiratory tract. The addition of **essential** oils to be diffused in the room also contributes to stimulating psycho-physical well-being.

The importance of chromotherapy

The Olimpia Splendid solutions for humidifying and diffusing aromas in the environment are not limited to their primary function; they integrate systems capable of making comfort a state of complete well-being. An example of this is the **lamp for chromotherapy:** an ancient practice that promotes relaxation and has beneficial effects on the mood.

Humidifiers range



Tank capacity

:::

Remote control included



Chromotherapy light

ş

Integrated wi-fi

LIMPIA 2

The small multi-function humidifier

Cod. 99423







TANK CAPACITY 2L

Possibility to fill the tank with up to 2 litres of water. When the tank is empty, an alarm sounds



TOUCH DISPLAY

Practical and modern touch to optimise settings

FEATURES

Cold ultrasound technology Humidification capacity 150 ml/h LED light for chromotherapy
Tank capacity: 2 l 8h timer Empty tank alarm Cleaning brush included



CHANGING COLORED LED LIGHT

Variable courtesy light for an all-enveloping sensation of well-being



8H TOUCH DISPLAY TIMER

Possibility to programme up to 8 hours of operation



LIMPIA 4

The practical adjustable humidifier

Cod. 99424









VARIO POWER

Continuous adjustment of the humidity emitted.



REMOTE CONTROL

To manage all functions in total comfort, even by remote



CHROMOTHERAPY

In addition to humidifying the air, it emits a variable courtesy light



TIMER

Possibility to programme up to 8 hours of operation $% \left\{ 1,2,...,n\right\}$

FEATURES

Cold ultrasound technology
Humidification capacity 300 ml/h
Remote control
Coloured LED light for chromotherapy
Vapour intensity continuous adjustment
Tank capacity: 4 l
8h timer
Empty tank alarm



LIMPIA HERO WIFI

The multifunctional humidifier with built-in Wi-Fi

Cod. 99239









FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



PURE SYSTEM

lonising plasma function to reduce polluting particles in the air and hot mist function to sanitise the water.



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



BABY MODE

Maintains a constant humidity of 55% to ensure child comfort

FEATURES

Cold mist ultrasonic technology
Tank capacity: 5 It
Humidification capacity: 450 ml/h
3 humidity emission settings
Two-way vapour emission
Humidity % setting from 40% to 80%
Touchscreen display
Hot mist setting
Drawer for essential oils
Night light with 7 colour tones
Baby, Manual, Auto and Sleep Mode
Child lock
12h Timer
Empty tank alarm

Cleaning brush included



LIMPIA 6

Humidifier with fragrance diffuser

Cod. 99425









TANK CAPACITY 6L

Tank filling with up to 6 litres of water. When the tank is empty, an alarm sounds



REMOTE CONTROL

To manage all functions in total comfort, even by remote



FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



3 HUMIDITY EMISSION SETTINGS

To manage the flow of steam, in addition to the bidirectional air flow and heating function

FEATURES

Cold ultrasound technology
Humidification capacity 330 ml/h
Vapour pre-heat function
Digital touch display
3 humidity emission settings
Draw for essential oils
Slim remote control
Night light
Tank capacity: 6 l
8h timer
Empty tank alarm
Two-way vapour emission





		LIMPIA 2	LIMPIA 4	LIMPIA HERO WIFI	LIMPIA 6	
PRODUCT CODE		99423	99424	99239	99425	
EAN CODE		8021183994230	8021183994247	8021183992397	8021183994254	
Humidification capacity (cold steam / hot steam)	ml/h	125 / 0	300 / 0	250 / 450	290 / 330	
Humidificable Area	mq	25	35	27	50	
Power absorption (cold steam / hot steam)	W	12 / 0	25 / 0	250 / 450	25 / 55	
Vapour emission levels	nr	1	1	3	3	
Degree of protection		IP XO	IP XO	IP XO	IP XO	
Tank capacity	I	2,0	4,0	5,0	6,0	
Master box quantity		4	4	4	4	
Dimensions (WxHxD)	mm	180 x 189 x 180	204 x 290 x 205	284 x 318 x 165	290 x 337 x 170	
Gift box dimensions (WxHxD)	mm	215 x 226 x 215	245 x 340 x 235	325 x 355 x 200	315 x 360 x 195	
Master Box dimensions (W x H x D)	mm	450 x 246 x 445	510 x 360 x 485	670 x 420 x 375	650 x 380 x 405	
Weight (without packaging)	kg	0,80	1,20	2,4	2,00	
Weight (with packaging)	kg	1,20	1,80	3,2	2,30	
Power supply	V-F-Hz	100-240 - 1 - 50/60	100-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50/60	
Conformity mark		CE	CE	CE	CE	
Ultrasonic technology cold mist		√	√	√	√	
Chromoterapy		√	√	√	-	
Electromechanical controls		-	√	-	-	
Digital control		√	√	√	√	
Display		-	-	√	√	
Indoor humidity visualizer		-	-	V	√	
Tank empty signal		\checkmark	√	√	√	
Humidifing + heating function		-	-	√	√	
Warm steam function		-	-	√	√	
Setting steam level		-	V	√	√	
Night light		V	√	√	√	
Adjustable steam nozzle		-	√	√	√	
Plasma		-	-	√	-	
Remote control		-	√	-	√	
Timer		√	√	√	√	
Automatic re-start function on return of mains voltage		-	-	√	-	
Integrated wi-fi		-	-	√	-	

Humidifier technical data





AIR PURIFIER AND AROMA DIFFUSER

Solutions for all-round well-being

AURA ABSOLUTE

The smart purifier with HEPA 14 filter

Cod. 99278







HEPA 14 FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA 14 filter with an efficiency of 99.99% on particles up to 0.3 microns



UV-C LAMP AND IONIZER

To sterilise the air, destroying micro-organisms with UV-C rays and freeing it of polluting particles through the action of negative ions



AUTOMATIC ADJUSTMENT

Analyses the air quality in real time, self-adjusts for efficient purification and reports the data through the 4-colour light indicator



WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated

FEATURES

3 filtering stages (washable pre-filter/activated carbon filter/HEPA 14 filter)

Germicidal UV lamp

Ionizer

Filter duration up to 4320h

Touchscreen display

Particulate concentration digital indicator

4-colour air quality sensor Fan: low/medium/high/turbo

Sleep/auto function

1-12h timer

Handle

Child lock

CADR: 423 m³/h



Technical specifications purifier



		AURA ABSOLUTE		
PRODUCT CODE		99278		
EAN CODE		8021183992786		
Absorbed power	W	70		
Degree of protection		IP20		
Insulation class		II		
Fan speed	nr	4		
Sound pressure level (1)	dB(A) min-max	27 / 54		
Dimensions (WxHxD)	mm	445 x 680 x 238		
Gift box dimensions (WxHxD)	mm	510 x 752 x 310		
Weight (without packaging)	kg	9,6		
Weight (with packaging)	kg	12,5		
For rooms up to	m²	50		
CADR Clean air delivery rate	m³/h	423		
Ozone production	ppm	< 0,05		
Power supply	V-F-Hz	220-240 -1- 50/60		
Conformity mark		CE		
Digital control		\checkmark		
Air quality indicator led		\checkmark		
Air quality indicator display		\checkmark		
Filter cleaning/replacing signal		\checkmark		
Child Lock function		\checkmark		
Sleep function		\checkmark		
Turbo Function		\checkmark		
Auto function		\checkmark		
Timer		\checkmark		
Handle		\checkmark		
lonizer		\checkmark		
UV lamp		\checkmark		
Antidust pre-filter		\checkmark		
HEPA filter		\checkmark		
HEPA filter type		HEPA14		
Carbon filter		√		
Integrated wi-fi & voice control		√		

ASTOMI SOUND

Aroma diffuser with bluetooth speaker sound

Cod. 99408







SPEAKER SOUND BLUETOOTH

Allows you to listen to your favourite music thanks to the speakers and bluetooth connection



2 FUNCTIONS IN 1

In addition to diffusing fragrances, it humidifies the environment thanks to cold mist ultrasonic technology



Tank capacity 400 ml Changing LED light for chromotherapy Bluetooth speakers for mobile devices 2 emission settings: intense/light Humidification function 60 ml/h emission 11 h continuous operation Automatic switch-off with empty tank



CHROMOTHERAPY

Coloured courtesy light, fixed or variable, for an allenveloping sensation of well-being



ENHANCED SAFETY

Thanks to the automatic shut off when the tank is empty



Scent diffuser technical data



ml/h	ASTOMI SOUND 99408 8021183994087
ml/h	
ml/h	8071183994087
1111/11	
	45
-	20
W	18
	IP XO
	III
nr	1
ml	400
	12
mm	156 x 145 x 156
mm	165 X 215 x 165
mm	515 x 450 x 345
kg	0,70
kg	0,90
kg	12
	external
V-F-Hz	100-240 - 1 - 50/60
	CE
	\checkmark
	\checkmark
	$\sqrt{}$
	•
	\checkmark
	$\sqrt{}$
	•
	·
	\checkmark
	ml mm mm kg kg kg





Olimpia Splendid S.p.A.

Italy, Cellatica (BS) | Headquarter Italy, Gualtieri (RE) | Logistic Hub France, Paris | Sales Subsidiary Spain, Madrid | Sales Subsidiary USA, New York | Sales Subsidiary Australia, Melbourne | Sales Subsidiary China, Shanghai | Trading Subsidiary



and other documents relating to catalogue references in the new download area of the **Olimpiasplendid.com** website.



Member of:







Certified company:





