

# HEATING AND AIR TREATMENT

CATALOGUE  
RETAIL

2026

EN







since 1956

# YOUR HOME COMFORT

Olimpia Splendid is an Italian company that - for almost 70 years - has been designing, producing and marketing technologies for air conditioning, heating and treating the air at home.

Ensuring the best home comfort, at all times of the year and for all our customers around the world, is our goal. Taking care of the climate at home, while respecting that of the Planet is how we have chosen to achieve this. For this reason, we create innovative products with a high aesthetic finish, efficient and with reduced environmental impact: solutions for more sustainable comfort.



# Our Home is the Planet

Olimpia Splendid's commitment to sustainability is built around 6 key points, which are inspired by the objectives defined by the UN in the 2030 Agenda for Sustainable Development: a program of actions for people, the planet and prosperity. From 2021, Olimpia Splendid's results are monitored and published through the annual Sustainability Report.

3 GOOD HEALTH AND WELL-BEING



## HEALTHY, SAFE AND SUPPORTIVE WORKPLACE

Sustainable growth is only possible when people thrive in a safe, supportive and healthy environment. This is why we participate in the WHP (Workplace Health Promotion) program of the World Health Organisation.

8 DECENT WORK AND ECONOMIC GROWTH



## INNOVATIVE AND INCLUSIVE SOLUTIONS

Our strategy for sustainable economic growth is based on innovation and diversification: our technological patents are developed to overcome the limits of traditional solutions, making climate comfort a right accessible to all.

9 INDUSTRY, INNOVATION AND INFRASTRUCTURE



## CARBON NEUTRAL PROCESSES

To efficiently use industrial resources, we have set ourselves the goal of reducing our direct and indirect greenhouse gas emissions by 50% by 2030 and of achieving complete climate neutrality by 2040.

11 SUSTAINABLE CITIES AND COMMUNITIES



## EFFICIENT TECHNOLOGIES

Researching and developing new applications for heat pumps is our direct contribution to the creation of sustainable cities and communities, where consumption is reduced, energy is 100% electric and emissions are eliminated.

12 RESPONSIBLE CONSUMPTION AND PRODUCTION



## PRODUCTS THAT ARE DURABLE AND CAN BE REGENERATED

We select components and materials based on recyclability and repairability, guarantee spare parts for a minimum of 15 years, and encourage end-of-life product recovery and disposal through the most responsible recycling consortia.

13 CLIMATE ACTION



## SHARED RESPONSIBILITY

The fight against climate change is a shared goal and responsibility: that is why we guide consumers towards conscious purchasing and encourage sustainable behaviours in the use of our products.



# “Made in Italy” around the world

**SPAIN**  
Madrid  
COMMERCIAL PREMISES

Every Olimpia Splendid product is born in the Brescia headquarters, where the R&D centre designs and develops solutions capable of standing out for their innovation, aesthetic finish and sustainability, following the LCA (Life Cycle Assessment) principles. The core technologies are created in our Italian production pavilion, 100% powered by renewable electricity and designed as a highly productive Smart Factory. From Italy, the Olimpia Splendid brand comfort then reaches over 45 countries around the world, through 5 direct commercial branches and a widespread network of distributors.

**USA**  
Dallas  
COMMERCIAL PREMISES

**FRANCE**

Paris

COMMERCIAL PREMISES

**CHINA**

Shanghai

COMMERCIAL PREMISES

**ITALY**

Brescia

HEADQUARTERS,  
PRODUCTION HUB

Reggio Emilia

LOGISTICS HUB

**AUSTRALIA**

Melbourne

COMMERCIAL PREMISES



# Wireless connectivity

To control the system from your smartphone or tablet

Olimpia Splendid heating and air treatment products equipped with built-in wireless connectivity can be easily controlled, both inside and outside the home, using smartphones and tablets. To activate this feature, simply download the dedicated app.




## OS Home

App available for models with integrated wireless connectivity.

The app allows you to manage one or more devices in your home, view the room temperature, and set the main modes, as well as program on and off timers.

More information on advanced control features is available in the manual, which can be downloaded from the [Olimpiasplendid.it](https://www.olimpiasplendid.it) website



# Table of Contents

## 10 FAN HEATERS

- 18 Caldo Radiale
- 19 Caldo Pop
- 20 Caldo Relax
- 21 Caldo Funky
- 22 Caldo Soul
- 23 Caldo Tekno
- 24 Caldosilent
- 25 Caldo Pocket
- 26 Caldodesign
- 27 Caldo Flick
- 28 Caldo Cubic
- 29 Caldo Trendy
- 30 Caldo Humi T
- 31 Caldo Line [NW]
- 32 Caldo Duo
- 33 Caldo Sky
- 34 Caldo Up T

## 38 CONVECTOR HEATERS

- 43 Caleo Glass Wifi
- 44 Caleo Metal
- 45 Caleo 2

## 48 INFRA-RED STOVES

- 53 Quarzia Slim
- 54 Quarzia Humi
- 55 Solaria Evo
- 56 Solaria Carbon
- 57 Carbon Twist

## 60 OIL-FILLED RADIATORS

- 65 Caldorad
- 66 Caldorad S1
- 67 Caldorad Humi
- 68 Caldorad Tech

## 70 DEHUMIDIFIERS

- 78 Aquaria S2 10
- 79 Aquaria S2 12
- 80 Aquaria S2 14
- 81 Aquaria S2 16 [NW]
- 82 Aquaria S2 20 [NW]
- 83 Aquaria S2 24 [NW]
- 84 Aquaria S2 30 [NW]
- 85 Aquaria S2 40 [NW]
- 86 Seccoprof 30 [P]
- 87 Seccoprof 40 [P]

## 90 HUMIDIFIERS

- 95 Limpia 2
- 96 Limpia 4
- 97 Limpia Hero Wifi
- 98 Limpia 6

## 100 AIR PURIFIERS AND AROMA DIFFUSERS

- 102 Aura Absolute
- 104 Astomi Sound





# 1

Fan heaters

 **OLIMPIA  
SPLENDID**  
HOME OF COMFORT





# The warmth that follows you everywhere

Two different technologies to heat every room with the right level of comfort

## Needle-type for powerful, instant heat

Fan heaters with heating elements are the ideal and affordable choice for those who want instant warmth. Thanks to the metal filament that quickly reaches high temperatures, they circulate warm air in just a few moments, offering a practical and fast solution for heating small spaces when you need instant comfort.

## Ceramic tiles for more efficient and even comfort

Thanks to PTC technology, the ceramic element heats up in just a few seconds and maintains a stable temperature, providing even, pleasant warmth without wasting energy. This makes them the perfect solution for anyone seeking a sense of cozy comfort—in the bathroom as well as in any room of the house—while prioritizing energy efficiency.





# Solutions for every setting

A range designed to meet the needs of every application

## Stay safe in the bathroom, too

All models with IP21, IP22, or IP24 protection are safe even if water droplets fall vertically onto them. These different levels of protection, defined by the international standard IEC/EN 60529, certify that the device's enclosure is designed to prevent water entering from above from causing electrical damage or hazardous situations.

## Can also be mounted on a wall

For spaces where a fan heater is not just an occasional supplement but a true everyday heating solution, fixed wall-mounted models are available. State-of-the-art controls allow for highly personalized comfort management, while the motorized louver ensures even heat distribution and optimal air circulation throughout the year.



# Fan heaters

			MAXIMUM POWER	FOR ROOMS UP TO	TYPE	INSTALLATION	PROTECTION AGAINST WATER
	<b>Caldo Radiale</b>	<b>Caldo Radiale</b> [99240]	1.8 kW	55 m <sup>3</sup>	Needle resistance	Mobile	-
	<b>Caldo Pop</b>	<b>Caldo Pop A</b> [99292]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
		<b>Caldo Pop B</b> [99291]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
	<b>Caldo Relax</b>	<b>Caldo Relax</b> [99338]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
	<b>Caldo Funky</b>	<b>Caldo Funky</b> [99203]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
	<b>Caldo Soul</b>	<b>Caldo Soul</b> [99202]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
	<b>Caldo Tekno</b>	<b>Caldo Tekno</b> [99241]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile	✓
	<b>Caldosilent</b>	<b>Caldosilent</b> [99329]	2.4 kW	80 m <sup>3</sup>	Needle resistance	Mobile	✓

			MAXIMUM POWER	FOR ROOMS UP TO	TYPE	INSTALLATION	PROTECTION AGAINST WATER
	<b>Caldo Pocket</b>	<b>Caldo Pocket</b> [99229]	1.5 kW	50 m <sup>3</sup>	Ceramic heating element	Mobile	-
	<b>Caldodesign</b>	<b>Caldodesign</b> [99447]	1.8 kW	55 m <sup>3</sup>	Ceramic heating element	Mobile	-
	<b>Caldo Flick</b>	<b>Caldo Flick</b> [99183]	1.8 kW	55 m <sup>3</sup>	Ceramic heating element	Mobile	-
	<b>Caldo Cubic</b>	<b>Caldo Cubic</b> [99228]	1.8 kW	55 m <sup>3</sup>	Ceramic heating element	Mobile	✓
	<b>Caldo Trendy</b>	<b>Caldo Trendy</b> [99268]	1.8 kW	55 m <sup>3</sup>	Ceramic heating element	Mobile	✓
	<b>Caldo Humi T</b>	<b>Caldo Humi T</b> [99178]	2 kW	60 m <sup>3</sup>	Ceramic heating element	Mobile	-
	<b>Caldo Line [NW]</b>	<b>Caldo Line [NW]</b> [99177]	2 kW	60 m <sup>3</sup>	Ceramic heating element	Mobile	-

# Fan heaters

			MAXIMUM POWER	FOR ROOMS UP TO	TYPE	INSTALLATION	PROTECTION AGAINST WATER
	<b>Caldo Duo</b>	<b>Caldo Duo</b> [99201]	2 kW	60 m <sup>3</sup>	Needle resistance	Mobile Fix	✓
	<b>Caldo Sky</b>	<b>Caldo Sky B Wifi</b> [99264]	2 kW	60 m <sup>3</sup>	Ceramic heating element	Fix	✓
		<b>Caldo Sky G Wifi</b> [99265]	2 kW	60 m <sup>3</sup>	Ceramic heating element	Fix	✓
	<b>Caldo Up T</b>	<b>Caldo Up T</b> [99364]	2 kW	60 m <sup>3</sup>	Ceramic heating element	Fix	-

# Key

## STANDARD CONTROLS



OS Home mobile application



Mechanical controls



Touch screen display



Digital panel



Remote control

## FUNCTIONS



### Antifrost

Turns on the product when the ambient temperature falls below the limit value.



### Eco Mode

It allows energy savings, optimising power to reduce consumption.



### Oscillation

Improves airflow diffusion, thanks to the rotating base.



### Maximum power

It provides rapid and intense heating



### Minimum power

It helps maintain the temperature while keeping energy consumption low



### Window Opener Detector

It monitors the room temperature and, in the event of a sudden drop, turns the unit off or switches it to frost-protection mode to prevent energy waste



### Temperature setting

Allows you to set the desired temperature for personalized comfort



### Silent Mode

Reduces the noise of the product, for greater acoustic comfort.



### Vertical swing

Improved air flow distribution, thanks to automatic vertical flap oscillation.



### Timer

Sets automatic powering on and/or off.

FAN HEATERS

# CALDO RADIALE

Maximum power	<b>1.8 kW</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>




## Dual-purpose: table-top and floor-standing

It can be used both as a traditional tabletop fan heater and as a convenient floor-standing unit, thanks to the addition of four special legs that ensure stability and versatility.

## Compact design

At just 11 cm tall and with a footprint of only 27x29 cm, this fan heater is particularly compact and easy to place in any room.



-  Heating
-  Ventilation
-  Antifrost
-  Maximum power
-  Minimum power

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Manual deflector for vertical adjustment of the grate



## FAN HEATERS

## CALDO POP

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	<b>✓</b>



## Two-tone finish

The control panel is available in two shades—light blue and blue—designed to complement a wide range of colors and interior styles, making it suitable for any home setting.

## Protection against water droplets

It is safe to use even in the bathroom, thanks to its IP21 rating, which protects it from vertically falling water droplets, ensuring reliable operation even in humid environments.

## TECHNICAL INFO

- Room and Safety Thermostat
- Convenient handle



Heating



Ventilation



Maximum power




Minimum power



FAN HEATERS

# CALDO RELAX

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	



## Slim design

Its slim profile, measuring just 13 cm, makes it easy to place in strategic spots around the house without taking up too much space—for example, behind a door or on top of a shelf.

## Safety guaranteed

The IP21 rating ensures it remains safe even when exposed to water droplets, while the anti-tip device automatically shuts it off if it falls over.

## TECHNICAL INFO

- Room and Safety Thermostat
- Automatic shut-off if the unit tips over
- Convenient handle



Heating



Ventilation



Maximum power



Minimum power



## FAN HEATERS

## CALDO FUNKY

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	<b>✓</b>



## Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.

## Safety guaranteed

The IP21 rating ensures it remains safe even when exposed to water droplets, while the anti-tip device automatically shuts it off if it falls over.

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle



Heating



Ventilation



Oscillation



Maximum power




Minimum power



FAN HEATERS

# CALDO SOUL

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	



## An experience of superior comfort

Setting the desired temperature and activating the automatic airflow oscillation is quick and easy using the touchscreen panel or the included remote control.








## Efficient and safe, even in the bathroom

Eco mode automatically adjusts the power output, cutting energy consumption in half. With an IP21 rating, which protects against vertically falling water droplets, it is safe to use even in the bathroom.

### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle
- Daily Timer Schedule
- The Eco mode automatically adjusts the power output based on the detected room temperature



-  Heating
-  Ventilation
-  Antifrost
-  Eco Mode
-  Oscillation
-  Maximum power
-  Minimum power
-  Temperature setting
-  Timer



## FAN HEATERS

## CALDO TEKNO

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	<b>✓</b>



## Precision control

The touch-sensitive control panel, with its minimalist and sleek design, allows you to set the desired temperature and select different power levels intuitively and instantly.

## Efficient and safe, even in the bathroom

Eco mode automatically adjusts the power output, cutting energy consumption in half. With an IP21 rating, which protects against vertically falling water droplets, it is safe to use even in the bathroom.

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle
- Daily timer schedule
- The Eco mode automatically adjusts the power output based on the detected room temperature



Heating



Ventilation



Antifrost



Eco Mode



Maximum power



Minimum power



Temperature setting



Silent Mode



Timer



**FAN HEATERS**

# CALDOSILENT



Maximum power	<b>2.4 kW</b>
For rooms up to	<b>80 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile</b>
Protection against water	



## High power, with maximum acoustic comfort

It offers some of the highest power output in its class (2.4 kW) and lower noise levels than traditional needle-type models, ensuring superior thermal and acoustic comfort.

## Safety guaranteed

The IP21 rating ensures it remains safe even when exposed to water droplets, while the anti-tip device automatically shuts it off if it falls over.

### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle
- Daily timer schedule
- Up to 3 dB(A) lower sound pressure level compared to traditional needle-type models



-  Heating
-  Ventilation
-  Antifrost
-  Oscillation
-  Maximum power
-  Minimum power
-  Timer



## FAN HEATERS

## CALDO POCKET

Maximum power	<b>1.5 kW</b>
For rooms up to	<b>50 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>



### Small, practical, and compact

Perfect for smaller spaces in the home, it is particularly lightweight and easy to handle, making it simple to move around when needed and just as easy to store when not in use.

### High stability thanks to the removable feet

Compact in size but very stable: thanks to its retractable legs, the fan heater stays firmly in place when needed and becomes ultra-compact when not in use.



Heating



Ventilation



Antifrost



Maximum power



Minimum power



### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle



FAN HEATERS

# CALDODESIGN

Maximum power	<b>1.8 kW</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>



## Iconic and decorative design

Its design, inspired by small speakers and contemporary design objects, combines aesthetics with practicality, thanks to its compact size, which makes it easy to place in any room.

## Adjustable airflow

The unit is supported by a base with a metallic finish, designed to ensure stability and balance, while the two side joints allow you to manually adjust the airflow with ease.

## TECHNICAL INFO

- Room and Safety Thermostat
- Convenient handle
- Manual adjustment of the vertical tilt thanks to the sturdy base



Heating



Ventilation



Antifrost



Maximum power



Minimum power



FAN HEATERS

# CALDO FLICK

Maximum power	<b>1.8 kW</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>



## Minimalist and compact designs

Its minimalist, modern design highlights its compactness, making it a space-saving piece that's easy to place on any surface.

## Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.



- Heating
- Ventilation
- Oscillation
- Maximum power
- Minimum power


## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle



**FAN HEATERS**

# CALDO CUBIC

Maximum power	<b>1.8 kW</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>
Protection against water	



## Geometric and modern style

Its compact, cube-shaped design exudes a contemporary style and enhances stability, while the pastel finish adds a fresh touch that makes it a charming piece of furniture.

## Safety guaranteed

The IP21 rating ensures it remains safe even when exposed to water droplets, while the anti-tip device automatically shuts it off if it falls over.



-  **Heating**
-  **Ventilation**
-  **Antifrost**
-  **Maximum power**
-  **Minimum power**



## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle



## FAN HEATERS

## CALDO TRENDY

Maximum power	<b>1.8 kW</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>
Protection against water	<b>✓</b>



## Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.

## Efficient and safe, even in the bathroom

Eco mode automatically adjusts the power output, cutting energy consumption in half. With an IP21 rating, which protects against vertically falling water droplets, it is safe to use even in the bathroom.

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle
- 12-hour timer programming



Heating



Eco Mode



Oscillation



Maximum power



Minimum power



Temperature setting



Timer



FAN HEATERS

# CALDO HUMI T



Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>



## Built-in humidifier

It helps keep the air pleasantly balanced, counteracting the dryness typical of the winter months and making the environment more comfortable and cozy for the whole family.

## An experience of superior comfort

Setting the desired temperature and activating the automatic airflow oscillation is quick and easy using the touchscreen panel or the included remote control.



-  Heating
-  Ventilation
-  Humidification
-  Oscillation
-  Maximum power
-  Minimum power
-  Temperature setting
-  Timer

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Convenient handle
- Base mounting system with a twist-lock mechanism, no screws required
- In humidification mode, the chromotherapy indicator displays the current status: orange (heating) or green (ventilation), depending on the set point relative to the room temperature.
- 12-hour timer programming



FAN HEATERS

# CALDO LINE

[NW]



Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Mobile</b>



## An experience of superior comfort

Setting the desired temperature and activating the automatic airflow oscillation is quick and easy using the touchscreen panel or the standard remote control. Thanks to the built-in wireless connectivity, you can also control the main functions from your smartphone or tablet.

## Premium design

Designed in a vertical format, it stands out for its minimalist lines and matte black finish with an integrated digital display, creating a modern and elegant look.



- Heating
- Ventilation
- Antifrost
- Eco Mode
- Oscillation
- Maximum power
- Minimum power
- Temperature setting
- Timer


## TECHNICAL INFO

- Room and Safety Thermostat
- Dual overheating protection system
- Automatic shut-off if the unit tips over
- Convenient handle
- Display brightness dims after 1 minute of inactivity
- Dust filter
- Screwless base mounting system
- Daily timer schedule



FAN HEATERS

# CALDO DUO

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Needle resistance</b>
Installation	<b>Mobile   Fix</b>
Protection against water	



## Dual installation

It can be used either as a traditional tabletop fan heater or as a wall-mounted unit, thanks to the convenient wall mounts on the back.










## Efficient and safe, even in the bathroom

Eco mode automatically adjusts the power output, cutting energy consumption in half. With IP21 and IP24 water protection ratings (for tabletop and wall-mounted models, respectively), it is safe to use even in the bathroom.

### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Automatic shut-off if the unit tips over
- Daily and weekly timer scheduling
- Convenient wall mount included



-  Heating
-  Ventilation
-  Antifrost
-  Eco Mode
-  Maximum power
-  Minimum power
-  Window Opener Detector
-  Temperature setting
-  Timer



## FAN HEATERS

## CALDO SKY

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Fix</b>
Protection against water	<b>✓</b>



### Much more than just a space heater

When mounted on the wall, it effectively heats the room and provides year-round comfort by distributing air evenly through a motorized flap that optimizes airflow.

### Safety guaranteed

The IP22 rating ensures it remains safe even when exposed to water droplets falling vertically at an angle of up to 15°.

### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Daily and weekly timer scheduling
- Convenient wall mount included



- Heating
- Ventilation
- Maximum power
- Minimum power
- Window Opener Detector
- Temperature setting
- Vertical swing
- Timer



**FAN HEATERS**

# CALDO UP T

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Type	<b>Ceramic heating element</b>
Installation	<b>Fix</b>



## Much more than just a space heater

When mounted on the wall, it effectively heats the room and provides year-round comfort by distributing air evenly through a motorized flap that optimizes airflow.









## Black & White Style

The black-and-white color contrast highlights the clean lines of the fan heater, making it both a functional and aesthetic element that blends seamlessly into any setting.

### TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Daily and weekly timer scheduling
- Convenient wall mount included



-  Heating
-  Ventilation
-  Maximum power
-  Minimum power
-  Window Opener Detector
-  Temperature setting
-  Vertical swing
-  Timer



## TECHNICAL DATA

		Caldo Radiale	Caldo Pop A	Caldo Pop B	Caldo Relax
<b>Product code</b>		99240	99292	99291	99338
<b>EAN code</b>		8021183992403	8021183992922	8021183992915	8021183993387
Resistance		Needles	Needles	Needles	Needles
Thermal power (Max)	W	1800	2000	2000	2000
Power settings		ONLY FAN / 900 / 1800	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
Heating volume (max)	m³	55	60	60	60
Dimensions (WxHxD)	mm	275 x 112 x 290	210 x 251 x 143	210 x 251 x 143	223 x 265 x 135
Gift box dimensions (WxHxD)	mm	313 x 140 x 312	215 x 257 x 145	215 x 257 x 145	230 x 274 x 140
Master dimensions (W x H x D)	mm	575 x 325 x 640	450 x 230 x 529	450 x 230 x 529	440 x 245 x 570
Units per master	nr	8	6	6	6
Weight (without packaging)	kg	1,4	1,1	1,1	1,0
Weight (with packaging)	kg	1,6	1,3	1,3	1,2
Insulation class		II	II	II	II
Degree of protection of enclosures		IPX0	IP21	IP21	IP21
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity Markings		CE	CE	CE	CE
Timer		-	-	-	-
Room thermostat		✓	✓	✓	✓
Safety thermostat		✓	✓	✓	✓
Ventilation function		✓	✓	✓	✓
Oscillating function		-	-	-	-
Anti-tip switch		-	-	-	✓
Anti-ice function		✓	-	-	-
Power selector		✓	✓	✓	✓
Eco Function		-	-	-	-
Remote control		-	-	-	-
Tilt adjustment		-	-	-	-
Wireless control		-	-	-	-
Wall-mounted position		-	-	-	-
Tabletop position		✓	✓	✓	✓

## TECHNICAL DATA

		Caldo Funky	Caldo Soul	Caldo Tekno	Caldosilent
<b>Product code</b>		99203	99202	99241	99329
<b>EAN code</b>		8021183992038	8021183992021	8021183992410	8021183993295
Resistance		Needles	Needles	Needles	Needles
Thermal power (Max)	W	2000	2000	2000	2400
Power settings		ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1200 / 2400
Heating volume (max)	m³	60	60	60	80
Dimensions (WxHxD)	mm	206 x 275 x 140	204 x 271 x 140	205 x 280 x 163	267 x 343 x 251
Gift box dimensions (WxHxD)	mm	208 x 277 x 150	205 x 275 x 140	220 x 286 x 164	285 x 360 x 265
Master dimensions (W x H x D)	mm	465 x 570 x 218	435 x 515 x 215	507 x 587 x 230	810 x 380 x 300
Units per master	nr	6	6	6	3
Weight (without packaging)	kg	1,3	1,3	1,3	2,7
Weight (with packaging)	kg	1,5	1,5	1,5	3,0
Insulation class		II	II	II	II
Degree of protection of enclosures		IP21	IP21	IP21	IP21
Electrical power supply	V-F-Hz	220-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50	220-240 - 1 - 50
Conformity Markings		CE	CE	CE	CE
Timer		-	✓	✓	✓
Room thermostat		✓	✓	✓	✓
Safety thermostat		✓	✓	✓	✓
Ventilation function		✓	✓	✓	✓
Oscillating function		✓	✓	-	✓
Anti-tip switch		✓	✓	✓	✓
Anti-ice function		-	✓	✓	✓
Power selector		✓	✓	✓	✓
Eco Function		-	✓	✓	-
Remote control		-	✓	✓	-
Tilt adjustment		-	-	-	-
Wireless control		-	-	-	-
Wall-mounted position		-	-	-	-
Tabletop position		✓	✓	✓	✓

NEW

**TECHNICAL DATA**

		Caldo Pocket	Caldodesign	Caldo Flick	Caldo Cubic
<b>Product code</b>		99229	99447	99183	99228
<b>EAN code</b>		8021183992298	8021183994476	8021183991833	8021183992281
Resistance		Ceramics	Ceramics	Ceramics	Ceramics
Thermal power (Max)	W	1500	1800	1800	1800
Power settings		ONLY FAN / 1000 / 1500	ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	ONLY FAN / 900 / 1800
Heating volume (max)	m³	50	55	55	55
Dimensions (WxHxD)	mm	159 x 219 x 98	245 x 248 x 216	140 x 248 x 167	165 x 215 x 145
Gift box dimensions (WxHxD)	mm	169 x 240 x 106	275 x 275 x 235	150 x 270 x 175	183 x 230 x 183
Master dimensions (W x H x D)	mm	552 x 495 x 180	750 x 290 x 570	465 x 550 x 185	378 x 247 x 378
Units per master	nr	10	6	6	4
Weight (without packaging)	kg	1,1	1,8	1,3	1,6
Weight (with packaging)	kg	1,2	2,2	1,6	1,8
Insulation class		II	II	II	II
Degree of protection of enclosures		IPX0	IPX0	IPX0	IP21
Electrical power supply	V-F-Hz	220-240 - 1 - 50/60	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50/60
Conformity Markings		CE	CE	CE	CE
Timer		-	-	-	-
Room thermostat		✓	✓	✓	✓
Safety thermostat		✓	✓	✓	✓
Ventilation function		✓	✓	✓	✓
Oscillating function		-	-	✓	-
Anti-tip switch		✓	-	✓	✓
Anti-ice function		✓	✓	-	✓
Power selector		✓	✓	✓	✓
Eco Function		-	-	-	-
Remote control		-	-	-	-
Tilt adjustment		-	✓	-	-
Wireless control		-	-	-	-
Wall-mounted position		-	-	-	-
Tabletop position		✓	✓	✓	✓

NEW

NEW

**TECHNICAL DATA**

		Caldo Trendy	Caldo Humi T	Caldo Line [NW]
<b>Product code</b>		99268	99178	99177
<b>EAN code</b>		8021183992687	8021183991789	8021183991772
Resistance		Ceramics	Ceramics	Ceramics
Thermal power (Max)	W	1800	2000	2000
Power settings		900 / 1800	ONLY FAN / 1200 / 2000	ONLY FAN / 1300 / 2000
Heating volume (max)	m³	55	60	60
Dimensions (WxHxD)	mm	216 x 284 x 125	230 x 600 x 230	233 x 659 x 187
Gift box dimensions (WxHxD)	mm	262 x 316 x 150	202 x 634 x 178	242 x 698 x 202
Master dimensions (W x H x D)	mm	465 x 647 x 277	650 x 380 x 425	-
Units per master	nr	6	4	-
Weight (without packaging)	kg	1,7	1,8	2,8
Weight (with packaging)	kg	2,0	2,2	4,0
Insulation class		II	II	II
Degree of protection of enclosures		IP21	IPX0	IPX0
Electrical power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity Markings		CE	CE	CE
Timer		✓	✓	✓
Room thermostat		✓	✓	✓
Safety thermostat		✓	✓	✓
Ventilation function		-	✓	✓
Oscillating function		✓	✓	✓
Anti-tip switch		✓	✓	✓
Anti-ice function		-	-	✓
Power selector		✓	✓	✓
Eco Function		✓	-	✓
Remote control		-	✓	✓
Tilt adjustment		-	-	-
Wireless control		-	-	✓
Tabletop position		✓	✓	✓
Wall-mounted position		-	-	-

## TECHNICAL DATA

		Caldo Duo	Caldo Sky B Wifi	Caldo Sky G Wifi	Caldo Up T
<b>Product code</b>		99201	99264	99265	99364
<b>EAN code</b>		8021183992014	8021183992649	8021183992656	8021183993646
<b>Resistance</b>		Needles	Ceramics	Ceramics	Ceramics
<b>Thermal power (Max)</b>	<b>W</b>	2000	2000	2000	2000
<b>Power settings</b>		ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
<b>Heating volume (max)</b>	<b>m³</b>	60	60	60	60
<b>Dimensions (WxHxD)</b>	<b>mm</b>	250 x 113 x 325 *	550 x 180 x 127	550 x 180 x 127	560 x 185 x 145
<b>Gift box dimensions (WxHxD)</b>	<b>mm</b>	255 x 120 x 338	598 x 220 x 156	598 x 220 x 156	595 x 225 x 170
<b>Master dimensions (W x H x D)</b>	<b>mm</b>	375 x 270 x 696	610 x 330 x 460	610 x 330 x 460	605 x 355 x 470
<b>Units per master</b>	<b>nr</b>	6	4	4	4
<b>Weight (without packaging)</b>	<b>kg</b>	1,9	2,3	2,3	2,8
<b>Weight (with packaging)</b>	<b>kg</b>	2,2	3,0	3,0	3,1
<b>Insulation class</b>		II	II	II	II
<b>Degree of protection of enclosures</b>		IP21 / IP24	IP22	IP22	IPX0
<b>Electrical power supply</b>	<b>V-F-Hz</b>	230 - 1 - 50/60	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
<b>Conformity Markings</b>		CE	CE	CE	CE
<b>Timer</b>		√	√	√	√
<b>Room thermostat</b>		√	√	√	√
<b>Safety thermostat</b>		√	√	√	√
<b>Ventilation function</b>		√	√	√	√
<b>Oscillating function</b>		-	√	√	√
<b>Anti-tip switch</b>		√	-	-	-
<b>Anti-ice function</b>		√	-	-	-
<b>Power selector</b>		√	√	√	√
<b>Eco Function</b>		√	-	-	-
<b>Remote control</b>		√	√	√	√
<b>Tilt adjustment</b>		-	-	-	-
<b>Wireless control</b>		-	√	√	-
<b>Wall-mounted position</b>		√	√	√	√
<b>Tabletop position</b>		√	-	-	-

\* The dimensions listed are for the Caldo Duo fan heater when used in the standard tabletop configuration



# 2

## Convector heaters

 **OLIMPIA  
SPLENDID**  
HOME OF COMFORT



# The natural warming of the air

The advantages of natural, forced, or energy-efficient convection

## Thermal comfort through convection



Convector heaters utilize the natural convective mechanism of air: they draw in cold air from below and release warm air from above. By harnessing and promoting this movement, they ensure highly effective heat distribution. Furthermore, since they act directly on the air temperature (rather than on surfaces), they are ideal for those who need immediate warmth. The design of the air outlet grilles and the turbo functions available on some models further enhance the heating speed of Olimpia Splendid convector heaters.

## Greater efficiency or faster operation

The Eco and Turbo modes, available on certain models, allow you to adjust the convector heater's operation to meet the varying needs of the day. With Turbo mode, you can quickly reach the desired temperature by switching from natural to forced convection, while Eco mode maintains comfort by optimizing energy consumption and ensuring maximum energy savings.



# Convector heaters

		MAXIMUM POWER	FOR ROOMS UP TO	INSTALLATION	TURBO FUNCTION	ECO FUNCTION	
	<b>Caleo Glass Wifi</b>	<b>Caleo Glass Wifi</b> [99238]	2 kW	60 m <sup>3</sup>	Mobile Fix	-	✓
	<b>Caleo Metal</b>	<b>Caleo Metal</b> [99296]	2 kW	60 m <sup>3</sup>	Mobile	-	-
	<b>Caleo 2</b>	<b>Caleo 2 Turbo</b> [99552]	2 kW	70 m <sup>3</sup>	Mobile	✓	-
		<b>Caleo 2 Turbo Timer</b> [99551]	2 kW	70 m <sup>3</sup>	Mobile	✓	-

# Key

## STANDARD CONTROLS



OS Home mobile application



Touch screen display



Mechanical controls



Remote control

## FUNCTIONS



### Antifrost

Turns on the product when the ambient temperature falls below the limit value.



### Minimum power

It helps maintain the temperature while keeping energy consumption low



### Children's Lock

Blocking command possibilities, to limit access to younger children.



### Temperature setting

Allows you to set the desired temperature for personalized comfort



### Eco Mode

It allows energy savings, optimising power to reduce consumption.



### Timer

Sets automatic powering on and/or off.



### Maximum power

It provides rapid and intense heating



### Timer (for TT version)

Set automatic power on and/or off (this feature is available only in the TT version).



### Average power

Provides even heating



### Turbo Mode

Used to achieve the desired thermal comfort in the shortest time possible.

## CONVECTOR HEATERS

CALEO GLASS  
WIFI

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Installation	<b>Mobile   Fix</b>
Eco Function	✓



## Premium design


It can be mounted on the wall or placed on the floor using the included brackets and feet, and its clean lines—enhanced by the glass front panel—make it a seamless addition to your home's interior design.

## More efficient comfort

Eco mode optimizes energy consumption and can save up to 50% on energy costs.

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Daily and weekly timer scheduling
- Wall-mount brackets included



- Heating
- Antifrost
- Children's Lock
- Eco Mode
- Maximum power
- Minimum power
- Temperature setting
- Timer



**CONVECTOR HEATERS**

# CALEO METAL

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Installation	<b>Mobile</b>



### Practical and compact

Perfect for smaller spaces in the home, it is particularly lightweight and easy to handle, making it simple to move around when needed and just as easy to store when not in use.

### Contemporary style

The front panel features an embossed geometric pattern that adds depth and movement to the surface, while the rounded edges soften the overall design.



Heating



Maximum power



Average power



Minimum power

### TECHNICAL INFO


- Room and Safety Thermostat
- Overheating protection
- All-metal frame, for maximum safety



## CONVECTOR HEATERS

## CALEO 2

Maximum power	<b>2 kW</b>
For rooms up to	<b>70 m<sup>3</sup></b>
Installation	<b>Mobile</b>
Turbo Function	<b>✓</b>



## Enhanced air convection

Designed in Italy by Sebastiano Ercoli and Alessandro Garlandini, it stands out for the unique shape of its grille, which is designed to enhance convection.

## Quick adjustment of comfort settings

Turbo mode boosts heat distribution thanks to the built-in auxiliary fan, allowing the room to heat up significantly faster and ensuring immediate comfort.

## TECHNICAL INFO

- Room and Safety Thermostat
- Overheating protection
- Frame and body made entirely of painted metal
- Daily timer scheduling (for TT version)



- Heating
- Antifrost
- Maximum power
- Average power
- Minimum power
- Timer (for TT version)
- Turbo Mode



**TECHNICAL DATA**

		Caleo Glass Wifi	Caleo Metal
<b>Product code</b>		99238	99296
<b>EAN code</b>		8021183992380	8021183992960
Front panel		Glass	Metal
Thermal power (Min - Med - Max)	W	1000 - / - 2000	750 - 1250 - 2000
Heating volume (max)	m <sup>3</sup>	60	60
Dimensions (W x H x D)	mm	790 x 502 x 247	620 x 395 x 220
Gift box dimensions (WxHxD)	mm	835 x 490 x 135	695 x 400 x 135
Weight (without packaging)	kg	7,8	3,0
Weight (with packaging)	kg	9,3	3,8
Electrical power supply	V-F-Hz	230 - 1 - 50/60	230 - 1 - 50
Room thermostat		√	√
Safety thermostat		√	√
Anti-ice function		√	-
Turbo Function		-	-
Timer		√	-
Temperature setting		√	-
Wireless control		√	-
Wall installation		√	-

**TECHNICAL DATA**

		Caleo 2 Turbo	Caleo 2 Turbo Timer
<b>Product code</b>		99552	99551
<b>EAN code</b>		8021183995527	8021183995510
Front panel		Metal	Metal
Thermal power (Min - Med - Max)	W	750 - 1250 - 2000	750 - 1250 - 2000
Heating volume (max)	m <sup>3</sup>	70	70
Dimensions (W x H x D)	mm	620 x 460 x 228	620 x 460 x 228
Gift box dimensions (WxHxD)	mm	670 x 490 x 180	670 x 490 x 180
Weight (without packaging)	kg	4,0	4,1
Weight (with packaging)	kg	4,8	4,9
Electrical power supply	V-F-Hz	230 - 1 - 50	230 - 1 - 50
Room thermostat		√	√
Safety thermostat		√	√
Anti-ice function		√	√
Turbo Function		√	√
Timer		-	√
Temperature setting		-	-
Wireless control		-	-
Wall installation		-	-





# 3

## Infra-red stoves

 **OLIMPIA  
SPLENDID**  
HOME OF COMFORT





# Infrared: heat you feel right away

A variety of technologies for an immediate feeling of comfort

## The Benefits of Radiant Heating






Infrared heaters generate heat through radiation: instead of heating the air, they transfer thermal energy directly to surfaces, objects, and people within the heated area. This principle provides immediate, targeted warmth—much like that of sunlight—offering an instant sense of comfort even in cold or poorly insulated spaces.

## Quartz, halogen, or carbon fiber technology

Olimpia Splendid infrared heaters are available in three different technologies. The quartz models provide direct, rapid heat, perfect for warming up in just a few moments. The halogen heaters offer more intense and even heat distribution. The carbon fiber versions provide gentle, enveloping heat, with greater lamp efficiency.



# Infra-red stoves

		MAXIMUM POWER	FOR ROOMS UP TO	TECHNOLOGY	WARM STEAM	OSCILLATION	
	<b>Quarzia Slim</b>	<b>Quarzia Slim R</b> [99194]	0.8 kW	30 m <sup>3</sup>	Quartz	-	-
		<b>Quarzia Slim B</b> [99200]	0.8 kW	30 m <sup>3</sup>	Quartz	-	-
	<b>Quarzia Humi</b>	<b>Quarzia Humi</b> [99227]	1.2 kW	45 m <sup>3</sup>	Quartz	✓	-
	<b>Solaria Evo</b>	<b>Solaria Evo</b> [99545]	1.2 kW	45 m <sup>3</sup>	Halogen	-	✓
		<b>Solaria Evo S</b> [99396]	1.2 kW	45 m <sup>3</sup>	Halogen	-	✓
	<b>Solaria Carbon</b>	<b>Solaria Carbon</b> [99610]	1.1 kW	45 m <sup>3</sup>	Carbon fiber	-	✓
	<b>Carbon Twist</b>	<b>Carbon Twist</b> [99199]	1.2 kW	45 m <sup>3</sup>	Carbon fiber	-	✓

# Key

## STANDARD CONTROLS



Mechanical controls

## FUNCTIONS



### Oscillation

Improves airflow diffusion, thanks to the rotating base.



### Minimum power

It helps maintain the temperature while keeping energy consumption low



### Maximum power

It provides rapid and intense heating



### Hot Steam

Sanitises water and humidifies the environment to reduce air dryness.



### Average power

Provides even heating

## INFRA-RED STOVES

# QUARZIA SLIM

Maximum power	<b>0.8 kW</b>
For rooms up to	<b>30 m<sup>3</sup></b>
Technology	<b>Quartz</b>



## Instant heating

Quartz technology provides direct, targeted heating, delivering heat that is immediately felt on the exposed surface and ensuring quick and precise comfort.

## Small, practical, and compact

Perfect for smaller spaces in the home, it is particularly lightweight and easy to handle, making it simple to move around when needed and just as easy to store when not in use.



Heating



Maximum power



Minimum power


## TECHNICAL INFO

- Automatic shut-off if the unit tips over
- Convenient handle



**INFRA-RED STOVES**

# QUARZIA HUMI

Maximum power	<b>1.2 kW</b>
For rooms up to	<b>45 m<sup>3</sup></b>
Technology	<b>Quartz</b>
Warm steam	








### Instant heating

Quartz technology provides direct, targeted heating, delivering heat that is immediately felt on the exposed surface and ensuring quick and precise comfort.

### The right level of humidity

In addition to heating the room, the humidification feature helps keep the air more comfortable by releasing a gentle mist of warm steam that prevents it from becoming dry.



-  Heating
-  Maximum power
-  Average power
-  Minimum power
-  Hot Steam

### TECHNICAL INFO

- Safety thermostat
- Automatic shut-off if the unit tips over
- Convenient handle and cord winder
- 6 operating modes: 3 power settings with and without steam



## INFRA-RED STOVES

## SOLARIA EVO

Maximum power	<b>1.2 kW</b>
For rooms up to	<b>45 m<sup>3</sup></b>
Technology	<b>Halogen</b>
Oscillation	✓



## More intense heat

Halogen technology generates high-intensity light that not only illuminates but also enhances the sensation of warmth, providing an immediate and enveloping feeling of comfort.

## Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.



Heating



Oscillation



Maximum power



Average power



Minimum power




## TECHNICAL INFO

- Safety thermostat
- Automatic shut-off if the unit tips over
- Convenient handle



**INFRA-RED STOVES**

# SOLARIA CARBON

Maximum power	<b>1.1 kW</b>
For rooms up to	<b>45 m<sup>3</sup></b>
Technology	<b>Carbon fiber</b>
Oscillation	



### Optimized consumption

Carbon fiber technology ensures lower energy consumption while providing the same level of perceived warmth, offering more efficient heat radiation and ensuring high thermal output.

### Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.



Heating



Oscillation



Maximum power



Minimum power

### TECHNICAL INFO

- Safety thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- Beam direction: can be manually tilted up to 80° from top to bottom



## INFRA-RED STOVES

CARBON  
TWIST

Maximum power	<b>1.2 kW</b>
For rooms up to	<b>45 m<sup>3</sup></b>
Technology	<b>Carbon fiber</b>
Oscillation	✓



## Optimized consumption

Carbon fiber technology ensures lower energy consumption while providing the same level of perceived warmth, offering more efficient heat radiation and ensuring high thermal output.

## Excellent heat distribution

The oscillating base allows the airflow to be adjusted horizontally, promoting more even heat distribution and enhancing comfort throughout the room.



Heating



Oscillation



Maximum power



Minimum power

## TECHNICAL INFO

- Safety thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- 4 operating modes: 2 power settings with and without oscillation



**TECHNICAL DATA**

		Quarzia Slim R	Quarzia Slim B	Quarzia Humi
<b>Product code</b>		99194	99200	99227
<b>EAN code</b>		8021183991949	8021183992007	8021183992274
<b>Technology</b>		Quartz	Quartz	Quartz
<b>Thermal power (Max)</b>	W	800	800	1200
<b>Power levels</b>	W	400 - 800	400 - 800	400 - 800 - 1200
<b>Heating volume (max)</b>	m <sup>3</sup>	30	30	45
<b>Dimensions (WxHxD)</b>	mm	244 x 346 x 124	244 x 346 x 124	320 x 460 x 160
<b>Gift box dimensions (WxHxD)</b>	mm	272 x 374 x 154	272 x 374 x 154	360 x 484 x 190
<b>Weight (without packaging)</b>	kg	1,0	1,0	2,3
<b>Weight (with packaging)</b>	kg	1,3	1,3	2,9
<b>Electrical power supply</b>	V-F-Hz	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
<b>Safety thermostat</b>		-	-	√
<b>Oscillating function</b>		-	-	-
<b>Anti-tip switch</b>		√	√	√
<b>Humidifier functions</b>		-	-	√
<b>Tank capacity</b>	ml	-	-	450
<b>Handle</b>		√	√	√

**TECHNICAL DATA**

		Solaria Evo	Solaria Evo S	Solaria Carbon	Carbon Twist
<b>Product code</b>		99545	99396	99610	99199
<b>EAN code</b>		8021183995459	8021183993967	8021183996104	8021183991994
<b>Technology</b>		Halogens	Halogens	Carbon fiber	Carbon fiber
<b>Thermal power (Max)</b>	W	1200	1200	1100	1200
<b>Power levels</b>	W	400 - 800 - 1200	400 - 800 - 1200	600 - 1100	600 - 1200
<b>Heating volume (max)</b>	m <sup>3</sup>	45	45	45	45
<b>Dimensions (WxHxD)</b>	mm	325 x 585 x 170	325 x 585 x 170	456 x 690 x 170	280 x 640 x 280
<b>Gift box dimensions (WxHxD)</b>	mm	330 x 615 x 200	330 x 615 x 200	315 x 740 x 175	290 x 660 x 170
<b>Weight (without packaging)</b>	kg	2,0	2,0	3,2	1,4
<b>Weight (with packaging)</b>	kg	2,5	2,5	3,7	1,8
<b>Electrical power supply</b>	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50/60	230 - 1 - 50	220-240 - 1 - 50
<b>Safety thermostat</b>		√	√	√	√
<b>Oscillating function</b>		√	√	√	√
<b>Anti-tip switch</b>		√	√	√	√
<b>Humidifier functions</b>		-	-	-	-
<b>Tank capacity</b>	ml	-	-	-	-
<b>Handle</b>		√	√	√	√





# 4

## Oil-filled radiators

 **OLÍMPIA  
SPLENDID**  
HOME OF COMFORT





# Long-lasting heat

A range of solutions with high thermal inertia

## Oil-filled radiators: why choose them





Thanks to the heat-retaining oil, which holds heat for a long time, they provide consistent comfort even after being turned off. Quiet, safe, and easy to use, they emit a soothing warmth that's perfect for bedrooms, living rooms, and home offices, making them a practical and efficient choice for supplementing traditional heating with low energy consumption and enhanced comfort.

## Greater efficiency or faster operation

The Eco and Turbo modes, available on certain models, allow you to adjust the heater's operation to meet your changing needs throughout the day. Turbo mode lets you quickly reach the desired temperature thanks to the auxiliary fan, while Eco mode maintains comfort by optimizing energy consumption and ensuring maximum energy savings.



# Oil-filled radiators

		MAXIMUM POWER	FOR ROOMS UP TO	TURBO FUNCTION	ECO FUNCTION	BUILT-IN HUMIDIFIER	
	<b>Caldorad</b>	<b>Caldorad 7</b> [99620]	1.5 kW	50 m <sup>3</sup>	-	✓	-
		<b>Caldorad 9</b> [99619]	2 kW	60 m <sup>3</sup>	-	✓	-
		<b>Caldorad 9 Turbo Timer</b> [99617]	2.4 kW	75 m <sup>3</sup>	✓	✓	-
	<b>Caldorad S1</b>	<b>Caldorad S1 9</b> [99181]	2 kW	60 m <sup>3</sup>	-	-	-
		<b>Caldorad S1 11</b> [99180]	2.5 kW	75 m <sup>3</sup>	-	-	-
		<b>Caldorad Humi 9</b> [99263]	2 kW	60 m <sup>3</sup>	-	-	✓
	<b>Caldorad Humi</b>	<b>Caldorad Humi 13</b> [99298]	2.5 kW	75 m <sup>3</sup>	-	-	✓
		<b>Caldorad Tech 9</b> [99179]	2 kW	60 m <sup>3</sup>	-	✓	-
	<b>Caldorad Tech</b>						

# Key

## STANDARD CONTROLS



Mechanical controls



Touch screen display



Remote control

## FUNCTIONS



### Antifrost

Turns on the product when the ambient temperature falls below the limit value.



### Eco Mode

It allows energy savings, optimising power to reduce consumption.



### Maximum power

It provides rapid and intense heating



### Average power

Provides even heating



### Minimum power

It helps maintain the temperature while keeping energy consumption low



### Temperature setting

Allows you to set the desired temperature for personalized comfort



### Silent Mode

Mutes the sound emitted by the control panel when a setting is changed.



### Timer

Sets automatic powering on and/or off.



### Timer (for TT version)

Set automatic power on and/or off (this feature is available only in the TT version).



### Turbo (for the TT version)

It allows you to reach the desired temperature as quickly as possible (this feature is available only in the TT version).



### Steam

Humidifies the environment to reduce air dryness.

## OIL-FILLED RADIATORS

## CALDORAD

Maximum power	1.5   2   2.4 kW
For rooms up to	50   60   75 m <sup>3</sup>
Eco Function	✓
Turbo Function	✓



## Maximum convenience

Ideal as a supplemental heating solution, it provides quiet, steady, and pleasant warmth, making it effective in small spaces where immediate comfort is needed.

## Quick ramp-up

The Turbo function (available on the 9TT model) activates the built-in fan and heats the room via forced convection, accelerating heat distribution.

## TECHNICAL INFO

- Room and Safety Thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- Cord reel and swivel casters
- Daily timer programming (TT version)



Heating



Antifrost



Eco Mode



Maximum power



Average power



Minimum power



Timer (for TT version)



Turbo (for the TT version)



**OIL-FILLED RADIATORS**

# CALDORAD S1

Maximum power	<b>2   2.5 kW</b>
For rooms up to	<b>60   75 m<sup>3</sup></b>







### Practical and compact

Perfect for smaller spaces in the home, it is particularly lightweight and easy to handle, making it simple to move around when needed and just as easy to store when not in use.

### Steady, continuous heat

The final component consists of three individual fins, designed to operate with thermal protection up to 95°C, thereby ensuring greater efficiency.



-  Heating
-  Maximum power
-  Average power
-  Minimum power

### TECHNICAL INFO

- Room and Safety Thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- Cord reel and swivel casters



## OIL-FILLED RADIATORS

CALDORAD  
HUMI

Maximum power	<b>2   2.5 kW</b>
For rooms up to	<b>60   75 m<sup>3</sup></b>
Built-in humidifier	<b>✓</b>



## The right level of humidity

In addition to heating the room, the humidification feature helps keep the air more comfortable by releasing a gentle mist of warm steam that prevents it from becoming dry.

## High thermal inertia

The large number of heating elements—up to 13—ensures a wide radiant surface and a slow, sustained release of heat, providing a feeling of warmth even after the heater is turned off.



Heating



Humidification



Antifrost



Maximum power



Average power



Minimum power



Steam



## TECHNICAL INFO

- Room and Safety Thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- Cord reel and swivel casters
- Humidifier tank capacity: 450 ml



NEW

**OIL-FILLED RADIATORS**

# CALDORAD TECH

Maximum power	<b>2 kW</b>
For rooms up to	<b>60 m<sup>3</sup></b>
Eco Function	



### Precision control

The touch-sensitive control panel, with its minimalist and sleek design, allows you to set the desired temperature and select different power levels intuitively and instantly.









### Superior comfort and efficiency

The U-shaped design increases the heat exchange surface area by up to 30% (compared to standard models), and the ventilation holes in the first element improve heat dissipation, delivering superior performance with thermal protection up to 145°C.

### TECHNICAL INFO

- Room and Safety Thermostat
- Automatic shut-off if the unit tips over
- Convenient handle
- Cord winder and soft rubber swivel casters to reduce noise
- Rear cover for added safety
- Daily timer schedule



-  Heating
-  Eco Mode
-  Maximum power
-  Average power
-  Minimum power
-  Temperature setting
-  Silent Mode
-  Timer



## TECHNICAL DATA

			NEW		NEW		
			Caldorad 7	Caldorad 9	Caldorad 9 Turbo Timer	Caldorad S1 9	Caldorad S1 11
Product code			99620	99619	99617	99181	99180
EAN code			8021183996203	8021183996197	8021183996173	8021183991819	8021183991802
Thermal power (Max)	W		1500	2000	2400	2000	2500
Power levels	W		ECO 700 - 800 - 1500	ECO 1000 - 1000 - 2000	ECO 1000-1000- 2000 (+400)	800-1200-2000	1000-1500-2500
Heating volume (max)	m <sup>3</sup>		50	60	75	60	75
Dimensions (W x H x D) (with wheels)	mm		235 x 620 x 340	235 x 620 x 420	235 x 620 x 420	245 x 600 x 394	245 x 600 x 468
Gift box dimensions (WxHxD)	mm		160 x 670 x 400	160 x 670 x 480	160 x 670 x 480	135 x 640 x 440	135 x 640 x 514
Weight (without packaging)	kg		8,7	10,4	11,0	7,0	8,4
Weight (with packaging)	kg		9,6	11,4	12,0	7,8	9,3
Oil	kg		1,50	1,95	1,95	1,26	1,54
Electrical power supply	V-F-Hz		230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Timer			-	-	√	-	-
Room thermostat			√	√	√	√	√
Safety thermostat			√	√	√	√	√
Ventilation function			-	-	√	-	-
Anti-tip switch			√	√	√	√	√
Eco Function			√	√	√	-	-
Anti-ice function			√	√	√	-	-
Wheels			√	√	√	√	√
Handles			√	√	√	√	√
Power supply cable housing			√	√	√	√	√
Humidifier			-	-	-	-	-

## TECHNICAL DATA

				NEW	
			Caldorad Humi 9	Caldorad Humi 13	Caldorad Tech 9
Product code			99263	99298	99179
EAN code			8021183992632	8021183992984	8021183991796
Thermal power (Max)	W		2000	2500	2000
Power levels	W		800-1200-2000	1000-1500-2500	800-1200-2000
Heating volume (max)	m <sup>3</sup>		60	75	60
Dimensions (W x H x D) (with wheels)	mm		240 x 625 x 430	250 x 625 x 590	255 x 648 x 393
Gift box dimensions (WxHxD)	mm		140 x 695 x 480	140 x 695 x 640	198 x 705 x 477
Weight (without packaging)	kg		8,7	12,6	9,3
Weight (with packaging)	kg		9,7	13,7	10,5
Oil	kg		1,95	2,60	1,48
Electrical power supply	V-F-Hz		220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Timer			-	-	√
Room thermostat			√	√	√
Safety thermostat			√	√	√
Ventilation function			-	-	-
Anti-tip switch			√	√	√
Eco Function			-	-	√
Anti-ice function			√	√	-
Wheels			√	√	√
Handles			√	√	√
Power supply cable housing			√	√	√
Humidifier			√	√	-



# 5

## Dehumidifiers

 **OLÍMPIA  
SPLENDID**  
HOME OF COMFORT





# The Importance of Air Treatment


Humidity under control for better indoor comfort

## How indoor air quality and the microclimate affect health

We spend up to 90% of our time indoors, and the air we breathe at home directly affects our health and the well-being of the whole family. Good air quality means better sleep, improved concentration, and a general sense of comfort. You can take care of it by starting with your home's microclimate—keeping temperature and humidity in balance for a healthier, more pleasant environment.

## Why is it important to dehumidify?

Excessive humidity (above 60%) promotes the growth of mold, which releases spores and microtoxins capable of irritating the respiratory tract, significantly increasing the risk of asthma, allergies, and infections, according to evidence reported by the WHO. Furthermore, a humid environment facilitates the proliferation of dust mites and bacteria, worsening air quality and exacerbating allergic reactions and respiratory disorders, especially in the most vulnerable individuals.





# Much more than just dehumidifiers

They are used year-round to reduce indoor pollutants

## Filtration and purification

The Aquaria line of dehumidifiers stands out for its versatility, offering comprehensive solutions to improve indoor air quality. The multi-stage filtration system effectively removes dust, allergens, and odors, while the ionizer and UV lamp, found on some models, help reduce airborne impurities and sanitize the air. The result is an even healthier, safer, and more comfortable environment day after day.

## Extremely compact design

The line of residential dehumidifiers stands out not only for its advanced air-treatment technology but also for its extremely compact design. Thanks to careful optimization of the internal geometry and structure, the overall volume has been reduced by up to 40% compared to the previous model range, making the dehumidifier a discreet, space-saving presence that blends seamlessly into any home environment.



# Dehumidifiers

			CAPACITY	FOR ROOMS UP TO	FILTRATION	PURIFICATION	APPLICATION
	<b>Aquaria S2 10</b>	<b>Aquaria S2 10</b> [02713]	10 lt	45 m <sup>3</sup>	antidust activated carbons	-	residential
	<b>Aquaria S2 12</b>	<b>Aquaria S2 12</b> [02714]	12 lt	55 m <sup>3</sup>	antidust activated carbons	-	residential
	<b>Aquaria S2 14</b>	<b>Aquaria S2 14</b> [02715]	14 lt	65 m <sup>3</sup>	antidust activated carbons	-	residential
	<b>Aquaria S2 16 [NW]</b>	<b>Aquaria S2 16 NW</b> [02716]	16 lt	75 m <sup>3</sup>	antidust activated carbons	-	residential
	<b>Aquaria S2 20 [NW]</b>	<b>Aquaria S2 20 NW</b> [02718]	20 lt	90 m <sup>3</sup>	antidust activated carbons hepa	Ionizer	residential
	<b>Aquaria S2 24 [NW]</b>	<b>Aquaria S2 24 NW</b> [02720]	24 lt	100 m <sup>3</sup>	antidust activated carbons hepa	Ionizer   UV	residential



**Aquaria S2 30**  
**[NW]**

**Aquaria S2 30 NW**  
[02721]

CAPACITY	FOR ROOMS UP TO	FILTRATION	PURIFICATION	APPLICATION
----------	-----------------	------------	--------------	-------------

30 lt

150 m<sup>3</sup>

antidust  
activated carbons  
hepa

Ionizer | UV

residential

NEW



**Aquaria S2 40**  
**[NW]**

**Aquaria S2 40 NW**  
[02723]

40 lt

200 m<sup>3</sup>

antidust  
activated carbons  
hepa

Ionizer | UV

residential

NEW



**Seccoprof 30**  
**[P]**

**Seccoprof 30 P**  
[02106]

30 lt

150 m<sup>3</sup>

antidust  
activated carbons

-

professional



**Seccoprof 40**  
**[P]**

**Seccoprof 40 P**  
[02107]

40 lt

200 m<sup>3</sup>

antidust  
activated carbons

-

professional

# Key

## STANDARD CONTROLS



OS Home mobile application



Digital panel



Touch screen display

## FUNCTIONS



### Children's Lock

Blocking command possibilities, to limit access to younger children.



### Filter Cleaning Signal

Shows the filter replacement and cleaning alarm.



### Ionizer

It creates ions that bind to harmful particles dispersed in the air, preventing them from being inhaled.



### Full Tank Signal

Stops operation and signals the need to empty the tank.



### UV lamp

To purify and sterilize the air by destroying microorganisms and removing pollutants



### Humidity setting

Allows you to set the desired humidity level for personalized comfort



### Laundry Mode

Optimises ventilation speed, for quick laundry drying.



### Silent Mode

Reduces the noise of the product, for greater acoustic comfort.



### Memory

Automatic restart after a power outage with settings retained



### Vertical swing

Improved air flow distribution, thanks to automatic vertical flap oscillation.



### Defrosting

It turns off the compressor and switches to fan-only mode, preventing ice from forming on the evaporator coil when the temperature drops toward the minimum limit.



### Timer

Sets automatic powering on and/or off.

# Filtration and purification

With the new Aquaria S2 dehumidifiers, thanks to a multi-stage filtration system and specialized air purification technologies, you can reduce the concentration of pollutants in your home



## The Importance of HEPA Filters

HEPA (High Efficiency Particulate Air) filters provide highly efficient filtration against fine and ultrafine dust particles. Made from high-density microfibers arranged in a pleated structure, they effectively trap pollutants in the airflow, ensuring cleaner and healthier environments.

The most powerful models in the Aquaria S2 dehumidifier range (with capacities ranging from 20 to 40 L/24h) combine traditional dust filters and activated carbon filters with HEPA filters capable of reducing the concentration of the finest airborne pollutants (0.3  $\mu\text{m}$ ).

## UV lamps and ionizers, for complete purification

HEPA filters are not the only purification system available on Aquaria S2 dehumidifiers. Germicidal lamps are also an effective method of air sterilization, thanks to the ability of UV radiation to alter the DNA or RNA of microorganisms, preventing them from reproducing and thus causing harm.

Finally, to further purify the air of bacteria and other fine and ultrafine particles, the ionizer—which comes standard on larger models—is also effective: by negatively charging the air, harmful particles attach themselves to oxygen molecules and fall to the ground, reducing the risk of them being inhaled.



## Why it's important to purify the air in your home

The U.S. Environmental Protection Agency has stated that indoor air can be up to five times more polluted than outdoor air. The main culprit is VOCs, short for Volatile Organic Compounds: highly volatile chemicals such as formaldehyde, benzene, and nitrogen dioxide, emitted by carpets, cleaning products, candles, and electronic devices. Among these are several substances with carcinogenic effects, while others irritate the respiratory tract and mucous membranes.

Then there are PMs: Particulate Matter, which includes fine particles with an aerodynamic diameter of less than 10  $\mu\text{m}$ , and ultrafine particles with an aerodynamic diameter of less than 2.5  $\mu\text{m}$ . The first category includes pollen, plant and flower allergens, mold, and bacteria, which can penetrate the upper respiratory tract. Ultrafine particles, on the other hand, include viruses and industrial emissions, which can reach the lungs and secondary bronchi.

A multi-stage filtration system combined with specialized air purification technologies, such as that offered by the Aquaria S2 dehumidifiers, is therefore an excellent solution for reducing the concentration of pollutants in the home, benefiting the health of all its occupants.

NEW

DEHUMIDIFIERS

# AQUARIA S2 10

Capacity	<b>10 lt</b>
For rooms up to	<b>45 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>residential</b>



### Ideal for smaller spaces

Its ultra-compact design allows it to effectively dehumidify the room while taking up very little space, making it easy to place anywhere in the home.

### Also effective against dust and unpleasant odors

The dual filtration system—dust filter and activated carbon filter—reduces impurities in the treated air, making it healthier and more pleasant to breathe.

### TECHNICAL INFO

- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with a lid and an easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



-  **Dehumidification**
-  **Ventilation**
-  **Children's Lock**
-  **Laundry Mode**
-  **Memory**
-  **Defrosting**
-  **Filter Cleaning Signal**
-  **Full Tank Signal**
-  **Humidity setting**
-  **Silent Mode**
-  **Timer**



NEW

FAN HEATERS

CONNECTOR HEATERS

INFRARED STOVES

OIL-FILLED RADIATORS

DEHUMIDIFIERS

HUMIDIFIERS

AIR PURIFIERS AND AROMA DIFFUSERS

DEHUMIDIFIERS

# AQUARIA S2 12

Capacity	<b>12 lt</b>
For rooms up to	<b>55 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>residential</b>



### Ideal for smaller spaces

Its ultra-compact design allows it to effectively dehumidify the room while taking up very little space, making it easy to place anywhere in the home.

### Also effective against dust and unpleasant odors

The dual filtration system—dust filter and activated carbon filter—reduces impurities in the treated air, making it healthier and more pleasant to breathe.

### TECHNICAL INFO

- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with a lid and an easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



- Dehumidification
- Ventilation
- Children's Lock
- Laundry Mode
- Memory
- Defrosting
- Filter Cleaning Signal
- Full Tank Signal
- Humidity setting
- Silent Mode
- Timer



NEW

DEHUMIDIFIERS

# AQUARIA S2 14

Capacity	<b>14 lt</b>
For rooms up to	<b>65 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>residential</b>



### Ideal for smaller spaces

Its ultra-compact design allows it to effectively dehumidify the room while taking up very little space, making it easy to place anywhere in the home.

### Also effective against dust and unpleasant odors

The dual filtration system—dust filter and activated carbon filter—reduces impurities in the treated air, making it healthier and more pleasant to breathe.

### TECHNICAL INFO

- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with a lid and an easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



-  Dehumidification
-  Ventilation
-  Children's Lock
-  Laundry Mode
-  Memory
-  Defrosting
-  Filter Cleaning Signal
-  Full Tank Signal
-  Humidity setting
-  Silent Mode
-  Timer



DEHUMIDIFIERS

# AQUARIA S2 16

[NW]

Capacity	<b>16 lt</b>
For rooms up to	<b>75 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>residential</b>



### Smart control


Humidity can be monitored remotely via the OS Home app, offering a more convenient, precise, and personalized way to manage home comfort.

### Also effective against dust and unpleasant odors

The dual filtration system—dust filter and activated carbon filter—reduces impurities in the treated air, making it healthier and more pleasant to breathe.

### TECHNICAL INFO

- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with a lid and an easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



- Dehumidification
- Ventilation
- Children's Lock
- Laundry Mode
- Memory
- Defrosting
- Filter Cleaning Signal
- Full Tank Signal
- Humidity setting
- Silent Mode
- Timer



DEHUMIDIFIERS

# AQUARIA S2 20

[NW]

Capacity	<b>20 lt</b>
For rooms up to	<b>90 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons   hepa</b>
Purification	<b>Ionizer</b>
Application	<b>residential</b>















### Advanced air treatment

The triple filtration system and built-in ionizer ensure significantly cleaner and healthier air by capturing the finest pollutants through the EPA filter and removing airborne impurities with the ionizer.

### Smart control

Humidity can be monitored remotely via the OS Home app, offering a more convenient, precise, and personalized way to manage home comfort.



-  **Dehumidification**
-  **Purification**
-  **Ventilation**
-  **Children's Lock**
-  **Ionizer**
-  **Laundry Mode**
-  **Memory**
-  **Defrosting**
-  **Filter Cleaning Signal**
-  **Full Tank Signal**
-  **Humidity setting**
-  **Silent Mode**
-  **Timer**

### TECHNICAL INFO

- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with a lid and an easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



NEW

FAN HEATERS

CONNECTOR HEATERS

INFRARED STOVES

OIL-FILLED RADIATORS

DEHUMIDIFIERS

HUMIDIFIERS

AIR PURIFIERS AND AROMA DIFFUSERS

DEHUMIDIFIERS

# AQUARIA S2 24

[NW]



Capacity	<b>24 lt</b>
For rooms up to	<b>100 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons   hepa</b>
Purification	<b>Ionizer   UV</b>
Application	<b>residential</b>



## Comprehensive air treatment

It removes dust, allergens, and odors, captures the finest particles, reduces airborne impurities through ionization, and helps sanitize the air using UV light, ensuring an even healthier and safer environment.

## Advanced control

The touchscreen control panel and built-in wireless connectivity offer more intuitive and immediate control over functions, allowing for management both at home and remotely via an app.

## TECHNICAL INFO

- Humidity and Temperature Gauge
- Front display with color humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with lid, handle, and easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- FSC-certified packaging



- Dehumidification
- Purification
- Ventilation
- Children's Lock
- Ionizer
- UV lamp
- Laundry Mode
- Memory
- Defrosting
- Filter Cleaning Signal
- Full Tank Signal
- Humidity setting
- Silent Mode
- Vertical swing
- Timer



NEW

DEHUMIDIFIERS

# AQUARIA S2 30

[NW]



Capacity	<b>30 lt</b>
For rooms up to	<b>150 m³</b>
Filtration	<b>antidust   activated carbons   hepa</b>
Purification	<b>Ionizer   UV</b>
Application	<b>residential</b>



## Comprehensive air treatment

It removes dust, allergens, and odors, captures the finest particles, reduces airborne impurities through ionization, and helps sanitize the air using UV light, ensuring an even healthier and safer environment.















## Advanced control

The touchscreen control panel and built-in wireless connectivity offer more intuitive and immediate control over functions, allowing for management both at home and remotely via an app.

## TECHNICAL INFO

- Temperature and humidity indicator
- Front display with color humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with lid, handle, and easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- Eco-friendly packaging (no polystyrene or recycled plastic) and FSC certification



-  Dehumidification
-  Purification
-  Ventilation
-  Children's Lock
-  Ionizer
-  UV lamp
-  Laundry Mode
-  Memory
-  Defrosting
-  Filter Cleaning Signal
-  Full Tank Signal
-  Humidity setting
-  Silent Mode
-  Vertical swing
-  Timer



NEW

FAN HEATERS

CONNECTOR HEATERS

INFRARED STOVES

OIL-FILLED RADIATORS

DEHUMIDIFIERS

HUMIDIFIERS

AIR PURIFIERS AND AROMA DIFFUSERS

DEHUMIDIFIERS

# AQUARIA S2 40

[NW]



Capacity	<b>40 lt</b>
For rooms up to	<b>200 m³</b>
Filtration	<b>antidust   activated carbons   hepa</b>
Purification	<b>Ionizer   UV</b>
Application	<b>residential</b>



## Comprehensive air treatment

It removes dust, allergens, and odors, captures the finest particles, reduces airborne impurities through ionization, and helps sanitize the air using UV light, ensuring an even healthier and safer environment.

## Advanced control

The touchscreen control panel and built-in wireless connectivity offer more intuitive and immediate control over functions, allowing for management both at home and remotely via an app.



- Dehumidification
- Purification
- Ventilation
- Children's Lock
- Ionizer
- UV lamp
- Laundry Mode
- Memory
- Defrosting
- Filter Cleaning Signal
- Full Tank Signal
- Humidity setting
- Silent Mode
- Vertical swing
- Timer

## TECHNICAL INFO

- Temperature and humidity indicator
- Front display with color humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable container with lid, handle, and easy-open feature for emptying
- Cable housing, side handles, and swivel casters
- Fan speed: low/high
- Eco-friendly packaging (no polystyrene or recycled plastic) and FSC certification



**DEHUMIDIFIERS**

# SECCOPROF 30

[P]

Capacity	<b>30 lt</b>
For rooms up to	<b>150 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>professional</b>



## Non-stop operation in large spaces

Its high dehumidification capacity and continuous condensate drainage make it ideal for professional air treatment in larger spaces.

## Hot gas defrost

It ensures continuous compressor operation, preventing frequent on-off cycles and allowing the system to operate even at temperatures close to 0°C.

## TECHNICAL INFO

- Corrosion- and impact-resistant stainless steel construction
- Humidity and Temperature Gauge
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable semi-transparent tank with water level indicator
- Handy side handles and swivel wheels
- Fan speed: low / high



-  **Dehumidification**
-  **Ventilation**
-  **Children's Lock**
-  **Laundry Mode**
-  **Memory**
-  **Defrosting**
-  **Full Tank Signal**
-  **Humidity setting**
-  **Timer**



DEHUMIDIFIERS

# SECCOPROF 40

[P]

Capacity	<b>40 lt</b>
For rooms up to	<b>200 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons</b>
Application	<b>professional</b>










## Non-stop operation in large spaces

Its high dehumidification capacity and continuous condensate drainage make it ideal for professional air treatment in larger spaces.

## Hot gas defrost

It ensures continuous compressor operation, preventing frequent on-off cycles and allowing the system to operate even at temperatures close to 0°C.



-  **Dehumidification**
-  **Ventilation**
-  **Children's Lock**
-  **Laundry Mode**
-  **Memory**
-  **Defrosting**
-  **Full Tank Signal**
-  **Humidity setting**
-  **Timer**

## TECHNICAL INFO

- Corrosion- and impact-resistant stainless steel construction
- Temperature and humidity indicator
- Continuous discharge operation without removing the tank
- Daily timer schedule
- Removable semi-transparent tank with water level indicator
- Handy side handles and swivel wheels
- Fan speed: low / high



**TECHNICAL DATA**

		NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW
		Aquaria S2 10	Aquaria S2 12	Aquaria S2 14	Aquaria S2 16 NW	Aquaria S2 20 NW	Aquaria S2 24 NW	Aquaria S2 30 NW	Aquaria S2 40 NW
Product code		02713	02714	02715	02716	02718	02720	02721	02723
EAN code		8021183027136	8021183027143	8021183027150	8021183027167	8021183027181	8021183027204	8021183027211	8021183027235
Dehumidification capacity	(1) I/24h	10	12	14	16	20	24	30	40
Max. power absorption in dehumidification mode	(1) W	270	270	280	365	365	375	490	735
Maximum absorption in dehumidification mode	(1) A	1,5	1,5	1,6	2,1	2,1	2,3	2,7	3,4
Max. power absorption in dehumidification mode (U.L.U.)	(U.L.U.) W	280	280	320	450	450	430	580	850
Degree of protection		IPX0	IPX0	IPX0	IPX0	IPX0	IPX0	IPX0	IPX0
Fan speed	nr	2	2	2	2	2	2	2	2
Tank capacity	l	2,0	2,0	2,0	2,0	2,0	4,3	4,3	4,3
Air flow rate (max)	(2) m³/h	140	140	160	160	160	200	230	250
Sound pressure	(3) dB(A)	41	41	45	45	45	47	50	51
Product dimensions (W x H x D with wheels)	mm	260 x 490 x 202	260 x 490 x 202	260 x 490 x 202	260 x 490 x 202	260 x 490 x 202	290 x 500 x 260	290 x 500 x 260	290 x 500 x 260
Gift box dimensions (WxHxD)	mm	305 x 534 x 240	305 x 534 x 240	305 x 534 x 240	305 x 534 x 240	305 x 534 x 240	340 x 534 x 320	340 x 534 x 320	340 x 534 x 320
Weight (without packaging)	kg	9,4	9,8	10,3	10,7	11,2	12,7	14,0	14,0
Weight (with packaging)	kg	10,4	10,8	11,3	11,7	12,2	13,9	15,8	15,8
Refrigerant gas		R290	R290	R290	R290	R290	R290	R290	R290
GWP (Global Warming Potential)		3	3	3	3	3	3	3	3
Refrigerant gas charge	kg	0,028	0,037	0,045	0,041	0,043	0,051	0,075	0,088
Minimum area for use and storage	m²	4	4	4	4	4	4	4	4
Plug		EU	EU	EU	EU	EU	EU	EU	EU
Power supply	V-F-Hz	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50	220-240 - 1-50
Conformity Markings		CE	CE	CE	CE	CE	CE	CE	CE
Antidust filter		✓	✓	✓	✓	✓	✓	✓	✓
Activated carbon filter		✓	✓	✓	✓	✓	✓	✓	✓
HEPA filter		-	-	-	-	✓	✓	✓	✓
Ionizer		-	-	-	-	✓	✓	✓	✓
UV lamp		-	-	-	-	-	✓	✓	✓
Continuous drainage operation		✓	✓	✓	✓	✓	✓	✓	✓
Adjustable electronic humidistat		✓	✓	✓	✓	✓	✓	✓	✓
Display of room humidity		✓	✓	✓	✓	✓	✓	✓	✓
Display of room temperature		✓	✓	✓	✓	✓	✓	✓	✓
Full tank indicator		✓	✓	✓	✓	✓	✓	✓	✓
Child lock		✓	✓	✓	✓	✓	✓	✓	✓
Silent mode		✓	✓	✓	✓	✓	✓	✓	✓
Flap oscillation		-	-	-	-	-	✓	✓	✓
Laundry function		✓	✓	✓	✓	✓	✓	✓	✓
Timer		✓	✓	✓	✓	✓	✓	✓	✓
Visible water level		✓	✓	✓	✓	✓	✓	✓	✓
Defrosting device		✓	✓	✓	✓	✓	✓	✓	✓
Hot gas defrosting system		-	-	-	-	-	-	-	-
Wireless control		-	-	-	✓	✓	✓	✓	✓

**LIMITS OF OPERATING CONDITIONS**

Indoor environment	Maximum operating temperature	DB 35°C	DB 35°C	DB 35°C	DB 35°C	DB 35°C	DB 35°C	DB 35°C	DB 35°C
	Minimum operating temperature	DB 5°C	DB 5°C	DB 5°C	DB 5°C	DB 5°C	DB 5°C	DB 5°C	DB 5°C

(1) DB 30°C - WB 27°C (30°C-80%)

(U.L.U.) DB 32°C - WB 23°C

(2) Test conditions: measurement taken without a filter installed.

(3) Test conditions: in a semi-anechoic chamber, 1 meter from the front of the device, with the microphone positioned at a height of 1 meter

## TECHNICAL DATA

			Seccoprof 30 P	Seccoprof 40 P
Product code			02106	02107
EAN code			8021183021066	8021183021073
Dehumidification capacity	(1)	l/24h	30	40
Max. power absorption in dehumidification mode	(1)	W	580	600
Maximum absorption in dehumidification mode	(1)	A	2,5	2,9
Max. power absorption in dehumidification mode (U.L.U.)	(U.L.U.)	W	620	750
Degree of protection			IPX0	IPX0
Fan speed		nr	2	2
Tank capacity		l	8	8
Air flow rate (max)		m <sup>3</sup> /h	240	240
Sound pressure	(2)	dB(A)	52	52
Product dimensions (W x H x D with wheels)		mm	312 x 635 x 453	312 x 635 x 453
Gift box dimensions (WxHxD)		mm	356 x 688 x 492	356 x 688 x 492
Weight (without packaging)		kg	24,9	27,2
Weight (with packaging)		kg	26,8	29,0
Refrigerant gas			R290	R290
GWP (Global Warming Potential)			3	3
Refrigerant gas charge		kg	0,083	0,096
Minimum area for use and storage		m <sup>2</sup>	4	4
Plug			EU	EU
Power supply		V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50
Conformity Markings			CE	CE
Antidust filter			√	√
Activated carbon filter			√	√
HEPA filter			-	-
Ionizer			-	-
UV lamp			-	-
Continuous drainage operation			√	√
Adjustable electronic humidistat			√	√
Display of room humidity			√	√
Display of room temperature			√	√
Full tank indicator			√	√
Child lock			√	√
Silent mode			-	-
Flap oscillation			-	-
Laundry function			√	√
Timer			√	√
Visible water level			√	√
Defrosting device			√	√
Hot gas defrosting system			√	√
Wireless control			-	-

## LIMITS OF OPERATING CONDITIONS

Indoor environment	Maximum operating temperature	DB 35°C	DB 35°C
	Minimum operating temperature	DB 2°C	DB 2°C

(1) DB 32°C - WB 29°C (32°C-80%)

(U.L.U.) DB 35°C - WB 31°C (35°C-80%)

(2) Test conditions: in a semi-anechoic chamber, 1 meter from the front of the device, with the microphone positioned at a height of 1 meter





6

## Humidifiers

 OLÍMPIA  
SPLÉNDID  
HOME OF COMFORT





# Humidified air for winter comfort


How to improve indoor comfort and prevent dryness and irritation

## Steam and essential oils





Maintaining the right balance of humidity in the air improves indoor comfort: even with the heat on, the ideal level should remain between 50% and 60%, thanks to the use of a device that humidifies the air and prevents dryness and irritation of the respiratory tract. The addition of essential oils diffused into the air also helps promote physical and mental well-being, creating a more pleasant and relaxing environment.

## The Importance of Color Therapy

Olimpia Splendid humidifiers go beyond their primary function, incorporating technologies designed to transform comfort into a state of complete well-being. Among these, chromotherapy lighting is a prime example: inspired by an ancient practice, it helps promote relaxation and improve mood, making the user experience even more pleasant and rejuvenating.



# Humidifiers

			CAPACITY	CHROMOTHERAPY	WARM STEAM	SCENT DIFFUSER
	<b>Lim pia 2</b>	<b>Lim pia 2</b> [99423]	2 lt	✓	-	-
	<b>Lim pia 4</b>	<b>Lim pia 4</b> [99424]	4 lt	✓	-	-
	<b>Lim pia Hero Wifi</b>	<b>Lim pia Hero Wifi</b> [99239]	5 lt	✓	✓	✓
	<b>Lim pia 6</b>	<b>Lim pia 6</b> [99425]	6 lt	-	✓	✓

# Key

## STANDARD CONTROLS



OS Home mobile application



Touch screen display



Mechanical controls



Remote control

## FUNCTIONS



### Auto mode

It maintains a constant humidity level of 55% by adjusting the output level and activates the hot steam function if the room temperature is below 10°C



### Humidity setting

Allows you to set the desired humidity level for personalized comfort



### Baby mode

It maintains a constant humidity level of 55% by regulating the steam, increasing the flow rate when the air is dry and stopping when the level is optimal



### Sleep Mode

Minimum steam output for quiet operation with the LED lights off



### Children's Lock

Blocking command possibilities, to limit access to younger children.



### Timer

Sets automatic powering on and/or off.



### Chromotherapy

It emits a variable coloured light to promote relaxation.



### Steam

Humidifies the environment to reduce air dryness.



### Ionizer

It creates ions that bind to harmful particles dispersed in the air, preventing them from being inhaled.



### Hot Steam

Sanitises water and humidifies the environment to reduce air dryness.



### Empty Tank Sign

Stops operation and signals the need to fill the tank.

## HUMIDIFIERS

## LIMPIA 2

Capacity	2 lt
Chromotherapy	✓



### Small, practical, and compact

Perfect for smaller spaces in the home, it is particularly lightweight and easy to handle, making it simple to move around when needed and just as easy to store when not in use.

### Integrated color therapy

Variable colored lighting promotes relaxation and physical and mental well-being, creating a soothing atmosphere that harnesses the effects of different light frequencies associated with colors.

### TECHNICAL INFO

- Cold ultrasonic technology with a humidification capacity of 125 ml/h
- 8-hour timer programming
- Cleaning brush included



Humidification



Chromotherapy



Empty Tank Sign



Timer



**HUMIDIFIERS**

# LIMPIA 4

Capacity	<b>4 lt</b>
Chromotherapy	



### Continuous humidification until morning

The 4-liter tank provides enough operating time to last all night (depending on the misting intensity), without interruptions or the need for frequent refills.

### Integrated color therapy

Variable colored lighting promotes relaxation and physical and mental well-being, creating a soothing atmosphere that harnesses the effects of different light frequencies associated with colors.



-  **Humidification**
-  **Chromotherapy**
-  **Empty Tank Sign**
-  **Timer**

### TECHNICAL INFO

- Cold ultrasonic technology with a humidification capacity of 300 ml/h
- 8-hour timer programming
- Vapour intensity continuous adjustment



## HUMIDIFIERS

# LIMPIA HERO WIFI

Capacity	<b>5 lt</b>
Warm steam	✓
Chromotherapy	✓
Scent diffuser	✓



## Advanced control

It can also be configured via smartphone, thanks to its built-in wireless connectivity, and offers several operating modes (Baby, Auto, Manual, Sleep) for highly customizable comfort.

## Dual-action wellness

The hot steam and ionizing plasma functions, combined with the built-in essential oil diffuser, offer the benefits of humidified and heat-sterilized air along with a more intense and enveloping aroma.

## TECHNICAL INFO

- Cold ultrasonic technology with a humidification capacity of 450 ml/h
- 12-hour timer programming
- 3 humidity emission settings
- Drawer for essential oils
- Cleaning brush included
- Night light with 7 color settings



- Humidification
- Aromatherapy
- Auto mode
- Baby mode
- Children's Lock
- Chromotherapy
- Ionizer
- Empty Tank Sign
- Humidity setting
- Sleep Mode
- Timer
- Steam
- Hot Steam



**HUMIDIFIERS**

# LIMPIA 6

Capacity	<b>6 lt</b>
Warm steam	✓
Scent diffuser	✓



### Long operating life

The large water tank ensures continuous and prolonged humidification, allowing the device to operate for many hours without interruption and without the need for frequent refills.

### Enhanced Aromatherapy

The hot steam function and the essential oil compartment promote complete relaxation by combining the benefits of humidified, heat-sterilized air with a more intense and enveloping aroma diffusion.

### TECHNICAL INFO

- Cold ultrasonic technology with a humidification capacity of 330 ml/h
- 3 humidity emission settings
- 8-hour timer programming
- Draw for essential oils



-  **Humidification**
-  **Aromatherapy**
-  **Empty Tank Sign**
-  **Timer**
-  **Steam**
-  **Hot Steam**



## TECHNICAL DATA

		Limpia 2	Limpia 4	Limpia Hero Wifi	Limpia 6
<b>Product code</b>		99423	99424	99239	99425
<b>EAN code</b>		8021183994230	8021183994247	8021183992397	8021183994254
<b>Humidification capacity (cold steam / hot steam)</b>	ml/h	125 / 0	300 / 0	250 / 450	290 / 330
<b>Humidifiable Area</b>	m <sup>2</sup>	25	35	27	50
<b>Power absorption (cold steam / hot steam)</b>	W	12 / 0	25 / 0	30 / 220	25 / 55
<b>Vapour emission levels</b>	nr	1	1	3	3
<b>Degree of protection</b>		IP X0	IP X0	IP X0	IP X0
<b>Tank capacity</b>	l	2,0	4,0	5,0	6,0
<b>Master box quantity</b>		4	4	4	4
<b>Dimensions (WxHxD)</b>	mm	180 x 189 x 180	204 x 290 x 205	284 x 318 x 165	290 x 337 x 170
<b>Gift box dimensions (WxHxD)</b>	mm	215 x 226 x 215	245 x 340 x 235	325 x 355 x 200	315 x 360 x 195
<b>Master Box dimensions (W x H x D)</b>	mm	450 x 246 x 445	510 x 360 x 485	670 x 420 x 375	650 x 380 x 405
<b>Weight (without packaging)</b>	kg	0,80	1,20	2,40	2,00
<b>Weight (with packaging)</b>	kg	1,20	1,80	3,20	2,30
<b>Power supply</b>	V-F-Hz	100-240 - 1 - 50/60	100-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50/60
<b>Conformity Markings</b>		CE	CE	CE	CE
<b>Ultrasonic technology cold mist</b>		√	√	√	√
<b>Chromotherapy</b>		√	√	√	-
<b>Electromechanical controls</b>		-	√	-	-
<b>Digital control</b>		√	-	√	√
<b>Display</b>		-	-	√	√
<b>Display of room humidity</b>		-	-	√	√
<b>Tank empty signal</b>		√	√	√	√
<b>Humidifying + heating function</b>		-	-	√	√
<b>Warm steam function</b>		-	-	√	√
<b>Setting steam level</b>		-	√	√	√
<b>Night light</b>		√	√	√	√
<b>Adjustable steam nozzle</b>		-	√	√	√
<b>Ionizer</b>		-	-	√	-
<b>Remote control</b>		-	√	-	√
<b>Timer</b>		√	√	√	√
<b>Automatic re-start function on return of mains voltage</b>		-	-	√	-
<b>Wireless control</b>		-	-	√	-



# 7

Air purifiers and  
aroma diffusers

 **OLIMPIA  
SPLENDID**  
HOME OF COMFORT



**AIR PURIFIERS AND AROMA DIFFUSERS**

# AURA ABSOLUTE

Clean Air Delivery Rate (CADR)	<b>423 m3/h</b>
For rooms up to	<b>50 m<sup>3</sup></b>
Filtration	<b>antidust   activated carbons   HEPA 14</b>
Purification	<b>UV-C lamp   ionizer</b>



## Complete purification

In addition to the pre-filter and activated carbon filter, it features a HEPA 14 filter, capable of capturing 99.99% of particles as small as 0.3 microns, and a UV-C lamp that helps sterilize the air. Rounding out the system, the ionizer further improves air purity by reducing residual impurities.

## Automatic adjustment

It analyzes indoor air quality in real time, automatically adjusts to ensure consistently effective purification, and displays the data via an intuitive, easy-to-read four-color indicator light.

## TECHNICAL INFO

- 12-hour timer programming
- Digital display and particulate concentration
- Filter life: up to 4,320 hours
- 4-color air quality sensor
- Fan speed: low/medium/high/turbo
- Convenient handle



-  **Purification**
-  **Auto Mode**
-  **Children's Lock**
-  **Ionizer**
-  **UV lamp**
-  **Filter Cleaning Signal**
-  **Sleep Mode**
-  **Timer**
-  **Turbo Mode**



## TECHNICAL DATA

		Aura Absolute
<b>Product code</b>		99278
<b>EAN code</b>		8021183992786
Absorbed power	W	70
Degree of protection		IP20
Insulation class		II
Fan speed	nr	4
Sound pressure level	(1) dB(A) min-max	27 / 54
Dimensions (WxHxD)	mm	445 x 680 x 238
Gift box dimensions (WxHxD)	mm	510 x 752 x 310
Weight (without packaging)	kg	9,6
Weight (with packaging)	kg	12,5
For rooms up to	m <sup>2</sup>	50
CADR Clean air delivery rate	m <sup>3</sup> /h	423
Ozone production	ppm	< 0,05
Power supply	V-F-Hz	220-240 -1- 50/60
Conformity Markings		CE
Digital control		✓
Air quality indicator led		✓
Air quality indicator display		✓
Filter cleaning/replacing signal		✓
Child Lock function		✓
Sleep function		✓
Turbo Function		✓
Auto function		✓
Timer		✓
Handle		✓
Ionizer		✓
Germicidal UV lamp		✓
Antidust pre-filter		✓
HEPA filter		✓
HEPA filter type		HEPA14
Carbon filter		✓
Wireless control		✓

(1) Test conditions: in a semi-anechoic chamber, 1 meter from the front of the device, with the microphone positioned at a height of 1 meter

**AIR PURIFIERS AND AROMA DIFFUSERS**

# ASTOMI SOUND

Capacity	<b>0.4 lt</b>
Chromotherapy	✓
Scent diffuser	✓



## Aromatherapy and Chromotherapy

In addition to diffusing essential oils, the changing colored light promotes relaxation and physical and mental well-being, creating a soothing atmosphere that harnesses the effects of the different light frequencies of the colors.

## A multisensory experience

The built-in Bluetooth speaker enhances the wellness experience by combining olfactory stimulation and sound design in a single device. While the essential oils diffuse relaxing or energizing fragrances, the music or sounds you choose create an immersive atmosphere.



-  **Humidification**
-  **Aromatherapy**
-  **Chromotherapy**
-  **Empty Tank Sign**
-  **Speaker sound**
-  **Timer**

## TECHNICAL INFO

- Cold ultrasonic technology with a humidification capacity of 45 ml/h
- Two steam settings: low/high
- Continuous operation for up to 11 hours and automatic shut-off when the tank is empty
- Bluetooth speakers for mobile devices



## TECHNICAL DATA

		Astomi Sound
<b>Product code</b>		99408
<b>EAN code</b>		8021183994087
Humidification capacity (cold steam)	ml/h	45
Humidifiable Area	m <sup>2</sup>	20
Power absorption (cold steam)	W	18
Degree of protection		IP X0
Insulation class		III
Fan speed	nr	1
Tank capacity	ml	400
Master box quantity		12
Dimensions (WxHxD)	mm	156 x 145 x 156
Gift box dimensions (WxHxD)	mm	165 X 215 x 165
Master Box dimensions (W x H x D)	mm	515 x 450 x 345
Weight (without packaging)	kg	0,70
Weight (with packaging)	kg	0,90
Master box weight	kg	12
Power supplier		external
Power supply	V-F-Hz	100-240 - 1 - 50/60
Conformity Markings		CE
Ultrasonic technology cold mist		✓
Electromechanical controls		✓
Digital control		-
Display		-
Display of room humidity		-
Tank empty signal		✓
Warm steam function		-
Night light		✓
Adjustable steam nozzle		✓
Ionizer		-
Remote control		-
Automatic re-start function on return of mains voltage		-
Timer		✓
Bluetooth		✓









 **OLIMPIA  
SPLENDID**  
HOME OF COMFORT

**DTP1395**



**AZIENDA  
ITALIANA**  
DAL 1956

Certified company:

